

PERSONAL & CONFIDENTIAL

6/13/84

TO: H. V. BRADLEY  
D. G. WIKA  
T. M. KEMP  
T. L. SCHRENK

FROM: J. A. SCHMID

C-8 IN WATER  
\*\*\*\*\*

BELOW IS A COMPARISON BETWEEN THE 3/15/84 SAMPLES, AND THOSE TAKEN ON 6/4/84.

	C-8 IN PPB	
LOCATION	3/15/84	6/4/84
*****	*****	*****
LITTLE HOCKING	0.8	NOT DETECTED
LUBECK WATER		
* POWELLS STORE	1.2	1.0
* LUBECK HILL	NOT SAMPLED	1.5

I WOULD HAVE TO CONCLUDE THAT IN THE CASE OF LITTLE HOCKING, THE C-8 DROPPED BELOW THE DETECTION LIMIT OF 0.6 PPB. ALSO, RECOGNIZING THAT WE ARE OPERATING AT THE EXTREME OF THE TEST'S SENSITIVITY, THE BEST WE CAN SAY ABOUT THE LUBECK WATER IS THAT IT IS PRESENT IN THE 1.0 PPB RANGE.

REV.6/14/84 - 6/13/84 DATA WAS REPORTED AS FLUORINE NOT C-8.

000051

EID079102