

| State<br>Utility<br>Sample ID<br>Analyte        | PFAS Value (PPT)<br><small>*Sample ID Value is total PFAS in sample</small> |
|---|---|
| <b>Native American Reservations</b>             |   |
| <b>Mashantucket Pequot Water System, CT</b>     |   |
| 810-79458-1                                     | 48.2  |
| PFBA  | 6.3   |
| PFBS  | 3.6   |
| PFHpA   | 3.5   |
| PFHxA   | 9.2   |
| PFOA  | 7.4   |
| PFPeA   | 18.2  |
| 810-81002-1                                     | 3.6   |
| PFPeA   | 3.6   |
| <b>POTTAWATOMIE CO. RWD #3 (DALE PLANT), KS</b> |   |
| 107470P   | 7.4   |
| PFHxS   | 3.3   |
| PFOS  | 4.1   |
| <b>Pechanga, CA</b>                             |   |
| C3H3400-05                                      | <b>13.6</b>   |
| PFBS  | 3   |
| PFHxA   | 4.2   |
| PFPeA   | 6.4   |
| <b>Chukchansi Gold Resort, CA</b>               |   |
| 109513R   | <b>13.2</b>   |
| PFBS  | 9.9   |
| PFPeA   | 3.3   |
| <b>Ak Chin Village, AZ</b>                      |   |
| TREATMENT PLANT (EP1                            | <b>3</b>  |
| PFHxA   | 3   |
| <b>AK</b>                                       |   |
| <b>MOA MUNICIPALITY OF ANCHORAGE</b>            |   |
| WELL #13 DS EP                                  | <b>20.3</b>   |
| PFHxS   | 11.2  |
| PFOA  | 9.1   |
| WELL #9 DS EP                                   | <b>4.8</b>  |
| PFHxS   | 4.8   |
| <b>UNIVERSITY OF ALASKA - FAIRBANKS</b>         |   |

|  |             |
|--|-------------|
| 107477P                                  | <b>8.8</b>  |
| PFHxA                                    | 3.1         |
| PFHxS                                    | 5.7         |
| 101828P                                  | <b>4.7</b>  |
| PFHxS                                    | 4.7         |
| <b>WASILLA WATER SYSTEM</b>              |             |
| 810-74504-1                              | <b>3.1</b>  |
| PFHxS                                    | 3.1         |
| <b>EIELSON - AIR FORCE BASE</b>          |             |
| 105438R                                  | <b>3</b>    |
| PFPeA                                    | 3           |
| <b>AL</b>                                |             |
| <b>COLBERT COUNTY RURAL WATER SYSTEM</b> |             |
| 810-71479-1                              | <b>83.5</b> |
| PFBA                                     | 37.7        |
| PFBS                                     | 8.4         |
| PFHxA                                    | 4.6         |
| PFOA                                     | 9.7         |
| PFOS                                     | 19.5        |
| PFPeA                                    | 3.6         |
| 810-81291-1                              | <b>54.1</b> |
| PFBA                                     | 8.1         |
| PFBS                                     | 8.5         |
| PFHxA                                    | 12          |
| PFHxS                                    | 3.3         |
| PFOA                                     | 7.6         |
| PFOS                                     | 10.2        |
| PFPeA                                    | 4.4         |
| 810-71484-1                              | <b>53.4</b> |
| PFBA                                     | 11.7        |
| PFBS                                     | 8.2         |
| PFHxA                                    | 4.2         |
| PFOA                                     | 9.3         |
| PFOS                                     | 17          |
| PFPeA                                    | 3           |
| 810-71482-1                              | <b>51.1</b> |
| PFBA                                     | 15          |
| PFBS                                     | 7.1         |
| PFHxA                                    | 3.7         |

|                    |             |
|--------------------|-------------|
| PFOA               | 7.3         |
| PFOS               | 14.9        |
| PFPeA              | 3.1         |
| <b>810-71481-1</b> | <b>48.4</b> |
| PFBA               | 12.7        |
| PFBS               | 7.7         |
| PFHxA              | 3.7         |
| PFOA               | 7           |
| PFOS               | 14.3        |
| PFPeA              | 3           |
| <b>810-81239-1</b> | <b>46.7</b> |
| PFBA               | 13.8        |
| PFBS               | 3.8         |
| PFHxA              | 3.9         |
| PFOA               | 8.2         |
| PFOS               | 13.7        |
| PFPeA              | 3.3         |
| <b>810-81235-1</b> | <b>45.9</b> |
| PFBA               | 13.5        |
| PFBS               | 3.6         |
| PFHxA              | 3.8         |
| PFOA               | 8.4         |
| PFOS               | 13.5        |
| PFPeA              | 3.1         |
| <b>810-81288-1</b> | <b>44.6</b> |
| PFBA               | 12.3        |
| PFBS               | 3.7         |
| PFHxA              | 4.1         |
| PFOA               | 8.1         |
| PFOS               | 13.3        |
| PFPeA              | 3.1         |
| <b>810-71480-1</b> | <b>34.8</b> |
| PFBA               | 5.6         |
| PFBS               | 7.4         |
| PFHxA              | 6.6         |
| PFHxS              | 3           |
| PFOA               | 4.9         |
| PFOS               | 7.3         |
| <b>810-71483-1</b> | <b>25.1</b> |

|  |              |
|--|--------------|
| PFBA                                       | 7.1          |
| PFBS                                       | 5.6          |
| PFHxA                                      | 3.3          |
| PFOS                                       | 5.9          |
| PFPeA                                      | 3.2          |
| 810-81292-1                                | <b>18</b>    |
| PFBA                                       | 5.3          |
| PFBS                                       | 5.9          |
| PFOS                                       | 6.8          |
| <b>GADSDEN WATER WORKS AND SEWER BOARD</b> |              |
| 810-69517-1                                | <b>299.4</b> |
| PFBA                                       | 17.1         |
| PFBS                                       | 132.6        |
| PFHpA                                      | 11.7         |
| PFHxA                                      | 34.7         |
| PFOA                                       | 29           |
| PFOS                                       | 24.6         |
| PFPeA                                      | 49.7         |
| 810-79847-1                                | <b>141.5</b> |
| PFBA                                       | 9.3          |
| PFBS                                       | 57.8         |
| PFHpA                                      | 5.2          |
| PFHxA                                      | 14.1         |
| PFOA                                       | 15.2         |
| PFOS                                       | 17.2         |
| PFPeA                                      | 22.7         |
| <b>MARBURY WATER SYSTEM, INC.</b>          |              |
| 100005P                                    | <b>174.5</b> |
| PFBA                                       | 13           |
| PFBS                                       | 73           |
| PFHpA                                      | 6.5          |
| PFHxA                                      | 19           |
| PFOA                                       | 14           |
| PFOS                                       | 17           |
| PFPeA                                      | 32           |
| 105521P                                    | <b>146.7</b> |
| PFBA                                       | 8.1          |
| PFBS                                       | 60.3         |
| PFHpA                                      | 5.9          |

|  |              |
|--|--------------|
| PFHxA  | 14.5         |
| PFOA   | 16.1         |
| PFOS   | 20.2         |
| PFPeA  | 21.6         |
| 102794P  | 112.5        |
| PFBA   | 8            |
| PFBS   | 48           |
| PFHpA  | 3.5          |
| PFHxA  | 11           |
| PFOA   | 10           |
| PFOS   | 15           |
| PFPeA  | 17           |
| <b>HOLTVILLE WATER SYSTEM</b>                    |              |
| 104652P  | <b>137.7</b> |
| PFBA   | 9.3          |
| PFBS   | 55           |
| PFHpA  | 5.4          |
| PFHxA  | 15           |
| PFOA   | 14           |
| PFOS   | 18           |
| PFPeA  | 21           |
| 101836P  | <b>132.7</b> |
| PFBA   | 7.5          |
| PFBS   | 56           |
| PFHpA  | 4.6          |
| PFHxA  | 13.1         |
| PFOA   | 14.1         |
| PFOS   | 14.8         |
| PFPeA  | 22.6         |
| <b>THOMASVILLE WATER WORKS &amp; SEWER BOARD</b> |              |
| 104409P  | <b>95</b>    |
| PFBA   | 6.4          |
| PFBS   | 41           |
| PFHpA  | 3.3          |
| PFHxA  | 8.8          |
| PFOA   | 8.5          |
| PFOS   | 14           |
| PFPeA  | 13           |
| 106759P  | <b>81.3</b>  |

|   |             |
|---|-------------|
| PFBA  | 6.6         |
| PFBS  | 31          |
| PFHpA   | 3           |
| PFHxA   | 7.8         |
| PFOA  | 8.9         |
| PFOS  | 13          |
| PFPeA   | 11          |
| <b>100864P</b>                                    | <b>61.5</b> |
| PFBS  | 26.2        |
| PFHpA   | 3           |
| PFHxA   | 7.3         |
| PFOA  | 6.2         |
| PFOS  | 8.6         |
| PFPeA   | 10.2        |
| <b>SOUTH MARENGO CO WATER &amp; FIRE PRO AUTH</b> |             |
| <b>101714R</b>                                    | <b>75.5</b> |
| PFBA  | 5.2         |
| PFBS  | 33          |
| PFHxA   | 8.6         |
| PFOA  | 6.9         |
| PFOS  | 9.8         |
| PFPeA   | 12          |
| <b>105547P</b>                                    | <b>72.4</b> |
| PFBA  | 6.2         |
| PFBS  | 27.2        |
| PFHpA   | 3           |
| PFHxA   | 7.3         |
| PFOA  | 7.3         |
| PFOS  | 11.7        |
| PFPeA   | 9.7         |
| <b>102814P</b>                                    | <b>33.8</b> |
| PFBS  | 14          |
| PFHxA   | 3.9         |
| PFOA  | 4           |
| PFOS  | 6.6         |
| PFPeA   | 5.3         |
| <b>HUNTSVILLE UTILITIES</b>                       |             |
| <b>35836675001SE2</b>                             | <b>31.5</b> |
| PFBA  | 11          |

|                              |             |
|------------------------------|-------------|
| PFBS                         | 6.1         |
| PFHxA                        | 4.4         |
| PFOA                         | 4.7         |
| PFPeA                        | 5.3         |
| <b>35804965001SE1</b>        | <b>23.8</b> |
| PFBA                         | 9.7         |
| PFBS                         | 5.7         |
| PFHxA                        | 4.1         |
| PFPeA                        | 4.3         |
| <b>35785694001SE1</b>        | <b>15.2</b> |
| PFBS                         | 6.2         |
| PFOS                         | 9           |
| <b>35812392001SE2</b>        | <b>12.8</b> |
| PFBA                         | 9.2         |
| PFBS                         | 3.6         |
| <b>35836675003SE2</b>        | <b>10.7</b> |
| PFBS                         | 4.3         |
| PFOS                         | 6.4         |
| <b>35785777001SE1</b>        | <b>9.5</b>  |
| PFBA                         | 6.2         |
| PFBS                         | 3.3         |
| <b>35785777003SE1</b>        | <b>9.4</b>  |
| PFBA                         | 5.6         |
| PFBS                         | 3.8         |
| <b>35800051003SE2</b>        | <b>5.2</b>  |
| PFBS                         | 5.2         |
| <b>35800051001SE2</b>        | <b>4.8</b>  |
| PFBS                         | 4.8         |
| <b>IRONDALE WATER SYSTEM</b> |             |
| <b>810-81487-1</b>           | <b>89.1</b> |
| PFBS                         | 3.5         |
| PFHxA                        | 5.1         |
| PFHxS                        | 7.9         |
| PFOA                         | 5.1         |
| PFOS                         | 59.4        |
| PFPeA                        | 8.1         |
| <b>810-81491-1</b>           | <b>26.6</b> |
| PFOA                         | 5.1         |
| PFOS                         | 16.9        |

|  |             |
|--|-------------|
| PFPeA  | 4.6         |
| <b>ODENVILLE (UTIL BOARD OF THE TOWN OF)</b> |             |
| 810-74930-1                                  | <b>54.9</b> |
| PFBA   | 8           |
| PFBS   | 22.2        |
| PFHxA  | 7.5         |
| PFPeA  | 17.2        |
| 810-81464-1                                  | <b>41.3</b> |
| PFBA   | 6           |
| PFBS   | 17.5        |
| PFHxA  | 5.6         |
| PFPeA  | 12.2        |
| <b>ASBURY WATER SYSTEM</b>                   |             |
| 101850P                                      | <b>27.4</b> |
| PFHpA  | 4.7         |
| PFHxA  | 4.3         |
| PFOA   | 9.1         |
| PFOS   | 5.8         |
| PFPeA  | 3.5         |
| 104768P                                      | <b>19.8</b> |
| PFBA   | 7.4         |
| PFBS   | 3.9         |
| PFHxA  | 4.4         |
| PFPeA  | 4.1         |
| 104767P                                      | <b>13.3</b> |
| PFBA   | 7.1         |
| PFBS   | 6.2         |
| 107498P                                      | <b>12.8</b> |
| PFBA   | 9.7         |
| PFBS   | 3.1         |
| 101849P                                      | <b>11.4</b> |
| PFBA   | 8.3         |
| PFBS   | 3.1         |
| <b>RUSSELL COUNTY WATER AUTHORITY</b>        |             |
| GI03440-01                                   | <b>32</b>   |
| PFBA   | 6.9         |
| PFBS   | 3.8         |
| PFHxA  | 5.2         |
| PFOA   | 4.6         |



|   |             |
|---|-------------|
| PFOS  | 5.3         |
| PFPeA                                       | 6.2         |
| <b>GF04715-01</b>                           | <b>16.5</b> |
| PFBA  | 5           |
| PFHxA                                       | 3.2         |
| PFOS  | 4.8         |
| PFPeA                                       | 3.5         |
| <b>GF04715-03</b>                           | <b>11.5</b> |
| PFBA  | 5.1         |
| PFHxA                                       | 3.2         |
| PFPeA                                       | 3.2         |
| <b>OPELIKA UTILITIES</b>                    |             |
| <b>GH06052-01</b>                           | <b>19.5</b> |
| PFHxA                                       | 3.8         |
| PFOA  | 5.8         |
| PFOS  | 5.3         |
| PFPeA                                       | 4.6         |
| <b>35788130003SE1</b>                       | <b>18.6</b> |
| PFHxA                                       | 3.8         |
| PFOA  | 8.4         |
| PFOS  | 6.4         |
| <b>35801006003SE2</b>                       | <b>14.7</b> |
| PFHxA                                       | 3.6         |
| PFOA  | 5.5         |
| PFOS  | 5.6         |
| <b>35788130001SE1</b>                       | <b>3</b>    |
| PFHxA                                       | 3           |
| <b>SOUTH ALABAMA UTILITIES WATER SYSTEM</b> |             |
| <b>35795847003SE1</b>                       | <b>17</b>   |
| PFBA  | 17          |
| <b>35835155003SE2</b>                       | <b>16</b>   |
| PFBA  | 16          |
| <b>35795846005SE1</b>                       | <b>9.8</b>  |
| PFBA  | 9.8         |
| <b>35835487003SE2</b>                       | <b>5.4</b>  |
| 6:2 FTS                                     | 5.4         |
| <b>BELFOREST WATER SYSTEM</b>               |             |
| <b>GG02786-03</b>                           | <b>27</b>   |
| PFBS  | 5.1         |

|   |             |
|---|-------------|
| PFHxA                                       | 4.1         |
| PFHxS                                       | 4.1         |
| PFOA  | 4.5         |
| PFOS  | 4.2         |
| PFPeA                                       | 5           |
| GG02786-01                                  | <b>10.7</b> |
| PFBA  | 7.3         |
| PFBS  | 3.4         |
| 35782399001SE1                              | <b>10.4</b> |
| PFBA  | 7.4         |
| PFBS  | 3           |
| <b>LANETT WATER WORKS</b>                   |             |
| 108539P                                     | <b>13.8</b> |
| PFBS  | 3.8         |
| PFHxA                                       | 5           |
| PFPeA                                       | 5           |
| 102797P                                     | <b>13.6</b> |
| PFBA  | 5           |
| PFBS  | 8.6         |
| 105532P                                     | <b>11.7</b> |
| PFBS  | 4.2         |
| PFHxA                                       | 4           |
| PFPeA                                       | 3.5         |
| 101739R                                     | <b>5.4</b>  |
| PFBS  | 5.4         |
| <b>BEULAH UTILITIES DISTRICT</b>            |             |
| 101740R                                     | <b>27.5</b> |
| PFBA  | 7.7         |
| PFHxA                                       | 4.9         |
| PFOA  | 7.7         |
| PFOS  | 4.2         |
| PFPeA                                       | 3           |
| 104510R                                     | <b>15.9</b> |
| PFBA  | 7.6         |
| PFHxA                                       | 3.3         |
| PFOA  | 5           |
| <b>FLORENCE WATER-WASTEWATER DEPARTMENT</b> |             |
| GH03654-03                                  | <b>36.8</b> |
| PFBA  | 9.7         |

|   |             |
|---|-------------|
| PFBS  | 5.1         |
| PFHxA   | 3.2         |
| PFOA  | 4.8         |
| PFOS  | 14          |
| <b>SCOTTSBORO WATER WORKS</b>                     |             |
| 35805987001SE2                                    | <b>13.5</b> |
| PFBA  | 9.8         |
| PFBS  | 3.7         |
| GG04748-01  | <b>8</b>    |
| PFBA  | 8           |
| GH00022-01  | <b>5.6</b>  |
| PFBA  | 5.6         |
| 35838071003SE4                                    | <b>5.2</b>  |
| PFBA  | 5.2         |
| <b>DECATUR (MUNICIPAL UTILITIES BOARD OF)</b>     |             |
| GI03087-01  | <b>13</b>   |
| PFBA  | 13          |
| GH03962-01  | <b>11.8</b> |
| PFBA  | 8.7         |
| PFBS  | 3.1         |
| <b>ECLECTIC WATER WORKS &amp; SEWER BOARD</b>     |             |
| 102803P   | <b>6.8</b>  |
| PFBA  | 6.8         |
| 102802P   | <b>5.6</b>  |
| PFBA  | 5.6         |
| 105536P   | <b>5</b>    |
| PFOS  | 5           |
| 105537P   | <b>4.5</b>  |
| PFOS  | 4.5         |
| <b>EAST ALABAMA WATER &amp; FIRE PRO DISTRICT</b> |             |
| 35840219001SE3                                    | <b>13.5</b> |
| PFBS  | 3.9         |
| PFHxA   | 4.3         |
| PFPeA   | 5.3         |
| 35803039001SE1                                    | <b>3.5</b>  |
| PFBS  | 3.5         |
| <b>JACKSON COUNTY WATER AUTHORITY</b>             |             |
| 106787P   | <b>10.4</b> |
| PFBA  | 6.8         |

|  |             |
|--|-------------|
| PFBS   | 3.6         |
| 103662P  | <b>4.1</b>  |
| PFBS   | 4.1         |
| <b>US ARMY GARRISON-REDSTONE ARSENAL</b>       |             |
| 810-82546-1                                    | <b>8.2</b>  |
| PFBA   | 8.2         |
| <b>LAFAYETTE WATER WORKS, AL</b>               |             |
| 104509R  | <b>6.4</b>  |
| PFBA   | 6.4         |
| <b>FRIENDSHIP WATER WORKS</b>                  |             |
| 106767P  | <b>4.5</b>  |
| PFOS   | 4.5         |
| <b>HANCEVILLE (THE WWSB OF THE CITY OF)</b>    |             |
| 100031P  | <b>3.3</b>  |
| PFBS   | 3.3         |
| <b>BRIDGEPORT UTILITIES BOARD</b>              |             |
| 101845P  | <b>3.1</b>  |
| PFBS   | 3.1         |
| <b>GILBERTOWN (UTILITIES BOARD OF TOWN OF)</b> |             |
| 107483P  | <b>3.1</b>  |
| PFHpA  | 3.1         |
| <b>AR</b>                                      |             |
| <b>SILOAM SPRINGS WATERWORKS</b>               |             |
| O211299-533                                    | <b>16.1</b> |
| PFBS   | 7           |
| PFHxA  | 3.6         |
| PFPeA  | 5.5         |
| O206225-533                                    | <b>11.7</b> |
| PFBS   | 4.3         |
| PFHxA  | 3.2         |
| PFPeA  | 4.2         |
| O208830-533                                    | <b>7.5</b>  |
| PFBS   | 4.2         |
| PFPeA  | 3.3         |
| <b>BENTONVILLE WATER UTILITIES</b>             |             |
| O213330-533                                    | <b>6.7</b>  |
| 6:2 FTS  | 6.7         |
| O212460-533                                    | <b>6.2</b>  |
| 6:2 FTS  | 6.2         |

|   |              |
|---|--------------|
| <b>LAKEVIEW-MIDWAY PUBLIC WATER AUTHORITY</b> |              |
| 102817P                                       | <b>5.6</b>   |
| PFBA  | 5.6          |
| <b>NASHVILLE WATERWORKS</b>                   |              |
| 102822P                                       | <b>5.4</b>   |
| PFBA  | 5.4          |
| <b>AS</b>                                     |              |
| <b>Central ASG</b>                            |              |
| 380-59413-4                                   | <b>3.2</b>   |
| PFBS  | 3.2          |
| <b>AZ</b>                                     |              |
| <b>PAYSON TOWN OF</b>                         |              |
| 380-71754-1                                   | <b>274.4</b> |
| PFBA  | 29.8         |
| PFBS  | 54.8         |
| PFDA  | 3.3          |
| PFHpA   | 7.5          |
| PFHxA   | 33.4         |
| PFHxS   | 22.7         |
| PFOA  | 40.9         |
| PFOS  | 33.8         |
| PFPeA   | 48.2         |
| 380-42075-7                                   | <b>246.1</b> |
| PFBA  | 30.9         |
| PFBS  | 41.8         |
| PFHpA   | 6.9          |
| PFHxA   | 28.8         |
| PFHxS   | 18.5         |
| PFOA  | 38.5         |
| PFOS  | 33.9         |
| PFPeA   | 46.8         |
| 380-71333-4                                   | <b>179</b>   |
| PFBA  | 10.1         |
| PFBS  | 31.3         |
| PFHpA   | 13.2         |
| PFHxA   | 22.2         |
| PFHxS   | 13           |
| PFOA  | 29.7         |
| PFOS  | 42.2         |

|                    |              |
|--------------------|--------------|
| PFPeA              | 17.3         |
| <b>380-43514-8</b> | <b>164.9</b> |
| PFBA               | 32           |
| PFBS               | 21.4         |
| PFDA               | 3.5          |
| PFHpA              | 4.1          |
| PFHxA              | 13           |
| PFHxS              | 9.9          |
| PFOA               | 28.2         |
| PFOS               | 31           |
| PFPeA              | 21.8         |
| <b>380-71754-2</b> | <b>157.8</b> |
| PFBA               | 28           |
| PFBS               | 21.8         |
| PFDA               | 3.5          |
| PFHpA              | 3.9          |
| PFHxA              | 13.8         |
| PFHxS              | 11.1         |
| PFOA               | 30.4         |
| PFOS               | 25.8         |
| PFPeA              | 19.5         |
| <b>380-43514-2</b> | <b>151.1</b> |
| PFBA               | 9.4          |
| PFBS               | 27.3         |
| PFHpA              | 11.5         |
| PFHxA              | 19.1         |
| PFHxS              | 12.4         |
| PFOA               | 25.9         |
| PFOS               | 31.5         |
| PFPeA              | 14           |
| <b>380-42075-5</b> | <b>148.2</b> |
| PFBA               | 25.4         |
| PFBS               | 13.8         |
| PFDA               | 3.2          |
| PFHpA              | 3.9          |
| PFHxA              | 18.5         |
| PFHxS              | 7.6          |
| PFOA               | 31.4         |
| PFOS               | 17.3         |

|                    |              |
|--------------------|--------------|
| PFPeA              | 27.1         |
| <b>380-71607-2</b> | <b>113.4</b> |
| PFBA               | 5.1          |
| PFBS               | 18.3         |
| PFHpA              | 5.8          |
| PFHxA              | 10.1         |
| PFHxS              | 22.7         |
| PFOA               | 10.8         |
| PFOS               | 31.5         |
| PFPeA              | 9.1          |
| <b>380-48583-1</b> | <b>106.8</b> |
| PFBA               | 6.8          |
| PFBS               | 18.5         |
| PFHpA              | 7.1          |
| PFHxA              | 8.7          |
| PFHxS              | 10.3         |
| PFOA               | 17.2         |
| PFOS               | 28.9         |
| PFPeA              | 9.3          |
| <b>380-43514-5</b> | <b>93.7</b>  |
| PFBA               | 7.1          |
| PFBS               | 32           |
| PFHpA              | 8.1          |
| PFHxA              | 12.8         |
| PFHxS              | 4.4          |
| PFOA               | 13.7         |
| PFOS               | 5.5          |
| PFPeA              | 10.1         |
| <b>380-71607-1</b> | <b>93.3</b>  |
| PFBA               | 5.3          |
| PFBS               | 35.4         |
| PFHpA              | 6.3          |
| PFHxA              | 8.6          |
| PFHxS              | 5.7          |
| PFOA               | 15.6         |
| PFOS               | 10.3         |
| PFPeA              | 6.1          |
| <b>380-71607-5</b> | <b>82.5</b>  |
| PFBA               | 8.3          |

|                    |             |
|--------------------|-------------|
| PFBS               | 36.8        |
| PFHpA              | 7           |
| PFHxA              | 6.9         |
| PFHxS              | 10.6        |
| PFOA               | 8.3         |
| PFPeA              | 4.6         |
| <b>380-71754-5</b> | <b>82.2</b> |
| PFBA               | 8.8         |
| PFBS               | 11.2        |
| PFHxA              | 8.8         |
| PFHxS              | 9.1         |
| PFOA               | 19.2        |
| PFOS               | 12.6        |
| PFPeA              | 12.5        |
| <b>380-71333-5</b> | <b>79.8</b> |
| PFBA               | 5.1         |
| PFBS               | 16.8        |
| PFHpA              | 3.9         |
| PFHxA              | 8.1         |
| PFHxS              | 11.7        |
| PFOA               | 18.1        |
| PFOS               | 8.1         |
| PFPeA              | 8           |
| <b>380-43514-1</b> | <b>78.8</b> |
| PFBA               | 5.6         |
| PFBS               | 16.5        |
| PFHpA              | 4.1         |
| PFHxA              | 8.3         |
| PFHxS              | 10.3        |
| PFOA               | 18.2        |
| PFOS               | 8.3         |
| PFPeA              | 7.5         |
| <b>380-43514-4</b> | <b>76.4</b> |
| PFBS               | 18.8        |
| PFHpA              | 3.4         |
| PFHxA              | 5.2         |
| PFHxS              | 16.2        |
| PFOA               | 6.9         |
| PFOS               | 21.5        |



|                    |             |
|--------------------|-------------|
| PFPeA              | 4.4         |
| <b>380-42075-6</b> | <b>75.9</b> |
| PFBA               | 7.5         |
| PFBS               | 8.3         |
| PFHxA              | 7.2         |
| PFHxS              | 7.7         |
| PFOA               | 20.5        |
| PFOS               | 13          |
| PFPeA              | 11.7        |
| <b>380-71333-6</b> | <b>60</b>   |
| PFBS               | 10.9        |
| PFHpA              | 3.9         |
| PFHxA              | 7.4         |
| PFHxS              | 13.6        |
| PFOA               | 6           |
| PFOS               | 10          |
| PFPeA              | 8.2         |
| <b>380-43514-6</b> | <b>52.2</b> |
| PFBS               | 10.4        |
| PFHpA              | 3.8         |
| PFHxA              | 6.3         |
| PFHxS              | 11.4        |
| PFOA               | 4.4         |
| PFOS               | 8.5         |
| PFPeA              | 7.4         |
| <b>380-42075-2</b> | <b>45.4</b> |
| PFBA               | 7.4         |
| PFBS               | 18.3        |
| PFHpA              | 5.3         |
| PFHxA              | 4.8         |
| PFHxS              | 6.1         |
| PFPeA              | 3.5         |
| <b>380-52871-2</b> | <b>30.5</b> |
| PFBS               | 10.9        |
| PFHxA              | 4.5         |
| PFOA               | 6.8         |
| PFOS               | 5.3         |
| PFPeA              | 3           |
| <b>380-71333-3</b> | <b>22.6</b> |

|                               |             |
|-------------------------------|-------------|
| PFBS                          | 8.2         |
| PFHxA                         | 6.5         |
| PFPeA                         | 7.9         |
| <b>380-52871-7</b>            | <b>21.2</b> |
| PFBS                          | 8.2         |
| PFHxA                         | 6           |
| PFPeA                         | 7           |
| <b>380-71607-3</b>            | <b>16.8</b> |
| PFBS                          | 13.1        |
| PFHxS                         | 3.7         |
| <b>380-42075-8</b>            | <b>16.5</b> |
| PFHxS                         | 3.2         |
| PFOA                          | 5.3         |
| PFOS                          | 4           |
| PFPeA                         | 4           |
| <b>380-43514-3</b>            | <b>15.7</b> |
| PFBS                          | 12.4        |
| PFHxS                         | 3.3         |
| <b>380-71607-6</b>            | <b>12.3</b> |
| PFBA                          | 12.3        |
| <b>380-71754-4</b>            | <b>10.5</b> |
| PFHxS                         | 3.1         |
| PFOA                          | 4.1         |
| PFPeA                         | 3.3         |
| <b>380-46944-1</b>            | <b>8.1</b>  |
| PFBS                          | 8.1         |
| <b>380-52871-6</b>            | <b>7.3</b>  |
| PFBS                          | 3.6         |
| PFPeA                         | 3.7         |
| <b>380-42075-1</b>            | <b>6.9</b>  |
| PFBA                          | 6.9         |
| <b>380-58167-1</b>            | <b>6.6</b>  |
| PFBS                          | 6.6         |
| <b>380-71095-6</b>            | <b>5.9</b>  |
| PFBS                          | 5.9         |
| <b>380-52871-4</b>            | <b>5.6</b>  |
| PFBS                          | 5.6         |
| <b>LIBERTY WATER RIO RICO</b> |             |
| EPDS002                       | <b>81</b>   |

|                   |             |
|-------------------|-------------|
| PFBA              | 7           |
| PFBS              | 10          |
| PFHxA             | 4           |
| PFHxS             | 7           |
| PFOA              | 10          |
| PFOS              | 40          |
| PFPeA             | 3           |
| <b>23D2124-02</b> | <b>81</b>   |
| PFBA              | 7           |
| PFBS              | 10          |
| PFHxA             | 4           |
| PFHxS             | 7           |
| PFOA              | 10          |
| PFOS              | 40          |
| PFPeA             | 3           |
| <b>EPDS003</b>    | <b>79</b>   |
| PFBA              | 5           |
| PFBS              | 20          |
| PFHxS             | 10          |
| PFOA              | 4           |
| PFOS              | 40          |
| <b>23D2123-02</b> | <b>79</b>   |
| PFBA              | 5           |
| PFBS              | 20          |
| PFHxS             | 10          |
| PFOA              | 4           |
| PFOS              | 40          |
| <b>23J1622-02</b> | <b>74.1</b> |
| PFBA              | 5.1         |
| PFBS              | 12.9        |
| PFHxS             | 10.9        |
| PFOA              | 4.3         |
| PFOS              | 40.9        |
| <b>23J1617-02</b> | <b>43.6</b> |
| PFBS              | 9.2         |
| PFHxS             | 5.6         |
| PFOA              | 5.9         |
| PFOS              | 22.9        |
| <b>23J1614-02</b> | <b>40.5</b> |

|                            |              |
|----------------------------|--------------|
| PFBS                       | 9.5          |
| PFHxS                      | 7            |
| PFOS                       | 24           |
| EPDS006                    | <b>20</b>    |
| PFBS                       | 6            |
| PFHxS                      | 4            |
| PFOS                       | 10           |
| 23D2092-02                 | <b>20</b>    |
| PFBS                       | 6            |
| PFHxS                      | 4            |
| PFOS                       | 10           |
| <b>LIBERTY WATER LPSCO</b> |              |
| 380-62888-11               | <b>134.2</b> |
| PFBA                       | 20.3         |
| PFBS                       | 8.4          |
| PFHpA                      | 6.1          |
| PFHxA                      | 23.2         |
| PFHxS                      | 7.9          |
| PFOA                       | 5.9          |
| PFOS                       | 7.8          |
| PFPeA                      | 54.6         |
| 380-62888-14               | <b>62</b>    |
| PFBS                       | 5            |
| PFHpA                      | 3.4          |
| PFHxA                      | 7.2          |
| PFHxS                      | 18.9         |
| PFOA                       | 5.6          |
| PFOS                       | 14.1         |
| PFPeA                      | 7.8          |
| 380-62888-10               | <b>56.9</b>  |
| PFBS                       | 5.2          |
| PFHpA                      | 3.3          |
| PFHxA                      | 7.8          |
| PFHxS                      | 7            |
| PFOA                       | 10.2         |
| PFOS                       | 11.2         |
| PFPeA                      | 12.2         |
| 380-62888-12               | <b>25.5</b>  |
| PFBA                       | 8.2          |

|                        |             |
|------------------------|-------------|
| PFHxS                  | 5.6         |
| PFOS                   | 8.5         |
| PFPeA                  | 3.2         |
| <b>380-62888-9</b>     | <b>24.2</b> |
| PFHxA                  | 4.4         |
| PFHxS                  | 4.6         |
| PFOA                   | 4.1         |
| PFOS                   | 4.5         |
| PFPeA                  | 6.6         |
| <b>380-62888-8</b>     | <b>14.3</b> |
| PFHxA                  | 3.4         |
| PFHxS                  | 5.9         |
| PFOA                   | 5           |
| <b>380-62888-13</b>    | <b>13</b>   |
| PFBS                   | 3.8         |
| PFHxS                  | 4.8         |
| PFOS                   | 4.4         |
| <b>PHOENIX CITY OF</b> |             |
| <b>2023031505</b>      | <b>21</b>   |
| PFBA                   | 5           |
| PFBS                   | 16          |
| <b>2023084651</b>      | <b>21</b>   |
| PFBA                   | 5           |
| PFBS                   | 16          |
| <b>2023031510</b>      | <b>17</b>   |
| PFBA                   | 6           |
| PFBS                   | 11          |
| <b>2023058081</b>      | <b>16</b>   |
| PFBA                   | 5           |
| PFBS                   | 11          |
| <b>2023084674</b>      | <b>14</b>   |
| PFBS                   | 14          |
| <b>2023058011</b>      | <b>14</b>   |
| PFBA                   | 5           |
| PFBS                   | 9           |
| <b>2023084685</b>      | <b>12</b>   |
| PFBS                   | 12          |
| <b>2023084656</b>      | <b>12</b>   |
| PFBS                   | 12          |

|                         |             |
|-------------------------|-------------|
| 2023058016              | <b>11</b>   |
| PFBS                    | 11          |
| 2023031495              | <b>10</b>   |
| PFBS                    | 10          |
| 2023031500              | <b>8</b>    |
| PFBS                    | 8           |
| 2023058021              | <b>7</b>    |
| PFBS                    | 7           |
| 2023031520              | <b>5</b>    |
| PFBA                    | 5           |
| <b>PRESCOTT CITY OF</b> |             |
| 23K1092-02              | <b>65.2</b> |
| PFBS                    | 7.5         |
| PFHpA                   | 3.6         |
| PFHxA                   | 12.6        |
| PFHxS                   | 6.5         |
| PFOA                    | 11.4        |
| PFOS                    | 8.7         |
| PFPeA                   | 14.9        |
| EPDS013 (229228)        | <b>54</b>   |
| PFBS                    | 7           |
| PFHpA                   | 3           |
| PFHxA                   | 10          |
| PFHxS                   | 6           |
| PFOA                    | 10          |
| PFOS                    | 8           |
| PFPeA                   | 10          |
| EPDS012 (21508)         | <b>13</b>   |
| PFHxA                   | 4           |
| PFHxS                   | 5           |
| PFPeA                   | 4           |
| 23K1089-02              | <b>12.8</b> |
| PFHxA                   | 3.6         |
| PFHxS                   | 4.9         |
| PFPeA                   | 4.3         |
| 23K1086-02              | <b>7.3</b>  |
| PFHxA                   | 3.5         |
| PFPeA                   | 3.8         |
| <b>GLOBE CITY OF</b>    |             |

|  |              |
|--|--------------|
| 104800P                                  | <b>146.2</b> |
| PFBA                                     | 8.5          |
| PFBS                                     | 108.1        |
| PFHxS                                    | 20.1         |
| PFOS                                     | 9.5          |
| <b>FLORENCE WATER COMPANY</b>            |              |
| EP FROM WELL 1 (POE0                     | <b>76</b>    |
| PFBA                                     | 9            |
| PFBS                                     | 60           |
| PFHxS                                    | 7            |
| EP FROM WELL 2B (POE                     | <b>13</b>    |
| PFBS                                     | 10           |
| PFHxS                                    | 3            |
| <b>ARIZONA WATER CO - SEDONA</b>         |              |
| EPDS 004 (08759)                         | <b>86</b>    |
| PFBA                                     | 6            |
| PFBS                                     | 30           |
| PFHpA                                    | 7            |
| PFHxA                                    | 10           |
| PFHxS                                    | 7            |
| PFOA                                     | 10           |
| PFOS                                     | 6            |
| PFPeA                                    | 10           |
| <b>BIG PARK WATER COMPANY</b>            |              |
| 100061P                                  | <b>64.3</b>  |
| PFBS                                     | 28           |
| PFHpA                                    | 4            |
| PFHxA                                    | 3.9          |
| PFHxS                                    | 3.3          |
| PFOA                                     | 21           |
| PFOS                                     | 4.1          |
| 105569P                                  | <b>13.2</b>  |
| PFBS                                     | 4.1          |
| PFHxA                                    | 4.5          |
| PFPeA                                    | 4.6          |
| <b>FLOWING WELLS IRRIGATION DISTRICT</b> |              |
| EPDS071                                  | <b>31</b>    |
| PFBS                                     | 4            |
| PFHxA                                    | 3            |

|                                  |             |
|----------------------------------|-------------|
| PFHxS                            | 9           |
| PFOA                             | 5           |
| PFOS                             | 6           |
| PFPeA                            | 4           |
| <b>EPDS071 (00220)</b>           | <b>27</b>   |
| PFBS                             | 4           |
| PFHxA                            | 3           |
| PFHxS                            | 8           |
| PFOA                             | 5           |
| PFOS                             | 4           |
| PFPeA                            | 3           |
| <b>EPDS060 (00219)</b>           | <b>5</b>    |
| PFHxS                            | 5           |
| <b>EPDS060</b>                   | <b>5</b>    |
| PFHxS                            | 5           |
| <b>EPDS072</b>                   | <b>3</b>    |
| PFHxS                            | 3           |
| <b>BERMUDA WATER COMPANY INC</b> |             |
| <b>380-68387-1</b>               | <b>11.4</b> |
| PFBS                             | 4           |
| PFHxA                            | 3           |
| PFPeA                            | 4.4         |
| <b>380-56492-8</b>               | <b>9.9</b>  |
| PFBS                             | 4.8         |
| PFPeA                            | 5.1         |
| <b>380-35568-8</b>               | <b>9.2</b>  |
| PFBS                             | 4.7         |
| PFPeA                            | 4.5         |
| <b>380-56492-7</b>               | <b>6.7</b>  |
| PFBS                             | 3.7         |
| PFPeA                            | 3           |
| <b>380-56492-2</b>               | <b>5.6</b>  |
| PFBS                             | 5.6         |
| <b>380-35568-3</b>               | <b>3.7</b>  |
| PFBS                             | 3.7         |
| <b>380-56492-5</b>               | <b>3.5</b>  |
| PFBS                             | 3.5         |
| <b>380-35568-2</b>               | <b>3</b>    |
| PFPeA                            | 3           |



|                                  |             |
|----------------------------------|-------------|
| 380-35568-5                      | <b>3</b>    |
| PFBS                             | 3           |
| <b>GOODYEAR WATER DEPARTMENT</b> |             |
| EPDS018 (0018) 533               | <b>23</b>   |
| PFBS                             | 3           |
| PFHxS                            | 5           |
| PFNA                             | 4           |
| PFOA                             | 4           |
| PFOS                             | 7           |
| 23J2555-02                       | <b>13</b>   |
| PFBS                             | 13          |
| EPDS022 (90001)                  | <b>10</b>   |
| PFBS                             | 10          |
| EPDS011 (09241) 533              | <b>3</b>    |
| PFPeA                            | 3           |
| <b>CHANDLER CITY OF</b>          |             |
| BUSH WAY WPF POE (EP             | <b>11</b>   |
| PFBS                             | 8           |
| PFPeA                            | 3           |
| 23K1461-02                       | <b>10</b>   |
| PFBS                             | 10          |
| EPDS004 (08454)                  | <b>10</b>   |
| PFBS                             | 10          |
| MCQUEEN WPF POE (EPD             | <b>6</b>    |
| PFBS                             | 6           |
| AIRPORT WPF POE (EPD             | <b>5</b>    |
| PFBA                             | 5           |
| FRYE WPF POE (EPDS01             | <b>4</b>    |
| PFBS                             | 4           |
| <b>TEMPE CITY OF</b>             |             |
| 23J3290-01                       | <b>16.8</b> |
| PFBS                             | 16.8        |
| EPDS100 - 2308104-1A             | <b>10</b>   |
| PFBS                             | 10          |
| EPDS200 2307172 - 1B             | <b>8</b>    |
| PFBS                             | 8           |
| <b>EL MIRAGE CITY OF</b>         |             |
| CANTERBURY WELL EPDS             | <b>29</b>   |
| PFBS                             | 9           |

|                                      |              |
|--------------------------------------|--------------|
| PFHxA                                | 6            |
| PFOA                                 | 4            |
| PFPeA                                | 10           |
| <b>TOLLESON CITY OF</b>              |              |
| 104803P                              | <b>14.3</b>  |
| PFBA                                 | 6.5          |
| PFBS                                 | 7.8          |
| 101875P                              | <b>9.3</b>   |
| PFBA                                 | 5.6          |
| PFBS                                 | 3.7          |
| <b>GILBERT, TOWN OF</b>              |              |
| 23K1292-02                           | <b>11.1</b>  |
| PFBS                                 | 11.1         |
| 23K1052-02                           | <b>7.9</b>   |
| PFBS                                 | 7.9          |
| <b>AZ Water Co. - White Tanks</b>    |              |
| EPDS 005 (10005)                     | <b>7</b>     |
| PFBA                                 | 7            |
| <b>PHOENIX INTERNATIONAL RACEWAY</b> |              |
| 107528P                              | <b>6.5</b>   |
| PFOS                                 | 6.5          |
| <b>USMC YUMA MAIN SYSTEM</b>         |              |
| 103682P                              | <b>3.1</b>   |
| PFHxS                                | 3.1          |
| <b>EAGAR TOWN OF</b>                 |              |
| 104797P                              | <b>3.1</b>   |
| PFBS                                 | 3.1          |
| <b>BELLA VISTA CITY WATER SYSTEM</b> |              |
| EPDS002 (08604)                      | <b>3</b>     |
| PFPeA                                | 3            |
| <b>CA</b>                            |              |
| <b>CITY OF FRESNO</b>                |              |
| AGC2342-03                           | <b>194.3</b> |
| PFBA                                 | 18           |
| PFBS                                 | 8.6          |
| PFHpA                                | 31           |
| PFHxA                                | 34           |
| PFHxS                                | 5.5          |
| PFNA                                 | 5.2          |

|                   |             |
|-------------------|-------------|
| PFOA              | 16          |
| PFOS              | 29          |
| PFPeA             | 47          |
| <b>AGI2793-05</b> | <b>96</b>   |
| PFBA              | 8.1         |
| PFBS              | 3.9         |
| PFHpA             | 18          |
| PFHxA             | 14          |
| PFHxS             | 3           |
| PFOA              | 11          |
| PFOS              | 14          |
| PFPeA             | 24          |
| <b>AGC1339-11</b> | <b>90.8</b> |
| PFBS              | 4.8         |
| PFHpA             | 6.8         |
| PFHxA             | 6.7         |
| PFHxS             | 30          |
| PFNA              | 4.3         |
| PFOA              | 8.9         |
| PFOS              | 15          |
| PFPeA             | 9           |
| PFPeS             | 5.3         |
| <b>AGI0937-05</b> | <b>82</b>   |
| PFBS              | 4.6         |
| PFHpA             | 5.9         |
| PFHxA             | 6.9         |
| PFHxS             | 28          |
| PFOA              | 8.8         |
| PFOS              | 14          |
| PFPeA             | 9.1         |
| PFPeS             | 4.7         |
| <b>AGJ4066-01</b> | <b>70</b>   |
| PFBA              | 26          |
| PFPeA             | 44          |
| <b>AGI3597-15</b> | <b>56</b>   |
| PFBA              | 25          |
| PFPeA             | 31          |
| <b>AGC1463-05</b> | <b>51.2</b> |
| PFBS              | 3.8         |

|                   |             |
|-------------------|-------------|
| PFHxA             | 4.7         |
| PFHxS             | 27          |
| PFOA              | 5           |
| PFOS              | 7.7         |
| PFPeA             | 3           |
| <b>AGI3800-19</b> | <b>49.2</b> |
| PFBS              | 3.4         |
| PFHxA             | 4.9         |
| PFHxS             | 25          |
| PFOA              | 5.5         |
| PFOS              | 7           |
| PFPeA             | 3.4         |
| <b>AGC0238-03</b> | <b>39</b>   |
| PFBA              | 26          |
| PFPeA             | 13          |
| <b>AGC0628-07</b> | <b>33</b>   |
| PFBS              | 5.8         |
| PFOA              | 5.8         |
| PFOS              | 18          |
| PFPeA             | 3.4         |
| <b>AGI1857-13</b> | <b>31.7</b> |
| PFHxA             | 3.1         |
| PFHxS             | 9.3         |
| PFNA              | 4.7         |
| PFOA              | 4.6         |
| PFOS              | 10          |
| <b>AGI2793-07</b> | <b>30.4</b> |
| PFHpA             | 4.7         |
| PFHxA             | 5.2         |
| PFOA              | 6.1         |
| PFOS              | 6.7         |
| PFPeA             | 7.7         |
| <b>AGC2030-11</b> | <b>30.2</b> |
| PFHxA             | 3.2         |
| PFHxS             | 3.7         |
| PFOA              | 6.2         |
| PFOS              | 13          |
| PFPeA             | 4.1         |
| <b>AGC1339-01</b> | <b>29.7</b> |

|                   |             |
|-------------------|-------------|
| PFHxS             | 10          |
| PFNA              | 5.8         |
| PFOA              | 4.3         |
| PFOS              | 9.6         |
| <b>AGJ4061-03</b> | <b>27.9</b> |
| PFBS              | 3.7         |
| PFHxA             | 4.5         |
| PFOA              | 9.1         |
| PFOS              | 6.2         |
| PFPeA             | 4.4         |
| <b>AGI1550-01</b> | <b>27</b>   |
| PFHxS             | 4.1         |
| PFOA              | 6.9         |
| PFOS              | 12          |
| PFPeA             | 4           |
| <b>AGI3238-15</b> | <b>23.4</b> |
| PFBS              | 3.8         |
| PFHxA             | 3.5         |
| PFOA              | 7.2         |
| PFOS              | 5.2         |
| PFPeA             | 3.7         |
| <b>AGC0900-01</b> | <b>18.2</b> |
| PFHxA             | 3.5         |
| PFOA              | 6.5         |
| PFOS              | 4.7         |
| PFPeA             | 3.5         |
| <b>AGJ4055-05</b> | <b>13.8</b> |
| PFHxS             | 6.6         |
| PFOS              | 7.2         |
| <b>AGC0628-09</b> | <b>13.7</b> |
| PFNA              | 8           |
| PFOS              | 5.7         |
| <b>AGI3800-09</b> | <b>13.6</b> |
| PFHxS             | 6.7         |
| PFOS              | 6.9         |
| <b>AGC1339-03</b> | <b>13.6</b> |
| PFHxS             | 7.3         |
| PFOS              | 6.3         |
| <b>AGI3800-05</b> | <b>13</b>   |

|            |             |
|------------|-------------|
| PFHxS      | 13          |
| AGI0937-09 | <b>12.3</b> |
| PFNA       | 7.9         |
| PFOS       | 4.4         |
| AGJ4061-01 | <b>11.4</b> |
| PFOA       | 4.8         |
| PFOS       | 6.6         |
| AGJ4055-01 | <b>11</b>   |
| PFHxS      | 11          |
| AGI3800-07 | <b>10.2</b> |
| PFHxA      | 5.3         |
| PFPeA      | 4.9         |
| AGC2342-11 | <b>9.1</b>  |
| PFHxA      | 4.1         |
| PFPeA      | 5           |
| AGC1463-07 | <b>9</b>    |
| PFHxA      | 4.1         |
| PFPeA      | 4.9         |
| AGC2185-01 | <b>8.6</b>  |
| PFHxA      | 3.8         |
| PFPeA      | 4.8         |
| AGC0692-01 | <b>7.6</b>  |
| PFOS       | 7.6         |
| AGI2793-11 | <b>7.1</b>  |
| PFHxA      | 3.4         |
| PFPeA      | 3.7         |
| AGC2185-05 | <b>6.1</b>  |
| PFHxA      | 3           |
| PFPeA      | 3.1         |
| AGC0038-13 | <b>5.7</b>  |
| PFOS       | 5.7         |
| AGC1339-05 | <b>5.5</b>  |
| PFHxS      | 5.5         |
| AGC0460-03 | <b>5.2</b>  |
| PFOS       | 5.2         |
| AGI3800-11 | <b>5</b>    |
| PFHxS      | 5           |
| AGC2185-07 | <b>4.8</b>  |
| PFOS       | 4.8         |

|   |              |
|---|--------------|
| AGI0706-11                                      | <b>4.8</b>   |
| PFOS  | 4.8          |
| AGI3441-13                                      | <b>4.5</b>   |
| PFOS  | 4.5          |
| AGC0692-05                                      | <b>4.1</b>   |
| PFOA  | 4.1          |
| AGI3441-03                                      | <b>4.1</b>   |
| PFOA  | 4.1          |
| AGC0460-13                                      | <b>3</b>     |
| PFBS  | 3            |
| <b>SANTA CLARITA VALLEY W.A.-VALENCIA DIVIS</b> |              |
| 380-64776-1                                     | <b>150.5</b> |
| PFBA  | 13           |
| PFBS  | 21.4         |
| PFHpA   | 9.7          |
| PFHxA   | 18.8         |
| PFHxS   | 13.7         |
| PFOA  | 25.2         |
| PFOS  | 32.1         |
| PFPeA   | 16.6         |
| 380-62811-1                                     | <b>118.2</b> |
| PFBA  | 10.4         |
| PFBS  | 16.7         |
| PFHpA   | 7.6          |
| PFHxA   | 14           |
| PFHxS   | 11.7         |
| PFOA  | 19.5         |
| PFOS  | 24.8         |
| PFPeA   | 13.5         |
| 380-51954-4                                     | <b>50.1</b>  |
| PFBA  | 13.3         |
| PFHxA   | 14.2         |
| PFPeA   | 22.6         |
| 380-50278-3                                     | <b>48.1</b>  |
| PFBA  | 5.3          |
| PFBS  | 6.9          |
| PFHpA   | 3.9          |
| PFHxA   | 4.6          |
| PFHxS   | 7.1          |

|   |              |
|---|--------------|
| PFOA  | 10.6         |
| PFOS  | 4.8          |
| PFPeA   | 4.9          |
| <b>380-50278-2</b>                            | <b>47.9</b>  |
| PFBA  | 5.4          |
| PFBS  | 4.4          |
| PFHpA   | 3.7          |
| PFHxA   | 5.5          |
| PFHxS   | 6            |
| PFOA  | 11           |
| PFOS  | 6.4          |
| PFPeA   | 5.5          |
| <b>380-51954-1</b>                            | <b>43.3</b>  |
| PFBA  | 7.2          |
| PFBS  | 6.8          |
| PFHpA   | 4.1          |
| PFHxA   | 7.5          |
| PFOA  | 10.9         |
| PFPeA   | 6.8          |
| <b>380-50278-5</b>                            | <b>43</b>    |
| PFBA  | 5.5          |
| PFBS  | 5.9          |
| PFHxA   | 9.1          |
| PFHxS   | 3.9          |
| PFOA  | 6.3          |
| PFOS  | 4.3          |
| PFPeA   | 8            |
| <b>380-51954-3</b>                            | <b>4.6</b>   |
| PFOA  | 4.6          |
| <b>LIBERTY UTILITIES - BELLFLOWER-NORWALK</b> |              |
| <b>RGH0028-09</b>                             | <b>101.4</b> |
| PFBA  | 7.9          |
| PFBS  | 7.4          |
| PFHpA   | 3.3          |
| PFHxA   | 9.4          |
| PFHxS   | 7.4          |
| PFOA  | 15           |
| PFOS  | 40           |
| PFPeA   | 11           |



|                |             |
|----------------|-------------|
| RGH0028-07     | <b>96.5</b> |
| PFBA           | 7           |
| PFBS           | 4.6         |
| PFHpA          | 3           |
| PFHxA          | 4.3         |
| PFHxS          | 10          |
| PFOA           | 15          |
| PFOS           | 48          |
| PFPeA          | 4.6         |
| RGH0028-13     | <b>92.3</b> |
| PFBA           | 7.8         |
| PFBS           | 4.7         |
| PFHxA          | 3.3         |
| PFHxS          | 8.8         |
| PFOA           | 13          |
| PFOS           | 51          |
| PFPeA          | 3.7         |
| RGH0028-11     | <b>30</b>   |
| PFHxS          | 6           |
| PFOS           | 24          |
| <b>PICO WD</b> |             |
| 3I07006-07     | <b>84.1</b> |
| PFBA           | 7.5         |
| PFBS           | 6.6         |
| PFHpA          | 4           |
| PFHxA          | 17          |
| PFOA           | 13          |
| PFOS           | 15          |
| PFPeA          | 21          |
| 3I07006-03     | <b>77.4</b> |
| PFBA           | 7.1         |
| PFBS           | 6.2         |
| PFDA           | 5.1         |
| PFHpA          | 4           |
| PFHxA          | 10          |
| PFOA           | 13          |
| PFOS           | 19          |
| PFPeA          | 13          |
| 3I07006-01     | <b>76.9</b> |

|                       |             |
|-----------------------|-------------|
| PFBA                  | 9.5         |
| PFBS                  | 7.3         |
| PFHxA                 | 5.7         |
| PFHxS                 | 5.7         |
| PFOA                  | 14          |
| PFOS                  | 28          |
| PFPeA                 | 6.7         |
| <b>3I07006-05</b>     | <b>61</b>   |
| PFBA                  | 10          |
| PFBS                  | 5.3         |
| PFHxA                 | 4.6         |
| PFHxS                 | 4.5         |
| PFOA                  | 13          |
| PFOS                  | 18          |
| PFPeA                 | 5.6         |
| <b>CITY OF CLOVIS</b> |             |
| <b>AGE0947-03</b>     | <b>76.7</b> |
| PFBS                  | 4.3         |
| PFHpA                 | 4.6         |
| PFHxA                 | 7           |
| PFHxS                 | 3.4         |
| PFNA                  | 5.3         |
| PFOA                  | 14          |
| PFOS                  | 31          |
| PFPeA                 | 7.1         |
| <b>AGE3283-01</b>     | <b>35.4</b> |
| PFBS                  | 3.7         |
| PFDA                  | 3.1         |
| PFOA                  | 9.6         |
| PFOS                  | 19          |
| <b>AGK0477-02</b>     | <b>33.9</b> |
| PFBS                  | 3.8         |
| PFDA                  | 3           |
| PFOA                  | 9.1         |
| PFOS                  | 18          |
| <b>AGK0551-01</b>     | <b>21.5</b> |
| PFBS                  | 7.5         |
| PFOA                  | 4.1         |
| PFOS                  | 6.8         |

|   |             |
|---|-------------|
| PFPeA                                       | 3.1         |
| AGE0786-02                                  | <b>20.7</b> |
| PFBS  | 5.2         |
| PFHxA                                       | 6.7         |
| PFHxS                                       | 8.8         |
| AGE1338-01                                  | <b>16.5</b> |
| PFBS  | 7.9         |
| PFHxA                                       | 3.1         |
| PFOS  | 5.5         |
| AGK0477-01                                  | <b>12.2</b> |
| PFOA  | 4.4         |
| PFOS  | 7.8         |
| AGE1618-02                                  | <b>11.9</b> |
| PFOA  | 4.2         |
| PFOS  | 7.7         |
| AGK0550-03                                  | <b>11.1</b> |
| PFBS  | 3.1         |
| PFHxA                                       | 3.6         |
| PFHxS                                       | 4.4         |
| AGE1620-01                                  | <b>7.3</b>  |
| PFHxA                                       | 3.3         |
| PFOA  | 4           |
| AGE2701-01                                  | <b>5.8</b>  |
| PFBS  | 5.8         |
| AGK1031-02                                  | <b>5.1</b>  |
| PFBS  | 5.1         |
| <b>HELENDALE COMMUNITY SERVICE DISTRICT</b> |             |
| 108513R                                     | <b>75.8</b> |
| PFBA  | 8.2         |
| PFBS  | 6           |
| PFHxA                                       | 5           |
| PFHxS                                       | 14.6        |
| PFOA  | 13          |
| PFOS  | 23          |
| PFPeA                                       | 6           |
| 100112P                                     | <b>59.2</b> |
| PFBA  | 6.4         |
| PFBS  | 5.9         |
| PFHxA                                       | 4.1         |

|   |             |
|---|-------------|
| PFHxS                                   | 11          |
| PFOA                                    | 8.9         |
| PFOS                                    | 18          |
| PFPeA                                   | 4.9         |
| <b>105612P</b>                          | <b>57.1</b> |
| PFBA                                    | 5.9         |
| PFBS                                    | 5.3         |
| PFHxA                                   | 6.4         |
| PFHxS                                   | 10.2        |
| PFOA                                    | 9.2         |
| PFOS                                    | 13.4        |
| PFPeA                                   | 6.7         |
| <b>100111P</b>                          | <b>39.8</b> |
| PFBS                                    | 4.1         |
| PFHxA                                   | 4.7         |
| PFHxS                                   | 8.9         |
| PFOA                                    | 6.1         |
| PFOS                                    | 11          |
| PFPeA                                   | 5           |
| <b>RANCHO CALIFORNIA WATER DISTRICT</b> |             |
| <b>C3C3146-13</b>                       | <b>55.5</b> |
| PFBS                                    | 7.3         |
| PFHpA                                   | 3.2         |
| PFHxA                                   | 6.2         |
| PFHxS                                   | 6.7         |
| PFOA                                    | 10          |
| PFOS                                    | 16          |
| PFPeA                                   | 6.1         |
| <b>C3I3757-01</b>                       | <b>33.5</b> |
| PFHxA                                   | 4.4         |
| PFHxS                                   | 5           |
| PFOA                                    | 8.6         |
| PFOS                                    | 11          |
| PFPeA                                   | 4.5         |
| <b>C3D2217-01</b>                       | <b>31.5</b> |
| PFBA                                    | 5           |
| PFHxS                                   | 4.5         |
| PFOA                                    | 9           |
| PFOS                                    | 13          |

|  |             |
|--|-------------|
| C3I1712-17                                     | <b>27.7</b> |
| PFBA   | 5.1         |
| PFBS   | 5.2         |
| PFHxA  | 5           |
| PFOA   | 5.4         |
| PFPeA  | 7           |
| C3I2677-01                                     | <b>24.9</b> |
| PFBA   | 7.8         |
| PFBS   | 3.5         |
| PFHxA  | 6.6         |
| PFOA   | 7           |
| C3I1385-03                                     | <b>21.5</b> |
| PFBS   | 3.3         |
| PFOA   | 9.4         |
| PFOS   | 8.8         |
| C3C2638-01                                     | <b>15.7</b> |
| PFBS   | 3.3         |
| PFHxA  | 4.7         |
| PFPeA  | 7.7         |
| C3C2638-05                                     | <b>10.3</b> |
| PFOA   | 6.2         |
| PFOS   | 4.1         |
| C3D2588-01RE1                                  | <b>5.1</b>  |
| PFBA   | 5.1         |
| <b>SANTA CLARITA VALLEY W.A.-SANTA CLARITA</b> |             |
| 380-50619-3                                    | <b>99.5</b> |
| PFBA   | 11.3        |
| PFBS   | 6.6         |
| PFHpA  | 10          |
| PFHxA  | 16.1        |
| PFHxS  | 4.5         |
| PFOA   | 20.5        |
| PFOS   | 17.8        |
| PFPeA  | 12.7        |
| 380-50619-4                                    | <b>70.5</b> |
| PFBA   | 6.7         |
| PFBS   | 7.1         |
| PFHpA  | 6.4         |
| PFHxA  | 11.2        |

|                                   |             |
|-----------------------------------|-------------|
| PFHxS                             | 4.7         |
| PFOA                              | 14.7        |
| PFOS                              | 11.5        |
| PFPeA                             | 8.2         |
| <b>380-52109-1</b>                | <b>36.1</b> |
| PFBA                              | 12.9        |
| PFHxA                             | 5.6         |
| PFPeA                             | 17.6        |
| <b>Cal Am - Suburban Rosemont</b> |             |
| <b>62272501</b>                   | <b>52.6</b> |
| PFBS                              | 9.4         |
| PFHpA                             | 3.9         |
| PFHxA                             | 4.7         |
| PFHxS                             | 6.8         |
| PFOA                              | 7           |
| PFOS                              | 15.2        |
| PFPeA                             | 5.6         |
| <b>62272101</b>                   | <b>36</b>   |
| PFHpA                             | 4.7         |
| PFHxA                             | 5.4         |
| PFHxS                             | 3.5         |
| PFOA                              | 8.2         |
| PFOS                              | 7.1         |
| PFPeA                             | 7.1         |
| <b>67864201</b>                   | <b>28.5</b> |
| PFHxA                             | 4.2         |
| PFHxS                             | 10.9        |
| PFOS                              | 13.4        |
| <b>62918101</b>                   | <b>22.8</b> |
| PFHxA                             | 3.5         |
| PFHxS                             | 9           |
| PFOS                              | 10.3        |
| <b>67862801</b>                   | <b>16.7</b> |
| PFBA                              | 9           |
| PFPeA                             | 7.7         |
| <b>67863001</b>                   | <b>13.5</b> |
| PFHpA                             | 3.4         |
| PFHxA                             | 5.1         |
| PFPeA                             | 5           |

|                                |              |
|--------------------------------|--------------|
| 67862601                       | <b>5.7</b>   |
| PFHxS                          | 5.7          |
| 62271901                       | <b>4.8</b>   |
| PFHxS                          | 4.8          |
| 67863501                       | <b>3.1</b>   |
| PFHxS                          | 3.1          |
| <b>LAKE ARROWHEAD CSD</b>      |              |
| 106853P                        | <b>49.9</b>  |
| PFDA                           | 3.9          |
| PFHpA                          | 5.7          |
| PFHxA                          | 6.7          |
| PFHxS                          | 3.3          |
| PFNA                           | 4.6          |
| PFOA                           | 14           |
| PFOS                           | 7.2          |
| PFPeA                          | 4.5          |
| 103825P                        | <b>37</b>    |
| PFDA                           | 3            |
| PFHpA                          | 5.6          |
| PFHxA                          | 6.6          |
| PFOA                           | 12           |
| PFOS                           | 5.9          |
| PFPeA                          | 3.9          |
| 101490P                        | <b>26.4</b>  |
| PFHpA                          | 4.1          |
| PFHxA                          | 4.7          |
| PFOA                           | 9.6          |
| PFOS                           | 4.5          |
| PFPeA                          | 3.5          |
| 103824P                        | <b>25.4</b>  |
| PFHpA                          | 3.8          |
| PFHxA                          | 4.6          |
| PFOA                           | 8.7          |
| PFOS                           | 4.6          |
| PFPeA                          | 3.7          |
| <b>CITY OF SACRAMENTO MAIN</b> |              |
| 380-66028-3                    | <b>102.2</b> |
| PFBA                           | 7.4          |
| PFBS                           | 6.2          |

|                          |             |
|--------------------------|-------------|
| PFHpA                    | 4.4         |
| PFHxA                    | 5.7         |
| PFHxS                    | 18.5        |
| PFOA                     | 17.3        |
| PFOS                     | 36.3        |
| PFPeA                    | 6.4         |
| 380-66028-1              | <b>34.1</b> |
| PFBS                     | 3.4         |
| PFHxS                    | 10.4        |
| PFOS                     | 20.3        |
| <b>CWS - BAKERSFIELD</b> |             |
| AGJ3666-02               | <b>37.1</b> |
| PFHpA                    | 3.5         |
| PFHxA                    | 3.5         |
| PFHxS                    | 4.6         |
| PFOA                     | 9.1         |
| PFOS                     | 11          |
| PFPeA                    | 5.4         |
| AGI3792-02               | <b>27.6</b> |
| PFHxA                    | 3.9         |
| PFHxS                    | 6.1         |
| PFOA                     | 6           |
| PFOS                     | 6.7         |
| PFPeA                    | 4.9         |
| AGJ2117-01               | <b>20.3</b> |
| PFHxS                    | 7.3         |
| PFOS                     | 13          |
| AGK1251-03               | <b>14.5</b> |
| PFBS                     | 6.6         |
| PFHxA                    | 4.6         |
| PFPeA                    | 3.3         |
| AGG1881-02               | <b>9.8</b>  |
| PFHxS                    | 5.6         |
| PFOS                     | 4.2         |
| AGH1384-02               | <b>8.5</b>  |
| PFOA                     | 4.5         |
| PFOS                     | 4           |
| AGJ2402-03               | <b>5.5</b>  |
| PFPeA                    | 5.5         |



|   |             |
|---|-------------|
| AGI3007-02                                      | <b>5.2</b>  |
| PFOS  | 5.2         |
| AGJ2680-02                                      | <b>4.5</b>  |
| PFOS  | 4.5         |
| <b>RUBIO CANON LAND &amp; WATER ASSOCIATION</b> |             |
| 106837P   | <b>50.2</b> |
| PFBA  | 5.6         |
| PFBS  | 3.5         |
| PFHxA   | 3.1         |
| PFHxS   | 11          |
| PFOA  | 8.5         |
| PFOS  | 15          |
| PFPeA   | 3.5         |
| 101474P   | <b>34.5</b> |
| PFBA  | 5.7         |
| PFBS  | 3.1         |
| PFHxS   | 8.4         |
| PFOA  | 6.3         |
| PFOS  | 11          |
| 106838P   | <b>25</b>   |
| PFHxS   | 6           |
| PFOS  | 19          |
| 101475P   | <b>20.3</b> |
| PFHxS   | 5.3         |
| PFOS  | 15          |
| <b>PORTERVILLE, CITY OF</b>                     |             |
| AGE2095-11                                      | <b>68.7</b> |
| PFBA  | 5.8         |
| PFBS  | 5.5         |
| PFHpA   | 5.9         |
| PFHxA   | 7.9         |
| PFHxS   | 3.3         |
| PFOA  | 20          |
| PFOS  | 11          |
| PFPeA   | 9.3         |
| AGE3140-11                                      | <b>18.2</b> |
| PFBS  | 9.1         |
| PFOS  | 9.1         |
| AGE3140-13                                      | <b>14</b>   |

|  |             |
|--|-------------|
| PFBS                                   | 5.3         |
| PFHxS                                  | 3.4         |
| PFOS                                   | 5.3         |
| AGE2095-31                             | <b>11</b>   |
| PFOS                                   | 11          |
| AGE2095-09                             | <b>6.2</b>  |
| PFOS                                   | 6.2         |
| AGE2095-03                             | <b>4.9</b>  |
| PFOS                                   | 4.9         |
| AGE3140-19                             | <b>4</b>    |
| PFOS                                   | 4           |
| <b>CITY OF REDDING</b>                 |             |
| K2302790-013                           | <b>64.6</b> |
| PFBS                                   | 8.6         |
| PFHpA                                  | 5.1         |
| PFHxA                                  | 6.8         |
| PFHxS                                  | 8.9         |
| PFOA                                   | 16.2        |
| PFOS                                   | 12.6        |
| PFPeA                                  | 6.4         |
| K2310946-001                           | <b>51.2</b> |
| PFBS                                   | 8.9         |
| PFHpA                                  | 4.1         |
| PFHxA                                  | 5.7         |
| PFHxS                                  | 5.6         |
| PFOA                                   | 12          |
| PFOS                                   | 9.5         |
| PFPeA                                  | 5.4         |
| K2302790-001                           | <b>3.4</b>  |
| PFBS                                   | 3.4         |
| K2310946-017                           | <b>3.3</b>  |
| PFBS                                   | 3.3         |
| <b>CAL AM WATER COMPANY - MONTEREY</b> |             |
| 67197501                               | <b>64.4</b> |
| PFBA                                   | 5           |
| PFBS                                   | 13.2        |
| PFHpA                                  | 3.6         |
| PFHxA                                  | 9.3         |
| PFHxS                                  | 8.7         |

|                                   |             |
|-----------------------------------|-------------|
| PFOA                              | 8.1         |
| PFOS                              | 7.3         |
| PFPeA                             | 9.2         |
| <b>62058601</b>                   | <b>44.1</b> |
| PFBS                              | 8.7         |
| PFHpA                             | 3.2         |
| PFHxA                             | 6.9         |
| PFHxS                             | 6.2         |
| PFOA                              | 5.8         |
| PFOS                              | 4.9         |
| PFPeA                             | 8.4         |
| <b>63267001</b>                   | <b>3.3</b>  |
| PFBS                              | 3.3         |
| <b>TRACT 349 MUTUAL WATER CO.</b> |             |
| <b>107542P</b>                    | <b>56.6</b> |
| PFBA                              | 5.3         |
| PFHxS                             | 6.6         |
| PFOA                              | 8.2         |
| PFOS                              | 36.5        |
| <b>101890P</b>                    | <b>45.7</b> |
| PFHxS                             | 5.3         |
| PFOA                              | 7.5         |
| PFOS                              | 32.9        |
| <b>CITY OF ATWATER</b>            |             |
| <b>AGK0166-09</b>                 | <b>60.4</b> |
| PFBS                              | 3.1         |
| PFHpA                             | 3.1         |
| PFHxA                             | 8.7         |
| PFHxS                             | 19          |
| PFOA                              | 9.6         |
| PFOS                              | 9.5         |
| PFPeA                             | 7.4         |
| <b>AGK0166-05</b>                 | <b>25</b>   |
| PFBA                              | 11          |
| PFPeA                             | 14          |
| <b>AGK0166-03</b>                 | <b>7.2</b>  |
| PFHxA                             | 3.2         |
| PFPeA                             | 4           |
| <b>AGK0166-15</b>                 | <b>4.6</b>  |

|                                  |             |
|----------------------------------|-------------|
| PFHxS                            | 4.6         |
| AGK0166-13                       | <b>3.2</b>  |
| PFHxS                            | 3.2         |
| <b>CRESCENTA VALLEY CWD</b>      |             |
| RGJ0132-11                       | <b>27.1</b> |
| PFBS                             | 6.8         |
| PFHxA                            | 8           |
| PFHxS                            | 4.9         |
| PFPeA                            | 7.4         |
| RGJ0132-03                       | <b>26.3</b> |
| PFBS                             | 5.1         |
| PFHxA                            | 6.8         |
| PFHxS                            | 3.6         |
| PFOA                             | 4.1         |
| PFPeA                            | 6.7         |
| RGJ0132-09                       | <b>22.2</b> |
| PFBS                             | 5.4         |
| PFHxA                            | 6.6         |
| PFHxS                            | 3.4         |
| PFPeA                            | 6.8         |
| RGJ0132-05                       | <b>12.1</b> |
| PFBS                             | 3.7         |
| PFHxA                            | 4.2         |
| PFPeA                            | 4.2         |
| RGJ0132-07                       | <b>11.1</b> |
| PFBS                             | 3.2         |
| PFHxA                            | 3.9         |
| PFPeA                            | 4           |
| <b>HESPERIA WD</b>               |             |
| 380-55584-1                      | <b>50.3</b> |
| 6:2 FTS                          | 50.3        |
| 380-61166-2                      | <b>44.5</b> |
| PFHpA                            | 3.1         |
| PFHxA                            | 5.4         |
| PFHxS                            | 10.5        |
| PFOA                             | 10.2        |
| PFOS                             | 11.1        |
| PFPeA                            | 4.2         |
| <b>ATASCADERO STATE HOSPITAL</b> |             |

|                                     |             |
|-------------------------------------|-------------|
| 101499P                             | <b>82.2</b> |
| PFBS                                | 5.5         |
| PFHxA                               | 3.6         |
| PFHxS                               | 34          |
| PFOS                                | 33          |
| PFPeS                               | 6.1         |
| 106858P                             | <b>12.3</b> |
| PFBS                                | 3.6         |
| PFHxS                               | 4.4         |
| PFOS                                | 4.3         |
| <b>SOUTH GATE-CITY, WATER DEPT.</b> |             |
| 3C07106-05                          | <b>51.7</b> |
| PFBS                                | 3.9         |
| PFHxA                               | 6.1         |
| PFHxS                               | 6           |
| PFOA                                | 8.1         |
| PFOS                                | 22          |
| PFPeA                               | 5.6         |
| 3C07106-01                          | <b>40.6</b> |
| PFHxA                               | 3.4         |
| PFHxS                               | 5.2         |
| PFOA                                | 6.8         |
| PFOS                                | 22          |
| PFPeA                               | 3.2         |
| <b>UKIAH, CITY OF</b>               |             |
| 380-34670-2                         | <b>49.8</b> |
| PFBA                                | 9.2         |
| PFBS                                | 6.2         |
| PFHpA                               | 3.3         |
| PFHxA                               | 4.4         |
| PFHxS                               | 7.3         |
| PFOA                                | 6.9         |
| PFOS                                | 7.4         |
| PFPeA                               | 5.1         |
| 380-55836-1                         | <b>17.8</b> |
| 6:2 FTS                             | 17.8        |
| 380-55845-1                         | <b>10.5</b> |
| PFBS                                | 3.4         |
| PFHxS                               | 3           |

|  |             |
|--|-------------|
| PFOS                                   | 4.1         |
| 380-55845-2                            | <b>4.6</b>  |
| PFOS                                   | 4.6         |
| 380-34673-2                            | <b>4.1</b>  |
| PFBS                                   | 4.1         |
| 380-34670-1                            | <b>3.9</b>  |
| PFBS                                   | 3.9         |
| <b>COLTON, CITY OF</b>                 |             |
| C3H4082-01                             | <b>33.9</b> |
| PFBS                                   | 5.3         |
| PFHxS                                  | 5.1         |
| PFOA                                   | 5.5         |
| PFOS                                   | 18          |
| C3G3217-09                             | <b>30.1</b> |
| PFBS                                   | 10          |
| PFHxS                                  | 4.9         |
| PFOA                                   | 4.2         |
| PFOS                                   | 11          |
| C3G3217-13                             | <b>19.5</b> |
| PFBS                                   | 3.2         |
| PFHxA                                  | 3.1         |
| PFHxS                                  | 4           |
| PFOS                                   | 4.7         |
| PFPeA                                  | 4.5         |
| <b>PLEASANT VALLEY MUTUAL WATER CO</b> |             |
| 100126P                                | <b>30.5</b> |
| PFBA                                   | 5.1         |
| PFHxS                                  | 8.7         |
| PFOA                                   | 8.1         |
| PFOS                                   | 8.6         |
| 100127P                                | <b>30.4</b> |
| PFBA                                   | 5.1         |
| PFHxS                                  | 8.4         |
| PFOA                                   | 8.3         |
| PFOS                                   | 8.6         |
| 102865P                                | <b>10.1</b> |
| PFHxS                                  | 5.3         |
| PFOA                                   | 4.8         |
| 102864P                                | <b>10</b>   |

|                        |             |
|------------------------|-------------|
| PFHxS                  | 5.7         |
| PFOA                   | 4.3         |
| <b>CALAM - PARKWAY</b> |             |
| 67214601               | <b>33.6</b> |
| PFHxA                  | 3           |
| PFHxS                  | 8.6         |
| PFOA                   | 4.3         |
| PFOS                   | 14.7        |
| PFPeA                  | 3           |
| 67214401               | <b>25.9</b> |
| PFHpA                  | 3.7         |
| PFHxA                  | 4.6         |
| PFHxS                  | 9.8         |
| PFOA                   | 4           |
| PFPeA                  | 3.8         |
| 62074601               | <b>16.3</b> |
| PFHxS                  | 5.9         |
| PFOS                   | 10.4        |
| 62074401               | <b>5.1</b>  |
| PFHxS                  | 5.1         |
| <b>NORCO, CITY OF</b>  |             |
| 380-62546-3            | <b>48.1</b> |
| PFBA                   | 7.9         |
| PFBS                   | 4.7         |
| PFHxA                  | 3.5         |
| PFHxS                  | 6.5         |
| PFOA                   | 7.3         |
| PFOS                   | 13.4        |
| PFPeA                  | 4.8         |
| 380-65849-1            | <b>11.6</b> |
| PFHxS                  | 4.1         |
| PFOS                   | 7.5         |
| 380-62546-2            | <b>9.3</b>  |
| PFHxA                  | 3.4         |
| PFPeA                  | 5.9         |
| 380-68381-2            | <b>6.2</b>  |
| PFBS                   | 3           |
| PFHxS                  | 3.2         |
| 380-68381-1            | <b>3.5</b>  |

|   |             |
|---|-------------|
| PFHxS                                       | 3.5         |
| <b>CALIFORNIA WATER SERVICE - LIVERMORE</b> |             |
| AGJ2900-03                                  | <b>18</b>   |
| PFHxS                                       | 5.8         |
| PFOS  | 9           |
| PFPeA                                       | 3.2         |
| AGG2924-03                                  | <b>13.5</b> |
| PFBS  | 3.8         |
| PFHxS                                       | 5.7         |
| PFOA  | 4           |
| AGG1794-03                                  | <b>12.5</b> |
| PFHxS                                       | 5.3         |
| PFOS  | 7.2         |
| AGJ2177-03                                  | <b>11.6</b> |
| PFHxS                                       | 4.8         |
| PFOS  | 6.8         |
| AGJ2176-03                                  | <b>9.2</b>  |
| PFBS  | 3           |
| PFHxA                                       | 3           |
| PFPeA                                       | 3.2         |
| AGG1792-02                                  | <b>4.5</b>  |
| PFHxS                                       | 4.5         |
| <b>CITY OF GARDEN GROVE</b>                 |             |
| 23100957-02                                 | <b>26.4</b> |
| PFHxS                                       | 8.9         |
| PFOA  | 5.6         |
| PFOS  | 11.9        |
| 23100961-02                                 | <b>18.2</b> |
| PFBA  | 6           |
| PFHxA                                       | 4           |
| PFPeA                                       | 8.2         |
| 23100967-02                                 | <b>8.8</b>  |
| PFBA  | 8.8         |
| 23100965-02                                 | <b>7.5</b>  |
| PFPeA                                       | 7.5         |
| 23100975-02                                 | <b>6.1</b>  |
| PFBA  | 6.1         |
| <b>CITY OF ORANGE</b>                       |             |
| 23090281-02                                 | <b>29.6</b> |



|  |             |
|--|-------------|
| PFBA                                       | 12.6        |
| PFPeA                                      | 17          |
| 23060535-02                                | <b>20.3</b> |
| PFBA                                       | 8.9         |
| PFPeA                                      | 11.4        |
| 23030967-02                                | <b>16.8</b> |
| PFBA                                       | 7.5         |
| PFPeA                                      | 9.3         |
| <b>CALIFORNIA STATE UNIVERSITY FRESNO</b>  |             |
| AGG3264-03                                 | <b>62.1</b> |
| PFBA                                       | 5.8         |
| PFBS                                       | 13          |
| PFHpA                                      | 4.3         |
| PFHxA                                      | 11          |
| PFOA                                       | 12          |
| PFPeA                                      | 16          |
| AGC3155-03                                 | <b>3.4</b>  |
| PFPeA                                      | 3.4         |
| <b>ONTARIO MUNICIPAL UTILITIES COMPANY</b> |             |
| C3B2207-01                                 | <b>29.6</b> |
| PFBA                                       | 6.4         |
| PFHxA                                      | 7.1         |
| PFHxS                                      | 4.2         |
| PFOS                                       | 5.2         |
| PFPeA                                      | 6.7         |
| C3B3663-05                                 | <b>24</b>   |
| PFOA                                       | 24          |
| C3B1441-01                                 | <b>6.2</b>  |
| PFBA                                       | 6.2         |
| C3H1467-01                                 | <b>4.8</b>  |
| PFPeA                                      | 4.8         |
| <b>RUBIDOUX COMMUNITY SD</b>               |             |
| C3H1502-03                                 | <b>58.2</b> |
| PFBA                                       | 22          |
| PFHxA                                      | 8.2         |
| PFPeA                                      | 28          |
| C3H1502-01                                 | <b>4.6</b>  |
| PFPeA                                      | 4.6         |
| <b>SAN JOSE WATER</b>                      |             |

|                        |             |
|------------------------|-------------|
| AGH2645-03             | <b>11.7</b> |
| PFHxS                  | 5.5         |
| PFOS                   | 6.2         |
| AGD2716-06             | <b>4.4</b>  |
| PFHxS                  | 4.4         |
| AGD2716-03             | <b>4.2</b>  |
| PFOS                   | 4.2         |
| AGD2716-01             | <b>4</b>    |
| PFHxS                  | 4           |
| AGH3388-01             | <b>4</b>    |
| PFHxS                  | 4           |
| AGD2716-05             | <b>4</b>    |
| PFHxS                  | 4           |
| AGD2713-04             | <b>3.7</b>  |
| PFHxS                  | 3.7         |
| AGD2713-03             | <b>3.4</b>  |
| PFHxS                  | 3.4         |
| AGH3512-01             | <b>3.2</b>  |
| PFHxS                  | 3.2         |
| AGD2713-05             | <b>3.2</b>  |
| PFHxS                  | 3.2         |
| AGD2713-01             | <b>3.1</b>  |
| PFHxS                  | 3.1         |
| AGB2389-01             | <b>3.1</b>  |
| PFHxS                  | 3.1         |
| AGH3388-03             | <b>3.1</b>  |
| PFHxS                  | 3.1         |
| <b>RIALTO, CITY OF</b> |             |
| C3G2554-09             | <b>49.9</b> |
| PFBA                   | 5.5         |
| PFBS                   | 4.6         |
| PFHpA                  | 3.5         |
| PFHxA                  | 12          |
| PFHxS                  | 3.5         |
| PFOA                   | 6.8         |
| PFPeA                  | 14          |
| <b>PERRIS, CITY OF</b> |             |
| 101720R                | <b>47</b>   |
| PFBA                   | 11          |

|                                    |             |
|------------------------------------|-------------|
| PFHxA                              | 11          |
| PFPeA                              | 25          |
| <b>CAL-WATER SERVICE CO.-CHICO</b> |             |
| 380-65810-3                        | <b>26.6</b> |
| PFBS                               | 3.8         |
| PFHxS                              | 11.8        |
| PFOS                               | 11          |
| 380-65811-3                        | <b>11.4</b> |
| PFHxS                              | 4.8         |
| PFOS                               | 6.6         |
| 380-65812-3                        | <b>8.8</b>  |
| PFHxS                              | 4.8         |
| PFOS                               | 4           |
| <b>ATASCADERO MUTUAL WATER CO</b>  |             |
| 380-49288-1                        | <b>45</b>   |
| PFBA                               | 7.4         |
| PFBS                               | 3.9         |
| PFHxS                              | 4.3         |
| PFOA                               | 8.4         |
| PFOS                               | 21          |
| <b>GSWC - CLAREMONT</b>            |             |
| 380-64632-1                        | <b>36.2</b> |
| PFHpA                              | 3           |
| PFHxA                              | 5.6         |
| PFOA                               | 12.9        |
| PFOS                               | 10.4        |
| PFPeA                              | 4.3         |
| 380-64632-2                        | <b>3.3</b>  |
| PFHxA                              | 3.3         |
| 380-63376-2                        | <b>3.1</b>  |
| PFPeA                              | 3.1         |
| <b>CALAM - ARDEN</b>               |             |
| 101487P                            | <b>21.6</b> |
| PFHxA                              | 3.7         |
| PFHxS                              | 7.9         |
| PFOA                               | 6           |
| PFPeA                              | 4           |
| 106850P                            | <b>8.8</b>  |
| PFHxS                              | 4.2         |

|  |             |
|--|-------------|
| PFOA                                   | 4.6         |
| 103702P                                | <b>6</b>    |
| PFOS                                   | 6           |
| 101484P                                | <b>5.6</b>  |
| PFOS                                   | 5.6         |
| <b>GLEN HELEN WATER SYSTEM</b>         |             |
| 105604P                                | <b>15.7</b> |
| PFBS                                   | 3.2         |
| PFHxA                                  | 3.5         |
| PFHxS                                  | 3.4         |
| PFPeA                                  | 5.6         |
| 105608P                                | <b>7.7</b>  |
| PFHxA                                  | 3.2         |
| PFHxS                                  | 4.5         |
| 105605P                                | <b>6.2</b>  |
| PFHxS                                  | 6.2         |
| 108395R                                | <b>5.6</b>  |
| PFHxS                                  | 5.6         |
| 105607P                                | <b>3.7</b>  |
| PFHxS                                  | 3.7         |
| <b>YUCAIPA VALLEY WATER DISTRICT</b>   |             |
| RGJ0051-05                             | <b>29.1</b> |
| PFBS                                   | 8.9         |
| PFHxA                                  | 7.1         |
| PFOA                                   | 4.2         |
| PFPeA                                  | 8.9         |
| RGJ0051-03                             | <b>4.7</b>  |
| PFPeA                                  | 4.7         |
| RGJ0051-11                             | <b>4.3</b>  |
| PFPeA                                  | 4.3         |
| <b>GOLDEN STATE WATER CO - BARSTOW</b> |             |
| 380-64729-4                            | <b>21</b>   |
| PFHxA                                  | 5.4         |
| PFHxS                                  | 5           |
| PFOA                                   | 5.7         |
| PFPeA                                  | 4.9         |
| 91803                                  | <b>4.6</b>  |
| PFHxS                                  | 4.6         |
| 380-64729-1                            | <b>4.4</b>  |

|  |             |
|--|-------------|
| PFHxS                                    | 4.4         |
| 91805                                    | <b>3.3</b>  |
| PFHxS                                    | 3.3         |
| <b>POMONA - CITY, WATER DEPT.</b>        |             |
| C3H3501-15                               | <b>33.3</b> |
| PFBS                                     | 3           |
| PFHxA                                    | 3.1         |
| PFHxS                                    | 7.7         |
| PFOA                                     | 5.3         |
| PFOS                                     | 11          |
| PFPeA                                    | 3.2         |
| <b>SOUTH MESA WC</b>                     |             |
| 108439R                                  | <b>23.4</b> |
| PFBS                                     | 4.7         |
| PFHxA                                    | 6.3         |
| PFHxS                                    | 3.5         |
| PFPeA                                    | 8.9         |
| 100093P                                  | <b>9.8</b>  |
| PFHxA                                    | 4.4         |
| PFPeA                                    | 5.4         |
| <b>NUEVO WATER COMPANY</b>               |             |
| 107554P                                  | <b>17.1</b> |
| PFHxA                                    | 4.2         |
| PFHxS                                    | 3.4         |
| PFOA                                     | 6.1         |
| PFPeA                                    | 3.4         |
| 104825P                                  | <b>10.9</b> |
| PFHxA                                    | 3.5         |
| PFHxS                                    | 3.4         |
| PFOA                                     | 4           |
| 101902P                                  | <b>4.5</b>  |
| PFOA                                     | 4.5         |
| <b>HUNTINGTON PARK-CITY, WATER DEPT.</b> |             |
| 3A10002-01                               | <b>30.8</b> |
| PFHxS                                    | 4.8         |
| PFOA                                     | 5           |
| PFOS                                     | 21          |
| <b>RIVERSIDE, CITY OF</b>                |             |
| C3H1816-01                               | <b>11.9</b> |

|  |             |
|--|-------------|
| PFHxA  | 3           |
| PFOS   | 4           |
| PFPeA  | 4.9         |
| C3B1000-01                                   | <b>10.7</b> |
| PFHxA  | 4           |
| PFPeA  | 6.7         |
| C3E1160-01                                   | <b>3.6</b>  |
| PFPeA  | 3.6         |
| <b>CITY OF MERCED</b>                        |             |
| AGG2795-07                                   | <b>15.6</b> |
| PFHxA  | 3.1         |
| PFHxS  | 7.7         |
| PFOS   | 4.8         |
| AGG1795-15                                   | <b>5.3</b>  |
| PFHxS  | 5.3         |
| AGG2795-09                                   | <b>4.2</b>  |
| PFHxS  | 4.2         |
| <b>FARM MUTUAL W.C. (THE)</b>                |             |
| 102851P                                      | <b>15.3</b> |
| PFHxA  | 3           |
| PFHxS  | 5.1         |
| PFOA   | 4.2         |
| PFPeA  | 3           |
| 101711R                                      | <b>9.4</b>  |
| PFHxS  | 5.1         |
| PFOS   | 4.3         |
| <b>WEAVERVILLE C.S.D.</b>                    |             |
| 104840P                                      | <b>24.6</b> |
| PFHxS  | 5.6         |
| PFOS   | 19          |
| <b>ROWLAND WATER DISTRICT</b>                |             |
| C3E2608-01                                   | 10          |
| PFBA   | 10          |
| C3E2608-05                                   | <b>7.1</b>  |
| PFBA   | 7.1         |
| C3E2608-03                                   | <b>5.6</b>  |
| PFBA   | 5.6         |
| <b>GOLDEN STATE WATER COMPANY - LOS OSOS</b> |             |
| 101494P                                      | <b>16.3</b> |

|  |             |
|--|-------------|
| PFBS   | 3.2         |
| PFHxA  | 4.3         |
| PFHxS  | 8.8         |
| 103618R                                      | <b>3.4</b>  |
| PFPeA  | 3.4         |
| <b>REDLANDS CITY MUD-WATER DIV</b>           |             |
| C3H1220-01                                   | <b>9.4</b>  |
| PFOA   | 4.1         |
| PFOS   | 5.3         |
| C3H1220-05                                   | <b>5</b>    |
| PFOS   | 5           |
| C3H0394-01                                   | <b>4.8</b>  |
| PFHxS  | 4.8         |
| <b>EL TORO WATER DISTRICT</b>                |             |
| C3D3614-07                                   | <b>6.7</b>  |
| PFBA   | 6.7         |
| C3D3614-01                                   | <b>5.8</b>  |
| PFBA   | 5.8         |
| C3D3614-03                                   | <b>5.5</b>  |
| PFBA   | 5.5         |
| <b>LODI, CITY OF</b>                         |             |
| AGK2253-01                                   | <b>17</b>   |
| PFBS   | 17          |
| <b>GSWC - ARTESIA</b>                        |             |
| 3A20053-01RE1                                | <b>14.3</b> |
| PFHxS  | 3.3         |
| PFOS   | 11          |
| <b>PETER PITCHESS HONOR RANCHO DETN. CTR</b> |             |
| 103687P                                      | <b>14.1</b> |
| PFHxS  | 3.1         |
| PFOA   | 4.5         |
| PFOS   | 6.5         |
| <b>CORONA, CITY OF</b>                       |             |
| RGI0083-11                                   | <b>9.9</b>  |
| PFHxA  | 3.8         |
| PFPeA  | 6.1         |
| RGI0083-25                                   | <b>3.3</b>  |
| PFHxS  | 3.3         |
| <b>CITY OF LIVE OAK, CA</b>                  |             |

|                                      |             |
|--------------------------------------|-------------|
| 105626P                              | <b>6.3</b>  |
| PFHxA                                | 3           |
| PFPeA                                | 3.3         |
| 105625P                              | <b>3.4</b>  |
| PFPeA                                | 3.4         |
| 100124P                              | <b>3.2</b>  |
| PFPeA                                | 3.2         |
| <b>KONOCTI COUNTY WATER DISTRICT</b> |             |
| 102833P                              | <b>12.1</b> |
| PFBA                                 | 8.2         |
| PFPeA                                | 3.9         |
| <b>ELSINORE VALLEY MWD</b>           |             |
| C3E2624-01                           | <b>7</b>    |
| PFBA                                 | 7           |
| C3E2624-05                           | <b>5</b>    |
| PFBA                                 | 5           |
| <b>WESTERN MWD</b>                   |             |
| C3I1868-03RE1                        | <b>6.4</b>  |
| PFBS                                 | 3           |
| PFHxS                                | 3.4         |
| C3D2299-01                           | <b>4.7</b>  |
| PFPeA                                | 4.7         |
| <b>SCOTTS VALLEY WATER DISTRICT</b>  |             |
| 380-69687-3                          | <b>11</b>   |
| PFHxA                                | 4.5         |
| PFPeA                                | 6.5         |
| <b>CITY OF BUENA PARK</b>            |             |
| 23070534-02                          | <b>10.7</b> |
| PFHxS                                | 3.9         |
| PFOS                                 | 6.8         |
| <b>EAST BAY MUD</b>                  |             |
| AGH2769-01                           | <b>5.2</b>  |
| PFBA                                 | 5.2         |
| AGJ3779-01                           | <b>5.1</b>  |
| PFBA                                 | 5.1         |
| <b>CITY OF MORGAN HILL</b>           |             |
| M3F1900-31                           | <b>6.5</b>  |
| PFHxS                                | 3           |
| PFPeA                                | 3.5         |



|   |     |
|---|-----|
| M3F1900-29                                    | 3.3 |
| PFHxS   | 3.3 |
| <b>CITY OF STOCKTON</b>                       |     |
| SGC0003-21                                    | 4.8 |
| PFOS  | 4.8 |
| SGC0003-07                                    | 4.2 |
| PFOS  | 4.2 |
| <b>THERMALITO WATER &amp; SEWER DIST</b>      |     |
| C3G0558-09                                    | 4.6 |
| PFOS  | 4.6 |
| C3G0558-07RE1                                 | 4.1 |
| PFOS  | 4.1 |
| <b>TRUCKEE-DONNER PUD, MAIN</b>               |     |
| AGC1280-03                                    | 8.3 |
| PFHxA   | 3.7 |
| PFPeA   | 4.6 |
| <b>SONOMA, CITY OF</b>                        |     |
| 2307C91-004B                                  | 8.3 |
| PFHxA   | 4.3 |
| PFOA  | 4   |
| <b>BIG BEAR LAKE DWP - BIG BEAR SYSTEM</b>    |     |
| RGK0078-01                                    | 8   |
| PFBS  | 3.9 |
| PFHxS   | 4.1 |
| <b>BANNING, CITY OF</b>                       |     |
| C3I1717-13                                    | 8   |
| PFBA  | 8   |
| <b>SIERRA TAHOE MAIN LODGE</b>                |     |
| 100070P                                       | 8   |
| PFBS  | 3   |
| PFOA  | 5   |
| <b>SANTA CLARITA VALLEY W.A.-NEWHALL DIV.</b> |     |
| 380-52110-1                                   | 7.8 |
| PFHxS   | 7.8 |
| <b>LOMA LINDA UNIVERSITY</b>                  |     |
| 108512R                                       | 7.3 |
| PFHxS   | 3.1 |
| PFOS  | 4.2 |
| <b>VENTURA WATER DEPARTMENT</b>               |     |

|   |       |
|---|-------|
| 3A27005-01                                      | 6.1   |
| PFBS  | 3.1   |
| PFHxS   | 3     |
| <b>SOUTH COAST WATER DISTRICT</b>               |       |
| C3E3798-01                                      | 5.8   |
| PFBA  | 5.8   |
| <b>PADRE DAM MWD</b>                            |       |
| C3E2348-03RE1                                   | 5.8   |
| PFBA  | 5.8   |
| <b>CITY OF FOWLER</b>                           |       |
| 104813P   | 5.3   |
| 6:2 FTS   | 5.3   |
| <b>CAL-AM WATER COMPANY - DUARTE</b>            |       |
| 68221401  | 5.1   |
| PFOS  | 5.1   |
| <b>CITY OF WINTERS</b>                          |       |
| 106490P   | 4.2   |
| PFNA  | 4.2   |
| <b>SEA RANCH WATER COMPANY,THE (PUC)</b>        |       |
| 102860P   | 3.3   |
| PFHxS   | 3.3   |
| <b>EL DORADO ID - MAIN</b>                      |       |
| SGB0230-01                                      | 3.2   |
| PFPeA   | 3.2   |
| <b>CALIFORNIA REHABILITATION CENTER - NORCO</b> |       |
| 103701P   | 3.2   |
| PFHxS   | 3.2   |
| <b>CALAM - LINCOLN OAKS</b>                     |       |
| 62071401  | 3     |
| PFHpA   | 3     |
| <b>CO</b>                                       |       |
| <b>WIDEFIELD WSD</b>                            |       |
| 380-70572-3                                     | 249.2 |
| PFBA  | 27.6  |
| PFHxA   | 140.6 |
| PFPeA   | 81    |
| 32301758003                                     | 247.6 |
| PFBA  | 32.3  |
| PFHxA   | 119   |

|                    |              |
|--------------------|--------------|
| PFPeA              | 96.3         |
| <b>380-70572-5</b> | <b>170.8</b> |
| PFBA               | 27.1         |
| PFHxA              | 62.8         |
| PFPeA              | 80.9         |
| <b>380-70572-8</b> | <b>168.2</b> |
| PFBA               | 37.7         |
| PFHxA              | 21.6         |
| PFPeA              | 108.9        |
| <b>32301758001</b> | <b>145.4</b> |
| PFBA               | 42           |
| PFHxA              | 3.9          |
| PFPeA              | 99.5         |
| <b>380-70572-6</b> | <b>139.9</b> |
| PFBA               | 32.1         |
| PFHxA              | 14.4         |
| PFPeA              | 93.4         |
| <b>380-59549-2</b> | <b>117.2</b> |
| PFBA               | 31.1         |
| PFHxA              | 5            |
| PFPeA              | 81.1         |
| <b>380-70572-1</b> | <b>88</b>    |
| PFBA               | 10.7         |
| PFBS               | 16.7         |
| PFHxA              | 4.8          |
| PFHxS              | 28.4         |
| PFOA               | 10           |
| PFOS               | 8            |
| PFPeA              | 4.6          |
| PFPeS              | 4.8          |
| <b>32301758017</b> | <b>87.5</b>  |
| PFBA               | 10.7         |
| PFBS               | 15.1         |
| PFHxA              | 5.4          |
| PFHxS              | 27.2         |
| PFOA               | 10.5         |
| PFOS               | 7.9          |
| PFPeA              | 5.4          |
| PFPeS              | 5.3          |

|                         |             |
|-------------------------|-------------|
| 32301758009             | <b>79.5</b> |
| PFBA                    | 31.2        |
| PFPeA                   | 48.3        |
| 32301758013             | <b>54.4</b> |
| PFBS                    | 9.5         |
| PFHxA                   | 4.2         |
| PFHxS                   | 12.1        |
| PFOA                    | 8.5         |
| PFOS                    | 15.8        |
| PFPeA                   | 4.3         |
| 32301758015             | <b>34.9</b> |
| PFBA                    | 5           |
| PFBS                    | 10.7        |
| PFHxS                   | 19.2        |
| 380-70572-4             | <b>24.9</b> |
| PFBS                    | 9.1         |
| PFHxS                   | 15.8        |
| 32301758005             | <b>23.7</b> |
| PFBA                    | 23.7        |
| <b>THORNTON CITY OF</b> |             |
| 810-54088-1             | <b>65.2</b> |
| PFBA                    | 10.4        |
| PFBS                    | 8.1         |
| PFHpA                   | 3.7         |
| PFHxA                   | 12.6        |
| PFHxS                   | 5.9         |
| PFOA                    | 7.1         |
| PFOS                    | 5           |
| PFPeA                   | 12.4        |
| 810-64926-1             | <b>54.2</b> |
| PFBA                    | 8.3         |
| PFBS                    | 7.1         |
| PFHpA                   | 3.2         |
| PFHxA                   | 10.4        |
| PFHxS                   | 4.2         |
| PFOA                    | 6.5         |
| PFOS                    | 4.5         |
| PFPeA                   | 10          |
| 810-67051-1             | <b>30.7</b> |

|                              |             |
|------------------------------|-------------|
| PFBA                         | 9.6         |
| PFBS                         | 4.8         |
| PFHxA                        | 7.5         |
| PFPeA                        | 8.8         |
| <b>810-74030-1</b>           | <b>25</b>   |
| PFBA                         | 8.1         |
| PFBS                         | 3.6         |
| PFHxA                        | 5.8         |
| PFPeA                        | 7.5         |
| <b>810-64923-1</b>           | <b>24.9</b> |
| PFBA                         | 8.7         |
| PFBS                         | 3.2         |
| PFHxA                        | 4.8         |
| PFPeA                        | 8.2         |
| <b>810-74034-1</b>           | <b>11.3</b> |
| PFBS                         | 3.1         |
| PFHxA                        | 4.1         |
| PFPeA                        | 4.1         |
| <b>TODD CREEK VILLAGE MD</b> |             |
| <b>101736R</b>               | <b>70.7</b> |
| PFBA                         | 6.8         |
| PFBS                         | 38          |
| PFHxA                        | 8.2         |
| PFHxS                        | 5.7         |
| PFOS                         | 5.7         |
| PFPeA                        | 6.3         |
| <b>102867P</b>               | <b>57</b>   |
| PFBA                         | 6.4         |
| PFBS                         | 31          |
| PFHxA                        | 5.3         |
| PFHxS                        | 4.4         |
| PFOS                         | 4.6         |
| PFPeA                        | 5.3         |
| <b>105632P</b>               | <b>22</b>   |
| PFBS                         | 3.8         |
| PFHxA                        | 4.1         |
| PFHxS                        | 3.1         |
| PFOS                         | 6.8         |
| PFPeA                        | 4.2         |

|                           |             |
|---------------------------|-------------|
| <b>COTTONWOOD WSD</b>     |             |
| 810-77211-1               | <b>20.3</b> |
| PFBS                      | 4.7         |
| PFHxA                     | 5.4         |
| PFOA                      | 4           |
| PFPeA                     | 6.2         |
| 810-55766-1               | <b>15.2</b> |
| PFBS                      | 4.5         |
| PFHxA                     | 4.9         |
| PFPeA                     | 5.8         |
| 810-58302-1               | <b>13.1</b> |
| PFBA                      | 5.6         |
| PFHxA                     | 3.2         |
| PFPeA                     | 4.3         |
| <b>ARAPAHOE CNTY WWWA</b> |             |
| 810-53164-1               | <b>30.9</b> |
| PFBA                      | 5.5         |
| PFBS                      | 6.1         |
| PFHxA                     | 6.8         |
| PFOA                      | 4.6         |
| PFPeA                     | 7.9         |
| 810-72401-1               | <b>14.5</b> |
| PFBS                      | 4.5         |
| PFHxA                     | 4.6         |
| PFPeA                     | 5.4         |
| <b>SNAKE RIVER WD</b>     |             |
| 102878P                   | <b>35.6</b> |
| PFBS                      | 5           |
| PFHxA                     | 3.1         |
| PFHxS                     | 9.3         |
| PFOS                      | 13          |
| PFPeA                     | 5.2         |
| <b>CHIPETA WD</b>         |             |
| 104858P                   | <b>29.5</b> |
| PFBA                      | 29.5        |
| <b>LOCHBUIE TOWN OF</b>   |             |
| 105643P                   | <b>18.6</b> |
| PFBS                      | 3.4         |
| PFHxA                     | 5.4         |

|                                     |             |
|-------------------------------------|-------------|
| PFHxS                               | 3           |
| PFPeA                               | 6.8         |
| 101801R                             | <b>6.3</b>  |
| PFBS                                | 6.3         |
| <b>AURORA CITY OF</b>               |             |
| 810-59457-1                         | <b>23.9</b> |
| PFBA                                | 7.8         |
| PFBS                                | 3.3         |
| PFHxA                               | 5.6         |
| PFPeA                               | 7.2         |
| <b>SUBURBAN WATER</b>               |             |
| 101802R                             | <b>8</b>    |
| PFBA                                | 8           |
| 102876P                             | <b>7.1</b>  |
| PFBA                                | 7.1         |
| <b>MORRISON TOWN OF</b>             |             |
| 105405R                             | <b>6</b>    |
| PFBS                                | 3           |
| PFHxA                               | 3           |
| 106495P                             | <b>4.1</b>  |
| PFHxA                               | 4.1         |
| 101520P                             | <b>3.3</b>  |
| PFHxA                               | 3.3         |
| <b>CASTLE ROCK TOWN OF</b>          |             |
| 810-75661-1                         | <b>9.8</b>  |
| PFBA                                | 5.1         |
| PFPeA                               | 4.7         |
| <b>CSU FOOTHILLS CAMPUS</b>         |             |
| 104490R                             | <b>5.9</b>  |
| PFBA                                | 5.9         |
| <b>EAST CHERRY CREEK VALLEY WSD</b> |             |
| 810-75270-1                         | <b>3.6</b>  |
| PFPeA                               | 3.6         |
| <b>CT</b>                           |             |
| <b>SOUTHINGTON WATER DEPARTMENT</b> |             |
| L2322882-01                         | <b>26</b>   |
| PFBS                                | 4           |
| PFHpA                               | 3           |
| PFHxA                               | 4           |

|                                    |             |
|------------------------------------|-------------|
| PFOA                               | 7           |
| PFOS                               | 4           |
| PFPeA                              | 4           |
| <b>L2363957-01</b>                 | <b>25</b>   |
| PFBS                               | 4           |
| PFHxA                              | 4           |
| PFOA                               | 8           |
| PFOS                               | 5           |
| PFPeA                              | 4           |
| <b>L2363957-05</b>                 | <b>11</b>   |
| PFBS                               | 3           |
| PFOA                               | 4           |
| PFOS                               | 4           |
| <b>L2363957-11</b>                 | <b>11</b>   |
| PFOA                               | 5           |
| PFOS                               | 6           |
| <b>L2322875-01</b>                 | <b>10</b>   |
| PFOA                               | 5           |
| PFOS                               | 5           |
| <b>L2322879-01</b>                 | <b>9</b>    |
| PFOA                               | 5           |
| PFOS                               | 4           |
| <b>L2322880-01</b>                 | <b>7</b>    |
| PFOA                               | 4           |
| PFPeA                              | 3           |
| <b>L2363957-03</b>                 | <b>7</b>    |
| PFOA                               | 4           |
| PFPeA                              | 3           |
| <b>L2337357-01</b>                 | <b>5</b>    |
| PFBA                               | 5           |
| <b>MANCHESTER WATER DEPARTMENT</b> |             |
| <b>35835875009SE1</b>              | <b>56.3</b> |
| PFBS                               | 13          |
| PFHpA                              | 3.1         |
| PFHxA                              | 4.3         |
| PFHxS                              | 3.3         |
| PFOA                               | 12          |
| PFOS                               | 16          |
| PFPeA                              | 4.6         |



|   |             |
|---|-------------|
| 35835875007SE1                                | <b>19.5</b> |
| PFBS  | 3.9         |
| PFHxA   | 3.5         |
| PFHxS   | 3.1         |
| PFOA  | 5.3         |
| PFPeA   | 3.7         |
| 35835875011SE1                                | <b>17</b>   |
| PFHxA   | 3.1         |
| PFOA  | 7.8         |
| PFOS  | 6.1         |
| <b>AQUARION WATER CO OF CT-MAIN SYSTEM</b>    |             |
| 810-70943-1                                   | <b>40.5</b> |
| PFBA  | 5.7         |
| PFHpA   | 3.9         |
| PFHxA   | 7.4         |
| PFOA  | 10.9        |
| PFOS  | 5.9         |
| PFPeA   | 6.7         |
| 810-70945-1                                   | <b>33.8</b> |
| PFBA  | 7.3         |
| PFBS  | 4.1         |
| PFHxA   | 3.9         |
| PFOA  | 8.1         |
| PFOS  | 6.6         |
| PFPeA   | 3.8         |
| 810-70959-1                                   | <b>7.6</b>  |
| PFBA  | 7.6         |
| <b>AQUARION WATER CO OF CT-NEWTOWN SYSTEM</b> |             |
| 102882P                                       | <b>44.3</b> |
| PFBS  | 7.3         |
| PFHpA   | 3.1         |
| PFHxA   | 4.5         |
| PFHxS   | 4.6         |
| PFOA  | 9.5         |
| PFOS  | 11.4        |
| PFPeA   | 3.9         |
| 102881P                                       | <b>35.1</b> |
| PFBA  | 5.7         |
| PFHpA   | 3.1         |

|                                  |             |
|----------------------------------|-------------|
| PFHxA                            | 7.6         |
| PFOA                             | 5.1         |
| PFOS                             | 5.2         |
| PFPeA                            | 8.4         |
| <b>HAZARDVILLE WATER COMPANY</b> |             |
| 810-78167-1                      | <b>33.3</b> |
| PFBS                             | 4.8         |
| PFHxA                            | 3.9         |
| PFHxS                            | 7.8         |
| PFOA                             | 8.6         |
| PFOS                             | 5           |
| PFPeA                            | 3.2         |
| 810-57845-1                      | <b>27.9</b> |
| PFBS                             | 4.1         |
| PFHxA                            | 3.6         |
| PFHxS                            | 8.1         |
| PFOA                             | 6.7         |
| PFOS                             | 5.4         |
| 810-78157-1                      | <b>8.3</b>  |
| PFBS                             | 3           |
| PFOA                             | 5.3         |
| 810-57847-1                      | <b>4</b>    |
| PFOA                             | 4           |
| <b>CTWC - UNIONVILLE SYSTEM</b>  |             |
| L2355130-05                      | <b>30</b>   |
| PFBA                             | 7           |
| PFHxA                            | 4           |
| PFHxS                            | 3           |
| PFOA                             | 6           |
| PFOS                             | 6           |
| PFPeA                            | 4           |
| L2333335-01                      | <b>23</b>   |
| PFBA                             | 5           |
| PFHxA                            | 3           |
| PFHxS                            | 3           |
| PFOA                             | 4           |
| PFOS                             | 5           |
| PFPeA                            | 3           |
| <b>MERIDEN WATER DIVISION</b>    |             |

|  |             |
|--|-------------|
| 810-80565-1                                    | <b>33.9</b> |
| PFBS   | 3.7         |
| PFHxA  | 5.8         |
| PFHxS  | 4           |
| PFOA   | 6.1         |
| PFOS   | 9.5         |
| PFPeA  | 4.8         |
| 810-80570-1                                    | <b>10.5</b> |
| PFBS   | 3.1         |
| PFOS   | 7.4         |
| <b>COLCHESTER SEWER &amp; WATER COMMISSION</b> |             |
| 107608P  | <b>9</b>    |
| PFOS   | 9           |
| 101951P  | <b>7.2</b>  |
| PFOS   | 7.2         |
| 101953P  | <b>7.2</b>  |
| PFOS   | 7.2         |
| 107607P  | <b>3.6</b>  |
| PFHxS  | 3.6         |
| 101950P  | <b>3.3</b>  |
| PFHxS  | 3.3         |
| 107605P  | <b>3.3</b>  |
| PFHxS  | 3.3         |
| 101952P  | <b>3</b>    |
| PFHxS  | 3           |
| <b>NORWICH PUBLIC UTILITIES</b>                |             |
| 810-64209-1                                    | <b>35.8</b> |
| PFBS   | 4.9         |
| PFHxS  | 11.3        |
| PFOA   | 5.5         |
| PFOS   | 14.1        |
| <b>VALLEY WATER SYSTEMS, INC.</b>              |             |
| 810-53411-1                                    | <b>18.3</b> |
| PFBA   | 6.3         |
| PFOA   | 5.2         |
| PFOS   | 6.8         |
| 810-73128-1                                    | <b>17.3</b> |
| PFBA   | 6.4         |
| PFOA   | 4.7         |

|  |             |
|--|-------------|
| PFOS   | 6.2         |
| <b>REGIONAL WATER AUTHORITY</b>                |             |
| 67914801                                       | <b>17.8</b> |
| PFBS   | 3.4         |
| PFOA   | 6.3         |
| PFOS   | 8.1         |
| 67914301                                       | <b>8.4</b>  |
| PFBS   | 3.2         |
| PFOA   | 5.2         |
| 67915101                                       | <b>4</b>    |
| PFOS   | 4           |
| 67914401                                       | <b>4</b>    |
| PFOS   | 4           |
| <b>AQUARION WATER CO OF CT-NOROTON SYSTEM</b>  |             |
| 810-70603-1                                    | <b>12.8</b> |
| PFHxA  | 3.7         |
| PFOA   | 5.8         |
| PFPeA  | 3.3         |
| 810-81383-1                                    | <b>7.1</b>  |
| PFOA   | 4.1         |
| PFPeA  | 3           |
| 810-61262-1                                    | <b>5.5</b>  |
| PFBA   | 5.5         |
| 810-81388-1                                    | <b>4.7</b>  |
| PFOA   | 4.7         |
| <b>CTWC - NAUGATUCK REG-COLLINSVILLE SYS</b>   |             |
| 101525P  | <b>10.5</b> |
| PFOA   | 4.9         |
| PFOS   | 5.6         |
| 106500P  | <b>9.6</b>  |
| PFOA   | 4.4         |
| PFOS   | 5.2         |
| <b>CROMWELL FIRE DISTRICT WATER DEPARTMENT</b> |             |
| 810-59864-1                                    | <b>13.3</b> |
| PFHxS  | 8.7         |
| PFOS   | 4.6         |
| 810-82726-1                                    | <b>4.2</b>  |
| PFHxS  | 4.2         |
| <b>AQUARION WATER CO OF CT-TLWC WOODRICH</b>   |             |

|  |             |
|--|-------------|
| 102884P  | <b>16.4</b> |
| PFBS   | 3.5         |
| PFOA   | 4.9         |
| PFOS   | 4.9         |
| PFPeA  | 3.1         |
| <b>UNIVERSITY OF CONNECTICUT - MAIN CAMPUS</b> |             |
| L2357044-01                                    | <b>5</b>    |
| PFBA   | 5           |
| L2356209-01                                    | <b>5</b>    |
| PFOS   | 5           |
| L2316084-01                                    | <b>4</b>    |
| PFOS   | 4           |
| <b>PORTLAND WATER DEPARTMENT</b>               |             |
| 101954P  | <b>6.9</b>  |
| PFHxA  | 3.3         |
| PFPeA  | 3.6         |
| 107467P  | <b>6.5</b>  |
| PFHxA  | 3           |
| PFPeA  | 3.5         |
| <b>JEWETT CITY WATER COMPANY</b>               |             |
| 103849P  | <b>12.1</b> |
| PFBA   | 12.1        |
| <b>BRISTOL WATER DEPARTMENT</b>                |             |
| 810-78628-1                                    | <b>4.1</b>  |
| PFOA   | 4.1         |
| 810-78630-1                                    | <b>3.1</b>  |
| PFPeA  | 3.1         |
| <b>NORWALK FIRST TAXING DISTRICT</b>           |             |
| M3J0626-01                                     | <b>4.3</b>  |
| PFOA   | 4.3         |
| <b>DC</b>                                      |             |
| <b>JOINT BASE ANACOSTIA - BOLLING</b>          |             |
| 23091253-01                                    | <b>10.6</b> |
| PFHxA  | 5.2         |
| PFPeA  | 5.4         |
| 23091247-01                                    | <b>9.5</b>  |
| PFHxA  | 4.4         |
| PFPeA  | 5.1         |
| 23091199-01                                    | <b>9.1</b>  |

|                            |              |
|----------------------------|--------------|
| PFHxA                      | 3.5          |
| PFPeA                      | 5.6          |
| 23091252-01                | <b>8.2</b>   |
| PFHxA                      | 3.4          |
| PFPeA                      | 4.8          |
| <b>DE</b>                  |              |
| <b>SUEZ WATER DELAWARE</b> |              |
| 3D05562-03                 | <b>125.6</b> |
| PFBA                       | 27.3         |
| PFBS                       | 3.4          |
| PFHpA                      | 20           |
| PFHxA                      | 23.7         |
| PFNA                       | 7.6          |
| PFOA                       | 20.9         |
| PFPeA                      | 22.7         |
| 3D05562-01                 | <b>124.3</b> |
| PFBA                       | 27           |
| PFBS                       | 3.4          |
| PFHpA                      | 20           |
| PFHxA                      | 23.8         |
| PFNA                       | 7.5          |
| PFOA                       | 19.4         |
| PFPeA                      | 23.2         |
| 3A04994-03                 | <b>120.5</b> |
| PFBA                       | 26.9         |
| PFBS                       | 3.7          |
| PFHpA                      | 19.8         |
| PFHxA                      | 22.5         |
| PFNA                       | 6.8          |
| PFOA                       | 19.1         |
| PFPeA                      | 21.7         |
| 3A04994-01                 | <b>116</b>   |
| PFBA                       | 25.6         |
| PFBS                       | 3.4          |
| PFHpA                      | 19           |
| PFHxA                      | 22           |
| PFNA                       | 6.3          |
| PFOA                       | 18.9         |
| PFPeA                      | 20.8         |

|                                      |              |
|--------------------------------------|--------------|
| <b>MUNICIPAL SERVICES COMMISSION</b> |              |
| 101956P                              | <b>270.1</b> |
| PFBA                                 | 147.2        |
| PFPeA                                | 122.9        |
| <b>WILMINGTON WATER DEPARTMENT</b>   |              |
| 810-73368-1                          | <b>40.8</b>  |
| PFBA                                 | 10.5         |
| PFBS                                 | 3.3          |
| PFHpA                                | 4            |
| PFHxA                                | 7.7          |
| PFOA                                 | 6.7          |
| PFPeA                                | 8.6          |
| 810-73362-1                          | <b>36.6</b>  |
| PFBA                                 | 10.2         |
| PFHpA                                | 3.7          |
| PFHxA                                | 7.7          |
| PFOA                                 | 6.8          |
| PFPeA                                | 8.2          |
| 810-52929-1                          | <b>23.1</b>  |
| PFBA                                 | 5.6          |
| PFBS                                 | 3            |
| PFHxA                                | 4.6          |
| PFOA                                 | 5.2          |
| PFPeA                                | 4.7          |
| 810-52929-2                          | <b>19.9</b>  |
| PFBA                                 | 5.2          |
| PFHxA                                | 4.7          |
| PFOA                                 | 5.2          |
| PFPeA                                | 4.8          |
| <b>STAGE VILLAGE MHC</b>             |              |
| 106504P                              | <b>37.2</b>  |
| PFBS                                 | 12           |
| PFHxA                                | 4.5          |
| PFOA                                 | 7.6          |
| PFOS                                 | 8.5          |
| PFPeA                                | 4.6          |
| 101529P                              | <b>34.8</b>  |
| PFBS                                 | 12.7         |
| PFHxA                                | 4            |

|  |              |
|--|--------------|
| PFOA                                     | 6.1          |
| PFOS                                     | 7.5          |
| PFPeA                                    | 4.5          |
| <b>BAYSIDE PUMP DISTRICT</b>             |              |
| 108418R                                  | <b>25.1</b>  |
| PFBA                                     | 8            |
| PFHxA                                    | 3.6          |
| PFPeA                                    | 13.5         |
| 100146P                                  | <b>23.2</b>  |
| PFBA                                     | 7.6          |
| PFHxA                                    | 3            |
| PFPeA                                    | 12.6         |
| <b>SEAFORD WATER DEPARTMENT</b>          |              |
| 104861P                                  | <b>10.9</b>  |
| PFHxA                                    | 4.8          |
| PFPeA                                    | 6.1          |
| <b>NEWARK WATER DEPARTMENT, DE</b>       |              |
| 3B04854-01                               | <b>7.2</b>   |
| PFHxA                                    | 3.1          |
| PFOA                                     | 4.1          |
| <b>SOUTH BETHANY</b>                     |              |
| 810-64749-1                              | <b>4.3</b>   |
| PFOS                                     | 4.3          |
| <b>FL</b>                                |              |
| <b>EMERALD COAST UTILITIES AUTHORITY</b> |              |
| 810-68163-1                              | <b>699.9</b> |
| 4:2 FTS                                  | 7.6          |
| 6:2 FTS                                  | 220.1        |
| PFBA                                     | 40.7         |
| PFBS                                     | 16           |
| PFHpA                                    | 37.8         |
| PFHxA                                    | 111          |
| PFHxS                                    | 55.3         |
| PFOA                                     | 25.8         |
| PFOS                                     | 35.7         |
| PFPeA                                    | 138.9        |
| PFPeS                                    | 11           |
| 810-81289-1                              | <b>157.6</b> |
| 6:2 FTS                                  | 15.7         |



|                    |              |
|--------------------|--------------|
| PFBS               | 8.9          |
| PFHpA              | 10.4         |
| PFHxA              | 19.9         |
| PFHxS              | 32.7         |
| PFNA               | 16.2         |
| PFOA               | 17.3         |
| PFOS               | 19.8         |
| PFPeA              | 12.7         |
| PFPeS              | 4            |
| <b>810-68158-1</b> | <b>124.1</b> |
| 6:2 FTS            | 11.7         |
| PFBS               | 6.8          |
| PFHpA              | 8.3          |
| PFHxA              | 15.8         |
| PFHxS              | 26.4         |
| PFNA               | 13.4         |
| PFOA               | 13.8         |
| PFOS               | 17.1         |
| PFPeA              | 10.8         |
| <b>810-81010-1</b> | <b>71</b>    |
| PFBS               | 5.9          |
| PFHpA              | 7.2          |
| PFHxA              | 9.7          |
| PFHxS              | 7            |
| PFOA               | 10.2         |
| PFOS               | 18           |
| PFPeA              | 13           |
| <b>810-68166-1</b> | <b>65.9</b>  |
| PFBS               | 5.4          |
| PFHpA              | 6.5          |
| PFHxA              | 9            |
| PFHxS              | 6.6          |
| PFOA               | 9.5          |
| PFOS               | 16.8         |
| PFPeA              | 12.1         |
| <b>810-81730-1</b> | <b>60.2</b>  |
| PFBS               | 8.3          |
| PFHpA              | 4            |
| PFHxA              | 5.8          |

|                    |             |
|--------------------|-------------|
| PFHxS              | 7.3         |
| PFOA               | 11.1        |
| PFOS               | 17.8        |
| PFPeA              | 5.9         |
| <b>810-60293-1</b> | <b>58.3</b> |
| PFBS               | 7.8         |
| PFHpA              | 3.9         |
| PFHxA              | 5.6         |
| PFHxS              | 6.9         |
| PFOA               | 9.7         |
| PFOS               | 18.6        |
| PFPeA              | 5.8         |
| <b>810-68155-1</b> | <b>57.9</b> |
| PFBS               | 5.3         |
| PFHpA              | 4.2         |
| PFHxA              | 6           |
| PFHxS              | 8.8         |
| PFOA               | 11.2        |
| PFOS               | 16.4        |
| PFPeA              | 6           |
| <b>810-81286-1</b> | <b>51.8</b> |
| PFBS               | 3.4         |
| PFHpA              | 3.7         |
| PFHxA              | 6           |
| PFHxS              | 8.8         |
| PFOA               | 11.4        |
| PFOS               | 11.6        |
| PFPeA              | 6.9         |
| <b>810-69524-1</b> | <b>48.2</b> |
| PFBS               | 3.1         |
| PFHpA              | 3.5         |
| PFHxA              | 5.6         |
| PFHxS              | 8           |
| PFOA               | 10.3        |
| PFOS               | 11.2        |
| PFPeA              | 6.5         |
| <b>810-60455-1</b> | <b>44.6</b> |
| PFHpA              | 3.8         |
| PFHxA              | 4.9         |

|                    |             |
|--------------------|-------------|
| PFHxS              | 8.4         |
| PFOA               | 11.2        |
| PFOS               | 11.9        |
| PFPeA              | 4.4         |
| <b>810-81020-1</b> | <b>44.1</b> |
| 6:2 FTS            | 23.8        |
| PFHxS              | 4.7         |
| PFOS               | 12.6        |
| PFPeA              | 3           |
| <b>810-68161-1</b> | <b>38</b>   |
| PFBS               | 4.5         |
| PFHxA              | 3.7         |
| PFHxS              | 4.2         |
| PFOA               | 7.4         |
| PFOS               | 14.4        |
| PFPeA              | 3.8         |
| <b>810-81012-1</b> | <b>37.6</b> |
| PFBS               | 4.5         |
| PFHxA              | 3.7         |
| PFHxS              | 4.1         |
| PFOA               | 7.1         |
| PFOS               | 14.3        |
| PFPeA              | 3.9         |
| <b>810-81284-1</b> | <b>26.1</b> |
| PFHxA              | 3.2         |
| PFHxS              | 4.1         |
| PFOA               | 6.7         |
| PFOS               | 8.2         |
| PFPeA              | 3.9         |
| <b>810-60431-1</b> | <b>25.3</b> |
| PFHxA              | 3.3         |
| PFHxS              | 4           |
| PFOA               | 6           |
| PFOS               | 8.3         |
| PFPeA              | 3.7         |
| <b>810-81727-1</b> | <b>18.8</b> |
| PFHxS              | 3.8         |
| PFOA               | 4.8         |
| PFOS               | 7.1         |

|                                |              |
|--------------------------------|--------------|
| PFPeA                          | 3.1          |
| 810-60425-1                    | <b>18.4</b>  |
| PFHxS                          | 4.5          |
| PFOA                           | 13.9         |
| 810-60466-1                    | <b>14.6</b>  |
| PFHxS                          | 3.9          |
| PFOA                           | 4            |
| PFOS                           | 6.7          |
| 810-81016-1                    | <b>11.6</b>  |
| PFHxS                          | 3.7          |
| PFOA                           | 4.9          |
| PFPeA                          | 3            |
| 810-81723-1                    | <b>7.8</b>   |
| PFHxA                          | 3.1          |
| PFPeA                          | 4.7          |
| 810-60283-1                    | <b>7.5</b>   |
| PFHxS                          | 3.5          |
| PFOA                           | 4            |
| 810-81013-1                    | <b>4.8</b>   |
| PFOS                           | 4.8          |
| 810-81285-1                    | <b>3.7</b>   |
| PFPeA                          | 3.7          |
| 810-61539-1                    | <b>3</b>     |
| PFPeA                          | 3            |
| <b>ORANGEWOOD WATER SYSTEM</b> |              |
| 100163P                        | <b>185.4</b> |
| PFBA                           | 20.2         |
| PFBS                           | 16.4         |
| PFHpA                          | 6.8          |
| PFHxA                          | 11           |
| PFHxS                          | 12.9         |
| PFOA                           | 25.8         |
| PFOS                           | 75.7         |
| PFPeA                          | 16.6         |
| 108423R                        | <b>182.6</b> |
| PFBA                           | 20.7         |
| PFBS                           | 16.4         |
| PFHpA                          | 6.2          |
| PFHxA                          | 9.9          |

|                |              |
|----------------|--------------|
| PFHxS          | 11.1         |
| PFOA           | 27.1         |
| PFOS           | 75.8         |
| PFPeA          | 15.4         |
| <b>101774R</b> | <b>167.4</b> |
| PFBA           | 17.4         |
| PFBS           | 22.7         |
| PFHpA          | 3.4          |
| PFHxA          | 5.6          |
| PFHxS          | 9.5          |
| PFOA           | 18.4         |
| PFOS           | 80.8         |
| PFPeA          | 9.6          |
| <b>105661P</b> | <b>160.1</b> |
| PFBA           | 16.8         |
| PFBS           | 21.3         |
| PFHpA          | 3.4          |
| PFHxA          | 6.3          |
| PFHxS          | 8.6          |
| PFOA           | 18.3         |
| PFOS           | 75.3         |
| PFPeA          | 10.1         |
| <b>100161P</b> | <b>153.2</b> |
| PFBA           | 16.1         |
| PFBS           | 21.2         |
| PFHpA          | 3.3          |
| PFHxA          | 6.3          |
| PFHxS          | 8            |
| PFNA           | 6.2          |
| PFOA           | 15           |
| PFOS           | 67.5         |
| PFPeA          | 9.6          |
| <b>100162P</b> | <b>149.2</b> |
| PFBA           | 13.9         |
| PFBS           | 21.9         |
| PFHpA          | 3.1          |
| PFHxA          | 6.5          |
| PFHxS          | 6.8          |
| PFOA           | 15.1         |

|                                    |              |
|------------------------------------|--------------|
| PFOS                               | 72.2         |
| PFPeA                              | 9.7          |
| <b>105663P</b>                     | <b>131.6</b> |
| PFBA                               | 12.3         |
| PFBS                               | 19.3         |
| PFHpA                              | 4.3          |
| PFHxA                              | 7.9          |
| PFHxS                              | 7.1          |
| PFOA                               | 15.7         |
| PFOS                               | 54.6         |
| PFPeA                              | 10.4         |
| <b>105662P</b>                     | <b>130.8</b> |
| PFBA                               | 14.7         |
| PFBS                               | 18.4         |
| PFHxA                              | 4.1          |
| PFHxS                              | 7.1          |
| PFNA                               | 5.4          |
| PFOA                               | 13.6         |
| PFOS                               | 60.8         |
| PFPeA                              | 6.7          |
| <b>100164P</b>                     | <b>125</b>   |
| PFBA                               | 15.3         |
| PFBS                               | 16.3         |
| PFHpA                              | 6.9          |
| PFHxA                              | 10.3         |
| PFHxS                              | 6.3          |
| PFOA                               | 14           |
| PFOS                               | 44.6         |
| PFPeA                              | 11.3         |
| <b>105665P</b>                     | <b>114.4</b> |
| PFBA                               | 16           |
| PFBS                               | 12.8         |
| PFHpA                              | 7.6          |
| PFHxA                              | 12.3         |
| PFHxS                              | 5.9          |
| PFOA                               | 13.1         |
| PFOS                               | 35.2         |
| PFPeA                              | 11.5         |
| <b>TARPON SPRINGS WATER SYSTEM</b> |              |

|                                |              |
|--------------------------------|--------------|
| 810-79542-1                    | <b>101</b>   |
| PFBA                           | 10.5         |
| PFBS                           | 14.6         |
| PFHpA                          | 4.4          |
| PFHxA                          | 7            |
| PFHxS                          | 7.5          |
| PFOA                           | 10.5         |
| PFOS                           | 36.3         |
| PFPeA                          | 10.2         |
| 810-54403-1                    | <b>92.9</b>  |
| PFBA                           | 9            |
| PFBS                           | 13.2         |
| PFHpA                          | 3.9          |
| PFHxA                          | 5.6          |
| PFHxS                          | 7.6          |
| PFOA                           | 8.5          |
| PFOS                           | 36.9         |
| PFPeA                          | 8.2          |
| 810-79546-1                    | <b>81.1</b>  |
| PFBA                           | 8.2          |
| PFBS                           | 6            |
| PFHpA                          | 3.1          |
| PFHxA                          | 4.6          |
| PFHxS                          | 9.1          |
| PFOA                           | 10.3         |
| PFOS                           | 33.8         |
| PFPeA                          | 6            |
| 810-54393-1                    | <b>76.8</b>  |
| PFBA                           | 7.2          |
| PFBS                           | 5.5          |
| PFHpA                          | 3.4          |
| PFHxA                          | 4.8          |
| PFHxS                          | 7            |
| PFOA                           | 9.7          |
| PFOS                           | 33.4         |
| PFPeA                          | 5.8          |
| <b>PEMBROKE PINES, CITY OF</b> |              |
| 810-56817-1                    | <b>171.6</b> |
| 6:2 FTS                        | 39.1         |

|                            |              |
|----------------------------|--------------|
| PFBA                       | 12.2         |
| PFBS                       | 9.8          |
| PFHpA                      | 10           |
| PFHxA                      | 18.4         |
| PFHxS                      | 9.1          |
| PFOA                       | 14.4         |
| PFOS                       | 34.7         |
| PFPeA                      | 23.9         |
| <b>810-77233-1</b>         | <b>121.7</b> |
| 6:2 FTS                    | 28           |
| PFBA                       | 9.2          |
| PFBS                       | 7.1          |
| PFHpA                      | 6.7          |
| PFHxA                      | 13.4         |
| PFHxS                      | 6.1          |
| PFOA                       | 10.2         |
| PFOS                       | 23.3         |
| PFPeA                      | 17.7         |
| <b>ZEPHYRHILLS CITY OF</b> |              |
| <b>J2302283003</b>         | <b>87.4</b>  |
| PFBS                       | 5.3          |
| PFHpA                      | 3            |
| PFHxA                      | 8.8          |
| PFHxS                      | 18.1         |
| PFOA                       | 7.1          |
| PFOS                       | 26           |
| PFPeA                      | 19.1         |
| <b>J2311185003</b>         | <b>79.2</b>  |
| PFBS                       | 5.3          |
| PFHpA                      | 3            |
| PFHxA                      | 8.8          |
| PFHxS                      | 16.5         |
| PFOA                       | 7.4          |
| PFOS                       | 20.8         |
| PFPeA                      | 17.4         |
| <b>J2311185005</b>         | <b>43</b>    |
| PFBS                       | 10.5         |
| PFHxA                      | 3.7          |
| PFHxS                      | 6.6          |



|   |              |
|---|--------------|
| PFOA  | 4.4          |
| PFOS  | 13.7         |
| PFPeA   | 4.1          |
| <b>J2302283005</b>                              | <b>24.2</b>  |
| PFBS  | 6.9          |
| PFHxS   | 4.6          |
| PFOS  | 9.2          |
| PFPeA   | 3.5          |
| <b>J2311185001</b>                              | <b>17.4</b>  |
| PFBS  | 4.7          |
| PFHxS   | 4.2          |
| PFOS  | 8.5          |
| <b>J2302283001</b>                              | <b>15.7</b>  |
| PFBS  | 4.7          |
| PFHxS   | 3.9          |
| PFOS  | 7.1          |
| <b>J2302283007</b>                              | <b>7.9</b>   |
| PFBS  | 3.7          |
| PFOS  | 4.2          |
| <b>HIALEAH, CITY OF</b>                         |              |
| <b>J2310940001</b>                              | <b>197.3</b> |
| 6:2 FTS   | 62.6         |
| PFBA  | 19.1         |
| PFBS  | 4.4          |
| PFHpA   | 14           |
| PFHxA   | 29.7         |
| PFHxS   | 5.6          |
| PFOA  | 7.8          |
| PFOS  | 23.5         |
| PFPeA   | 30.6         |
| <b>J2310940003</b>                              | <b>39.8</b>  |
| PFBA  | 11.1         |
| PFBS  | 3.5          |
| PFHxA   | 5.7          |
| PFOS  | 13.6         |
| PFPeA   | 5.9          |
| <b>VILLAGES OF LAKE-SUMTER - WTPS 1, 3, ; 5</b> |              |
| <b>J2304366003</b>                              | <b>48.5</b>  |
| PFBS  | 10           |

|                             |              |
|-----------------------------|--------------|
| PFHxA                       | 6.9          |
| PFHxS                       | 4.8          |
| PFOA                        | 7.3          |
| PFOS                        | 8.3          |
| PFPeA                       | 11.2         |
| <b>J2304366005</b>          | <b>48.4</b>  |
| PFBS                        | 10.8         |
| PFHxA                       | 6.9          |
| PFHxS                       | 4.4          |
| PFOA                        | 7.3          |
| PFOS                        | 7.6          |
| PFPeA                       | 11.4         |
| <b>J2313453005</b>          | <b>37.8</b>  |
| PFBS                        | 7            |
| PFHxA                       | 5.6          |
| PFHxS                       | 3.7          |
| PFOA                        | 5.9          |
| PFOS                        | 7.6          |
| PFPeA                       | 8            |
| <b>J2313453003</b>          | <b>36.4</b>  |
| PFBS                        | 7            |
| PFHxA                       | 5            |
| PFHxS                       | 3.3          |
| PFOA                        | 6            |
| PFOS                        | 7.4          |
| PFPeA                       | 7.7          |
| <b>J2304366001</b>          | <b>29.5</b>  |
| PFBS                        | 7.3          |
| PFHxA                       | 3.8          |
| PFHxS                       | 3.5          |
| PFOA                        | 4.2          |
| PFOS                        | 5.5          |
| PFPeA                       | 5.2          |
| <b>J2313453001</b>          | <b>8.3</b>   |
| PFBS                        | 5.2          |
| PFPeA                       | 3.1          |
| <b>NORTH MIAMI, CITY OF</b> |              |
| <b>GG02184-01</b>           | <b>155.2</b> |
| 6:2 FTS                     | 12           |

|                               |             |
|-------------------------------|-------------|
| PFBA                          | 13          |
| PFBS                          | 21          |
| PFHpA                         | 7           |
| PFHxA                         | 19          |
| PFHxS                         | 7.2         |
| PFOA                          | 12          |
| PFOS                          | 44          |
| PFPeA                         | 20          |
| <b>GG02184-03</b>             | <b>51.4</b> |
| 6:2 FTS                       | 6.1         |
| PFBA                          | 11          |
| PFBS                          | 3.5         |
| PFHpA                         | 3           |
| PFHxA                         | 7.2         |
| PFOS                          | 12          |
| PFPeA                         | 8.6         |
| <b>LAUDERHILL, CITY OF</b>    |             |
| <b>35839198001SE2</b>         | <b>97</b>   |
| PFBA                          | 6.1         |
| PFBS                          | 8.1         |
| PFHpA                         | 5           |
| PFHxA                         | 8.5         |
| PFHxS                         | 8.3         |
| PFOA                          | 12          |
| PFOS                          | 37          |
| PFPeA                         | 12          |
| <b>35809912001SE1</b>         | <b>79.8</b> |
| PFBA                          | 5.4         |
| PFBS                          | 5.9         |
| PFHpA                         | 4.5         |
| PFHxA                         | 7           |
| PFHxS                         | 7.3         |
| PFOA                          | 8.1         |
| PFOS                          | 32          |
| PFPeA                         | 9.6         |
| <b>POMPANO BEACH, CITY OF</b> |             |
| <b>GG02877-01</b>             | <b>176</b>  |
| 6:2 FTS                       | 62          |
| PFBA                          | 19          |

|                                       |             |
|---------------------------------------|-------------|
| PFBS                                  | 4.5         |
| PFHpA                                 | 9.6         |
| PFHxA                                 | 25          |
| PFHxS                                 | 5.3         |
| PFOA                                  | 6.6         |
| PFOS                                  | 20          |
| PFPeA                                 | 24          |
| <b>CITY OF TAMPA WATER DEPARTMENT</b> |             |
| <b>810-70079-1</b>                    | <b>39.2</b> |
| PFBA                                  | 6.4         |
| PFBS                                  | 6.4         |
| PFHxA                                 | 4.7         |
| PFHxS                                 | 3.7         |
| PFOA                                  | 4.4         |
| PFOS                                  | 6.8         |
| PFPeA                                 | 6.8         |
| <b>810-81696-1</b>                    | <b>38.7</b> |
| PFBA                                  | 6.1         |
| PFBS                                  | 6           |
| PFHxA                                 | 4.5         |
| PFHxS                                 | 4.1         |
| PFOA                                  | 4.6         |
| PFOS                                  | 6.9         |
| PFPeA                                 | 6.5         |
| <b>810-59289-1</b>                    | <b>32</b>   |
| PFBS                                  | 4.8         |
| PFHpA                                 | 3.9         |
| PFHxA                                 | 5.9         |
| PFHxS                                 | 4           |
| PFOS                                  | 5           |
| PFPeA                                 | 8.4         |
| <b>810-81661-1</b>                    | <b>22.7</b> |
| PFBA                                  | 6.1         |
| PFBS                                  | 3.4         |
| PFHxA                                 | 5.7         |
| PFPeA                                 | 7.5         |
| <b>810-50703-1</b>                    | <b>21.8</b> |
| PFBA                                  | 5.7         |
| PFBS                                  | 4.4         |

|   |              |
|---|--------------|
| PFHxA                                   | 3.3          |
| PFOS                                    | 4            |
| PFPeA                                   | 4.4          |
| <b>LAKE PANASOFFKEE WATER ASSN 2WPS</b> |              |
| 101980P                                 | <b>95.1</b>  |
| PFBA                                    | 6.4          |
| PFBS                                    | 8.5          |
| PFHpA                                   | 4.7          |
| PFHxA                                   | 8.2          |
| PFHxS                                   | 13.1         |
| PFOA                                    | 5.8          |
| PFOS                                    | 37.2         |
| PFPeA                                   | 11.2         |
| 101981P                                 | <b>53.5</b>  |
| PFBA                                    | 7.5          |
| PFBS                                    | 12           |
| PFHpA                                   | 3            |
| PFHxA                                   | 6.8          |
| PFHxS                                   | 4.3          |
| PFOA                                    | 6.7          |
| PFOS                                    | 6.1          |
| PFPeA                                   | 7.1          |
| <b>NORTH BAY VILLAGE, CITY OF</b>       |              |
| 103863P                                 | <b>144.9</b> |
| 6:2 FTS                                 | 56.8         |
| PFBA                                    | 11.7         |
| PFBS                                    | 3.4          |
| PFHpA                                   | 7.3          |
| PFHxA                                   | 19.7         |
| PFHxS                                   | 4.3          |
| PFOA                                    | 5.6          |
| PFOS                                    | 17.6         |
| PFPeA                                   | 18.5         |
| <b>HCPUD/SEABOARD UTILITIES</b>         |              |
| 810-81009-1                             | <b>39.8</b>  |
| PFBA                                    | 6.8          |
| PFBS                                    | 6.4          |
| PFHxA                                   | 4.6          |
| PFHxS                                   | 4            |

|                             |             |
|-----------------------------|-------------|
| PFOA                        | 4.5         |
| PFOS                        | 6.8         |
| PFPeA                       | 6.7         |
| <b>810-70977-1</b>          | <b>38.9</b> |
| PFBA                        | 7.5         |
| PFBS                        | 6           |
| PFHxA                       | 4.5         |
| PFHxS                       | 3.2         |
| PFOA                        | 4           |
| PFOS                        | 7.1         |
| PFPeA                       | 6.6         |
| <b>810-59442-1</b>          | <b>38.7</b> |
| PFBA                        | 5.3         |
| PFBS                        | 4.9         |
| PFHpA                       | 4           |
| PFHxA                       | 6.3         |
| PFHxS                       | 4.2         |
| PFOS                        | 5.2         |
| PFPeA                       | 8.8         |
| <b>T2300703</b>             | <b>19.9</b> |
| PFBA                        | 7.1         |
| PFBS                        | 5.3         |
| PFHxA                       | 3.4         |
| PFPeA                       | 4.1         |
| <b>LEE COUNTY UTILITIES</b> |             |
| <b>810-57064-1</b>          | <b>34</b>   |
| PFBA                        | 13.1        |
| PFBS                        | 4.4         |
| PFHpA                       | 3.1         |
| PFHxA                       | 5.4         |
| PFPeA                       | 8           |
| <b>810-58277-1</b>          | <b>33.4</b> |
| PFBA                        | 13          |
| PFBS                        | 4.5         |
| PFHpA                       | 3           |
| PFHxA                       | 5.4         |
| PFPeA                       | 7.5         |
| <b>810-69990-1</b>          | <b>30.5</b> |
| PFBA                        | 10.4        |

|                                       |              |
|---------------------------------------|--------------|
| PFBS                                  | 5.1          |
| PFHpA                                 | 3            |
| PFHxA                                 | 3.6          |
| PFOA                                  | 4.2          |
| PFPeA                                 | 4.2          |
| 810-80764-1                           | <b>17.3</b>  |
| PFBA                                  | 10.2         |
| PFBS                                  | 4            |
| PFPeA                                 | 3.1          |
| 810-73460-1                           | <b>5.9</b>   |
| PFOS                                  | 5.9          |
| <b>LANTANA WATER TREATMENT PLANT</b>  |              |
| 102893P                               | <b>114.3</b> |
| PFBA                                  | 11.3         |
| PFBS                                  | 10.8         |
| PFHpA                                 | 6.4          |
| PFHxA                                 | 11           |
| PFHxS                                 | 8.8          |
| PFNA                                  | 6.2          |
| PFOA                                  | 11.6         |
| PFOS                                  | 35.7         |
| PFPeA                                 | 12.5         |
| <b>PCUD-PASCO COUNTY REGIONAL PWS</b> |              |
| 810-70564-1                           | <b>36</b>    |
| PFBA                                  | 5.3          |
| PFBS                                  | 4            |
| PFHpA                                 | 3.8          |
| PFHxA                                 | 8.1          |
| PFOS                                  | 4.4          |
| PFPeA                                 | 10.4         |
| 810-81973-1                           | <b>21.9</b>  |
| PFBA                                  | 5.7          |
| PFBS                                  | 3.5          |
| PFHxA                                 | 5.3          |
| PFPeA                                 | 7.4          |
| 810-70526-1                           | <b>15.3</b>  |
| PFBS                                  | 7.9          |
| PFOS                                  | 7.4          |
| 810-70570-1                           | <b>8.5</b>   |

|                                   |              |
|-----------------------------------|--------------|
| PFHxA                             | 3.7          |
| PFPeA                             | 4.8          |
| 810-70566-1                       | <b>8.3</b>   |
| PFHxA                             | 3.6          |
| PFPeA                             | 4.7          |
| 810-81977-1                       | <b>7.6</b>   |
| PFHxA                             | 3.2          |
| PFPeA                             | 4.4          |
| 810-70575-1                       | <b>6.8</b>   |
| PFHxA                             | 3            |
| PFPeA                             | 3.8          |
| 810-81978-1                       | <b>3.8</b>   |
| PFPeA                             | 3.8          |
| 810-81976-1                       | <b>3.6</b>   |
| PFPeA                             | 3.6          |
| <b>FCAA J. ROBERT DEAN W.T.P.</b> |              |
| 810-77212-1                       | <b>107.2</b> |
| PFBA                              | 10.2         |
| PFBS                              | 22.8         |
| PFHpA                             | 3.3          |
| PFHxA                             | 3.3          |
| PFHxS                             | 3.4          |
| PFOA                              | 9.9          |
| PFOS                              | 50.3         |
| PFPeA                             | 4            |
| <b>WEST SIDE CONSOLIDATED</b>     |              |
| 35812024001SE1                    | <b>29.6</b>  |
| PFBS                              | 4.5          |
| PFHxA                             | 5.5          |
| PFOA                              | 6.1          |
| PFOS                              | 7.2          |
| PFPeA                             | 6.3          |
| 35799763001SE1                    | <b>19</b>    |
| PFBS                              | 8.4          |
| PFOS                              | 7.6          |
| PFPeA                             | 3            |
| 35799763009SE1                    | <b>14.6</b>  |
| PFBS                              | 5.3          |
| PFHxA                             | 4.2          |



|   |              |
|---|--------------|
| PFPeA                                   | 5.1          |
| 35799763007SE1                          | <b>13.2</b>  |
| PFBS                                    | 6.1          |
| PFOS                                    | 4.1          |
| PFPeA                                   | 3            |
| 35799747005SE1                          | <b>8.9</b>   |
| PFBS                                    | 5.2          |
| PFPeA                                   | 3.7          |
| 35799747003SE1                          | 7.4          |
| PFBS                                    | <b>3.7</b>   |
| PFPeA                                   | 3.7          |
| 35799747007SE1                          | <b>5.1</b>   |
| PFBS                                    | 5.1          |
| 35800758003SE1                          | <b>3.6</b>   |
| PFBS                                    | 3.6          |
| 35800758005SE1                          | <b>3.1</b>   |
| PFBS                                    | 3.1          |
| <b>DELRAY BEACH PUBLIC WATER SYSTEM</b> |              |
| 810-80994-1                             | <b>103.2</b> |
| PFBA                                    | 9.6          |
| PFBS                                    | 11.7         |
| PFHpA                                   | 7.2          |
| PFHxA                                   | 11.2         |
| PFHxS                                   | 7.7          |
| PFOA                                    | 14.2         |
| PFOS                                    | 28.7         |
| PFPeA                                   | 12.9         |
| <b>EUSTIS, CITY OF (4 WPS)</b>          |              |
| J2301547007                             | <b>22.6</b>  |
| PFBS                                    | 10.7         |
| PFHxS                                   | 3.4          |
| PFOA                                    | 4            |
| PFOS                                    | 4.5          |
| J2301547003                             | <b>20.7</b>  |
| PFBS                                    | 4.2          |
| PFHxS                                   | 4.1          |
| PFOA                                    | 4.9          |
| PFOS                                    | 7.5          |
| J2309654005                             | <b>17.6</b>  |

|                                       |             |
|---------------------------------------|-------------|
| PFBS                                  | 4.2         |
| PFHxS                                 | 3.6         |
| PFOS                                  | 9.8         |
| <b>J2301547001</b>                    | <b>13.6</b> |
| PFBS                                  | 3.2         |
| PFHxS                                 | 3.2         |
| PFOS                                  | 7.2         |
| <b>J2309654001</b>                    | <b>12.4</b> |
| PFBS                                  | 3.1         |
| PFHxS                                 | 3           |
| PFOS                                  | 6.3         |
| <b>J2309654007</b>                    | <b>12</b>   |
| PFBS                                  | 12          |
| <b>HCPUD/PEBBLE CREEK SUBDIVISION</b> |             |
| <b>105659P</b>                        | <b>39.2</b> |
| PFBA                                  | 6.3         |
| PFBS                                  | 6.6         |
| PFHxA                                 | 4.8         |
| PFHxS                                 | 3.6         |
| PFOA                                  | 4.3         |
| PFOS                                  | 7.1         |
| PFPeA                                 | 6.5         |
| <b>102895P</b>                        | <b>37.1</b> |
| PFBA                                  | 5           |
| PFBS                                  | 4.8         |
| PFHpA                                 | 3.8         |
| PFHxA                                 | 6           |
| PFHxS                                 | 4           |
| PFOS                                  | 5.1         |
| PFPeA                                 | 8.4         |
| <b>100158P</b>                        | <b>17.2</b> |
| PFBA                                  | 5.3         |
| PFBS                                  | 4.5         |
| PFHxA                                 | 3.2         |
| PFPeA                                 | 4.2         |
| <b>WEST PALM BEACH WTP</b>            |             |
| <b>810-72080-1</b>                    | <b>30.4</b> |
| PFBA                                  | 11.1        |
| PFBS                                  | 3.7         |

|   |             |
|---|-------------|
| PFHpA   | 3.2         |
| PFHxA   | 5.3         |
| PFPeA   | 7.1         |
| <b>810-70309-1</b>                            | <b>22.7</b> |
| PFBA  | 9.1         |
| PFBS  | 3.6         |
| PFHxA   | 4.7         |
| PFPeA   | 5.3         |
| <b>810-73149-1</b>                            | <b>21.2</b> |
| PFBA  | 8.5         |
| PFBS  | 3.3         |
| PFHxA   | 4           |
| PFPeA   | 5.4         |
| <b>810-78569-1</b>                            | <b>19</b>   |
| PFBA  | 8           |
| PFBS  | 3.1         |
| PFHxA   | 3.8         |
| PFPeA   | 4.1         |
| <b>GONZALEZ UTILITIES ASSOCIATION, INC.</b>   |             |
| 106507P                                       | <b>39.2</b> |
| PFOA  | 39.2        |
| 101530P                                       | <b>17.1</b> |
| PFOA  | 4.1         |
| PFOS  | 9.6         |
| PFPeA   | 3.4         |
| 101532P                                       | <b>17</b>   |
| PFOA  | 17          |
| 101531P                                       | <b>16.8</b> |
| PFOA  | 16.8        |
| <b>FLORIDA GOVERNMENTAL UTILITY AUTHORITY</b> |             |
| 810-67017-1                                   | <b>32</b>   |
| PFBA  | 5.8         |
| PFBS  | 5.9         |
| PFHxA   | 5.4         |
| PFHxS   | 3.2         |
| PFOS  | 5.7         |
| PFPeA   | 6           |
| 810-55535-1                                   | <b>30.2</b> |
| PFBA  | 6.1         |

|   |             |
|---|-------------|
| PFBS  | 5.5         |
| PFHxA   | 3.9         |
| PFHxS   | 3.7         |
| PFOS  | 5.4         |
| PFPeA   | 5.6         |
| 810-77127-1                                     | <b>24.2</b> |
| PFBA  | 6.5         |
| PFBS  | 3.7         |
| PFHxA   | 3.6         |
| PFOS  | 5.4         |
| PFPeA   | 5           |
| <b>MIMS WATER TREATMENT / NORTH BREVARD CO.</b> |             |
| 105654P   | <b>49.5</b> |
| PFBA  | 5.8         |
| PFBS  | 5.4         |
| PFHpA   | 3.7         |
| PFHxA   | 4.6         |
| PFOA  | 8.2         |
| PFOS  | 15          |
| PFPeA   | 6.8         |
| 100153P   | <b>36.4</b> |
| PFBS  | 4.9         |
| PFHxA   | 3.6         |
| PFHxS   | 4.2         |
| PFOA  | 5.9         |
| PFOS  | 13.2        |
| PFPeA   | 4.6         |
| <b>FT. PIERCE UTILITIES AUTHORITY</b>           |             |
| GG04740-01                                      | <b>33.1</b> |
| PFBS  | 3.8         |
| PFHxA   | 3.7         |
| PFHxS   | 5.1         |
| PFOA  | 4.3         |
| PFOS  | 12          |
| PFPeA   | 4.2         |
| GG04740-03                                      | <b>32.5</b> |
| PFBS  | 3.8         |
| PFHxA   | 3.4         |
| PFHxS   | 5           |

|                            |             |
|----------------------------|-------------|
| PFOA                       | 4.5         |
| PFOS                       | 12          |
| PFPeA                      | 3.8         |
| <b>35788307001SE1</b>      | <b>9.8</b>  |
| PFBS                       | 4           |
| PFOS                       | 5.8         |
| <b>35788307003SE1</b>      | <b>9.2</b>  |
| PFBS                       | 3.5         |
| PFOS                       | 5.7         |
| <b>BOYNTON BEACH PWS</b>   |             |
| <b>35841872001SE1</b>      | <b>69.2</b> |
| PFBA                       | 6.1         |
| PFBS                       | 8.1         |
| PFHxA                      | 5.6         |
| PFHxS                      | 7           |
| PFOA                       | 8.7         |
| PFOS                       | 26          |
| PFPeA                      | 7.7         |
| <b>35835098001SE1</b>      | <b>15.2</b> |
| PFBA                       | 6.1         |
| PFHxA                      | 4           |
| PFPeA                      | 5.1         |
| <b>HCPUD/SOUTH-CENTRAL</b> |             |
| <b>810-69991-1</b>         | <b>46.9</b> |
| PFBA                       | 7.2         |
| PFBS                       | 5           |
| PFHpA                      | 4.8         |
| PFHxA                      | 10.8        |
| PFOS                       | 5.4         |
| PFPeA                      | 13.7        |
| <b>810-80762-1</b>         | <b>28.4</b> |
| PFBA                       | 6           |
| PFBS                       | 4.2         |
| PFHxA                      | 5.9         |
| PFOS                       | 4.4         |
| PFPeA                      | 7.9         |
| <b>810-75660-1</b>         | <b>7.5</b>  |
| PFHxA                      | 3.2         |
| PFPeA                      | 4.3         |

|                                     |             |
|-------------------------------------|-------------|
| <b>LITTLE SUMTER UTILITIES 3WPS</b> |             |
| J2304362003                         | <b>26.5</b> |
| PFBS                                | 8.9         |
| PFHxA                               | 3.9         |
| PFOA                                | 4.4         |
| PFOS                                | 4.1         |
| PFPeA                               | 5.2         |
| J2304362001                         | <b>24</b>   |
| PFBS                                | 7.1         |
| PFHxA                               | 3.2         |
| PFOA                                | 4.5         |
| PFOS                                | 4.6         |
| PFPeA                               | 4.6         |
| J2313451003                         | <b>15.1</b> |
| PFBS                                | 6.6         |
| PFOA                                | 4.1         |
| PFPeA                               | 4.4         |
| J2313451001                         | <b>8.6</b>  |
| PFBS                                | 5.6         |
| PFPeA                               | 3           |
| J2304362005                         | <b>3.8</b>  |
| PFBS                                | 3.8         |
| <b>FORT LAUDERDALE, CITY OF</b>     |             |
| 35800332001SE1                      | <b>72.5</b> |
| 6:2 FTS                             | 13          |
| PFBA                                | 7.9         |
| PFBS                                | 6           |
| PFHpA                               | 4.3         |
| PFHxA                               | 7.4         |
| PFHxS                               | 3.2         |
| PFOA                                | 4.9         |
| PFOS                                | 16          |
| PFPeA                               | 9.8         |
| <b>NORTH LAUDERDALE, CITY OF</b>    |             |
| GJ03041-01                          | <b>72</b>   |
| PFBA                                | 7.4         |
| PFBS                                | 4.3         |
| PFHpA                               | 3.3         |
| PFHxA                               | 6.4         |

|                            |             |
|----------------------------|-------------|
| PFHxS                      | 6.3         |
| PFOA                       | 7.5         |
| PFOS                       | 29          |
| PFPeA                      | 7.8         |
| <b>BAL HARBOUR VILLAGE</b> |             |
| 104872P                    | <b>70</b>   |
| 6:2 FTS                    | 8.5         |
| PFBA                       | 12.5        |
| PFBS                       | 4           |
| PFHpA                      | 3.9         |
| PFHxA                      | 7.8         |
| PFHxS                      | 3           |
| PFOA                       | 5           |
| PFOS                       | 16.2        |
| PFPeA                      | 9.1         |
| <b>IMMOKALEE WATER</b>     |             |
| 810-54891-1                | <b>20.7</b> |
| PFHxS                      | 4.4         |
| PFOA                       | 4.2         |
| PFOS                       | 12.1        |
| 810-72808-1                | <b>11.1</b> |
| PFHxS                      | 3.1         |
| PFOS                       | 8           |
| 810-54897-1                | <b>11</b>   |
| PFHxS                      | 3.2         |
| PFOS                       | 7.8         |
| 810-72805-1                | <b>10.9</b> |
| PFHxS                      | 3.4         |
| PFOS                       | 7.5         |
| 810-54894-1                | <b>7.4</b>  |
| PFOS                       | 7.4         |
| 810-72801-1                | <b>5.9</b>  |
| PFOS                       | 5.9         |
| <b>DELAND, CITY OF</b>     |             |
| 35805400001SE1             | <b>37.8</b> |
| PFBS                       | 4.5         |
| PFHxA                      | 6.5         |
| PFHxS                      | 8.6         |
| PFOS                       | 8.6         |

|                                     |             |
|-------------------------------------|-------------|
| PFPeA                               | 9.6         |
| 35805400003SE1                      | <b>15.3</b> |
| PFBS                                | 3.6         |
| PFHxS                               | 3.4         |
| PFOS                                | 5           |
| PFPeA                               | 3.3         |
| 35795932001SE1                      | <b>13</b>   |
| 6:2 FTS                             | 13          |
| <b>OPA LOCKA, CITY OF</b>           |             |
| 35810147001SE1                      | <b>37</b>   |
| PFBA                                | 8.5         |
| PFBS                                | 3.8         |
| PFHpA                               | 3.1         |
| PFHxA                               | 4.5         |
| PFOS                                | 11          |
| PFPeA                               | 6.1         |
| 35837193001SE2                      | <b>28.3</b> |
| PFBA                                | 8.6         |
| PFHxA                               | 4.2         |
| PFOS                                | 9.7         |
| PFPeA                               | 5.8         |
| <b>BAY HARBOR ISLANDS, TOWN OF</b>  |             |
| 101543P                             | <b>64</b>   |
| 6:2 FTS                             | 9.6         |
| PFBA                                | 11.4        |
| PFBS                                | 3.4         |
| PFHpA                               | 3.8         |
| PFHxA                               | 7.8         |
| PFOA                                | 4.4         |
| PFOS                                | 14.6        |
| PFPeA                               | 9           |
| <b>OKEECHOBEE UTILITY AUTHORITY</b> |             |
| 35798872001SE2                      | <b>37</b>   |
| PFBA                                | 11          |
| PFBS                                | 5           |
| PFHpA                               | 3.7         |
| PFHxA                               | 6.5         |
| PFHxS                               | 3           |
| PFPeA                               | 7.8         |



|                                   |             |
|-----------------------------------|-------------|
| 35782979001SE1                    | <b>26.2</b> |
| PFBA                              | 10          |
| PFBS                              | 3.9         |
| PFHxA                             | 5.3         |
| PFPeA                             | 7           |
| <b>LAKE WORTH BEACH UTILITIES</b> |             |
| 35810148001SE1                    | <b>35.7</b> |
| PFBS                              | 3.6         |
| PFHxA                             | 4.5         |
| PFHxS                             | 6.1         |
| PFOA                              | 4.1         |
| PFOS                              | 12          |
| PFPeA                             | 5.4         |
| 35826356001SE2                    | <b>26.8</b> |
| PFHxA                             | 4.1         |
| PFHxS                             | 5.7         |
| PFOS                              | 12          |
| PFPeA                             | 5           |
| <b>SUNRISE SOUTHWEST</b>          |             |
| 108489R                           | <b>61.1</b> |
| PFBA                              | 8           |
| PFBS                              | 4.6         |
| PFHpA                             | 6.8         |
| PFHxA                             | 11.2        |
| PFOA                              | 9.3         |
| PFPeA                             | 21.2        |
| <b>NORTH HUTCHINSON ISLAND</b>    |             |
| 105656P                           | <b>40</b>   |
| PFBS                              | 5.3         |
| PFHxA                             | 4.8         |
| PFHxS                             | 5.3         |
| PFOA                              | 5.9         |
| PFOS                              | 13.4        |
| PFPeA                             | 5.3         |
| 100155P                           | <b>15.9</b> |
| PFBS                              | 3.8         |
| PFHxS                             | 3.1         |
| PFOS                              | 9           |
| <b>NORTH SUMTER UTILITY 3WPS</b>  |             |

|                                |             |
|--------------------------------|-------------|
| J2313452001                    | <b>17.9</b> |
| PFBS                           | 9.6         |
| PFOS                           | 5.2         |
| PFPeA                          | 3.1         |
| J2304365001                    | <b>13.2</b> |
| PFBS                           | 9.7         |
| PFPeA                          | 3.5         |
| J2304365005                    | <b>11</b>   |
| PFBS                           | 7           |
| PFPeA                          | 4           |
| J2304365003                    | <b>9.4</b>  |
| PFBS                           | 5.8         |
| PFPeA                          | 3.6         |
| J2313452003                    | <b>3.5</b>  |
| PFBS                           | 3.5         |
| <b>BRADENTON CITY OF</b>       |             |
| GF04122-01                     | <b>28.3</b> |
| PFBA                           | 8.1         |
| PFBS                           | 5.2         |
| PFHxA                          | 6.5         |
| PFPeA                          | 8.5         |
| 35785868001SE1                 | <b>23.8</b> |
| PFBA                           | 8.5         |
| PFBS                           | 3.9         |
| PFHxA                          | 4.6         |
| PFPeA                          | 6.8         |
| <b>ALOHA GARDENS UTILITIES</b> |             |
| 103593R                        | <b>52</b>   |
| PFBA                           | 6.1         |
| PFBS                           | 10.4        |
| PFHxS                          | 3.7         |
| PFOS                           | 31.8        |
| <b>HOLLYWOOD, CITY OF</b>      |             |
| 35838204001SE1                 | <b>44.1</b> |
| PFBA                           | 5           |
| PFBS                           | 5.3         |
| PFHxA                          | 3.9         |
| PFHxS                          | 3           |
| PFOA                           | 4.4         |

|   |             |
|---|-------------|
| PFOS  | 17          |
| PFPeA   | 5.5         |
| <b>FLORIDA GOVERNMENTAL UTILITY AUTHORITY</b> |             |
| J2304194001                                   | <b>23.3</b> |
| PFBS  | 5.5         |
| PFHxS   | 3.6         |
| PFOS  | 11.2        |
| PFPeA   | 3           |
| J2314017001                                   | <b>20.1</b> |
| PFBS  | 3.5         |
| PFHxS   | 4.3         |
| PFOS  | 12.3        |
| <b>DADE CITY WATER DEPT</b>                   |             |
| J2310155005                                   | <b>13</b>   |
| PFBS  | 5.4         |
| PFOS  | 7.6         |
| J2310155001                                   | <b>12.5</b> |
| PFBS  | 5.4         |
| PFOS  | 7.1         |
| J2310155007                                   | <b>10.2</b> |
| PFBS  | 5.3         |
| PFOS  | 4.9         |
| <b>SUNRISE SPRINGTREE</b>                     |             |
| 35834949001SE1                                | <b>35.4</b> |
| PFBA  | 6.1         |
| PFBS  | 3.3         |
| PFHxA   | 4.4         |
| PFOA  | 4.9         |
| PFOS  | 11          |
| PFPeA   | 5.7         |
| <b>MELBOURNE, CITY OF</b>                     |             |
| J2307809001                                   | <b>15.2</b> |
| PFBA  | 9           |
| PFBS  | 3.1         |
| PFPeA   | 3.1         |
| J2311830001                                   | <b>11.1</b> |
| PFBA  | 8           |
| PFBS  | 3.1         |
| J2302029003                                   | <b>6.9</b>  |

|                                   |             |
|-----------------------------------|-------------|
| PFBA                              | 6.9         |
| <b>CHARLOTTE COUNTY UTILITIES</b> |             |
| 35800265001SE1                    | <b>16</b>   |
| PFBA                              | 7.4         |
| PFBS                              | 4.6         |
| PFPeA                             | 4           |
| 35802064001SE2                    | <b>14.9</b> |
| PFBA                              | 5.4         |
| PFBS                              | 5.1         |
| PFPeA                             | 4.4         |
| <b>SJCU-SAWGRASS GRID</b>         |             |
| J2309975003                       | <b>29.9</b> |
| PFBA                              | 8.5         |
| PFHpA                             | 6.4         |
| PFHxA                             | 6.7         |
| PFPeA                             | 8.3         |
| <b>HALLANDALE BEACH, CITY OF</b>  |             |
| 35808284001SE1                    | <b>24</b>   |
| PFBS                              | 4.1         |
| PFHxA                             | 3.7         |
| PFOS                              | 12          |
| PFPeA                             | 4.2         |
| <b>AVON PARK, CITY OF</b>         |             |
| GG04212-05                        | <b>12.7</b> |
| PFHxA                             | 3           |
| PFOA                              | 5.5         |
| PFOS                              | 4.2         |
| GG04212-01                        | <b>7</b>    |
| PFHxS                             | 3           |
| PFOS                              | 4           |
| 35809692003SE1                    | <b>4.2</b>  |
| PFOS                              | 4.2         |
| <b>LEESBURG EAST (2WPS)</b>       |             |
| 104868P                           | <b>17.1</b> |
| PFHxS                             | 3.2         |
| PFOA                              | 4.4         |
| PFOS                              | 9.5         |
| 104869P                           | <b>5.5</b>  |
| PFOS                              | 5.5         |

|                                       |             |
|---------------------------------------|-------------|
| <b>SANFORD, CITY OF (2 WPS)</b>       |             |
| 35833824001SE2                        | <b>11.3</b> |
| PFBS                                  | 3.6         |
| PFHxS                                 | 3           |
| PFOS                                  | 4.7         |
| 35804701001SE1                        | <b>11</b>   |
| PFHxA                                 | 3           |
| PFHxS                                 | 3.1         |
| PFPeA                                 | 4.9         |
| <b>PACE WATER SYSTEM, INC.</b>        |             |
| 35838788011SE1                        | <b>14</b>   |
| PFHxS                                 | 5.7         |
| PFOS                                  | 8.3         |
| 35838788007SE1                        | <b>8.3</b>  |
| PFHxS                                 | 8.3         |
| <b>DAVENPORT, CITY OF</b>             |             |
| 103871P                               | <b>10.7</b> |
| PFBS                                  | 4.8         |
| PFOS                                  | 5.9         |
| 103870P                               | <b>4.6</b>  |
| PFOS                                  | 4.6         |
| <b>SEMINOLE IMPROVEMENT DISTRICT</b>  |             |
| 104873P                               | <b>13.9</b> |
| PFHxA                                 | 3.1         |
| PFOS                                  | 6.9         |
| PFPeA                                 | 3.9         |
| <b>WINTER HAVEN WATER DEPARTMENT</b>  |             |
| 35832038009SE1                        | <b>13.6</b> |
| PFBS                                  | 4.2         |
| PFHxS                                 | 4.2         |
| PFOS                                  | 5.2         |
| <b>NEWBERRY WTP</b>                   |             |
| 105651P                               | <b>8.9</b>  |
| PFBS                                  | 4.1         |
| PFOA                                  | 4.8         |
| 100150P                               | <b>4.4</b>  |
| PFBS                                  | 4.4         |
| <b>VILLAGE OF PINE RIDGE (CONSEC)</b> |             |
| 103617R                               | <b>6.4</b>  |

|   |             |
|---|-------------|
| PFHxS                                   | 6.4         |
| 107629P                                 | <b>5.8</b>  |
| PFHxS                                   | 5.8         |
| <b>HAWKINS ROAD CAMP</b>                |             |
| 100159P                                 | <b>12</b>   |
| PFBS                                    | 4.5         |
| PFOS                                    | 4.4         |
| PFPeA                                   | 3.1         |
| <b>PINELLAS PARK WATER DEPT</b>         |             |
| 35813248001SE3                          | <b>6.9</b>  |
| PFHxA                                   | 3.1         |
| PFPeA                                   | 3.8         |
| 35837177001SE4                          | <b>3.5</b>  |
| PFPeA                                   | 3.5         |
| <b>GULFPORT WATER SYSTEM</b>            |             |
| GF04170-01                              | <b>10.1</b> |
| PFHxA                                   | 4.4         |
| PFPeA                                   | 5.7         |
| <b>PERRY WATER SYSTEM</b>               |             |
| 101542P                                 | <b>10</b>   |
| PFBS                                    | 3           |
| PFOS                                    | 7           |
| <b>LAKE MARY, CITY OF</b>               |             |
| 35837641001SE1                          | <b>9.8</b>  |
| PFBS                                    | 3.3         |
| PFHxA                                   | 3.1         |
| PFPeA                                   | 3.4         |
| <b>BAGDAD-GARCON POINT WATER SYSTEM</b> |             |
| 103855P                                 | <b>9.3</b>  |
| PFBS                                    | 3.6         |
| PFOS                                    | 5.7         |
| <b>HARBOR HILLS - 2 WTPS</b>            |             |
| 106424R                                 | <b>9</b>    |
| PFHxS                                   | 3.7         |
| PFOS                                    | 5.3         |
| <b>NAPLES WATER DEPT</b>                |             |
| GJ03025-01                              | <b>9</b>    |
| PFOS                                    | 5.9         |
| PFPeA                                   | 3.1         |

|                                     |            |
|-------------------------------------|------------|
| <b>EREC WATER SYSTEM</b>            |            |
| 107617P                             | <b>8.4</b> |
| PFOS                                | 8.4        |
| <b>SOUTHLAKE UTILITIES</b>          |            |
| 102891P                             | <b>8.1</b> |
| PFBS                                | 3          |
| PFOS                                | 5.1        |
| <b>INDIANTOWN COMPANY</b>           |            |
| 101544P                             | <b>8</b>   |
| PFHxS                               | 8          |
| <b>SPRUCE CREEK UTILITY CO INC.</b> |            |
| 103869P                             | <b>7.7</b> |
| PFBS                                | 4.2        |
| PFPeA                               | 3.5        |
| <b>LEESBURG, CITY OF</b>            |            |
| 35826617001SE1                      | <b>7</b>   |
| PFHxS                               | 3          |
| PFOS                                | 4          |
| <b>MEXICO BEACH, CITY OF</b>        |            |
| 101960P                             | <b>6.3</b> |
| PFBA                                | 6.3        |
| <b>BARTOW, CITY OF</b>              |            |
| 35828694001SE1                      | <b>5.8</b> |
| PFBA                                | 5.8        |
| <b>BELLEVIEW, CITY OF (2 WPS)</b>   |            |
| 101973P                             | <b>5.6</b> |
| PFOS                                | 5.6        |
| <b>TOWN OF LONGBOAT KEY</b>         |            |
| 103867P                             | <b>5.5</b> |
| PFBA                                | 5.5        |
| <b>SEVEN SPRINGS</b>                |            |
| J2314880001                         | <b>4.5</b> |
| PFOS                                | 4.5        |
| <b>HCPUD/NORTHWEST UTILITIES</b>    |            |
| 810-69979-1                         | <b>3.6</b> |
| PFPeA                               | 3.6        |
| <b>HUDSON SCHOOL COMPLEX</b>        |            |
| 102898P                             | <b>3.4</b> |
| PFPeA                               | 3.4        |

| <b>GA</b>                             |              |
|---------------------------------------|--------------|
| <b>CALHOUN</b>                        |              |
| GJ03514-01                            | <b>377.2</b> |
| PFBA                                  | 12           |
| PFBS                                  | 290          |
| PFHpA                                 | 6.6          |
| PFHxA                                 | 15           |
| PFOA                                  | 24           |
| PFOS                                  | 8.6          |
| PFPeA                                 | 21           |
| GG02450-01                            | <b>160.8</b> |
| PFBA                                  | 5.7          |
| PFBS                                  | 120          |
| PFHxA                                 | 7.2          |
| PFOA                                  | 11           |
| PFOS                                  | 7.9          |
| PFPeA                                 | 9            |
| GG02450-03                            | <b>145.1</b> |
| PFBS                                  | 58           |
| PFHpA                                 | 6            |
| PFHxA                                 | 7.4          |
| PFHxS                                 | 7            |
| PFOA                                  | 29           |
| PFOS                                  | 29           |
| PFPeA                                 | 8.7          |
| GJ03514-03                            | <b>79.2</b>  |
| PFBS                                  | 33           |
| PFHpA                                 | 3.1          |
| PFHxA                                 | 3.9          |
| PFHxS                                 | 3.9          |
| PFOA                                  | 13           |
| PFOS                                  | 17           |
| PFPeA                                 | 5.3          |
| <b>CLAYTON COUNTY WATER AUTHORITY</b> |              |
| CB13574-01                            | <b>70.7</b>  |
| PFBA                                  | 6.3          |
| PFBS                                  | 5.4          |
| PFHpA                                 | 5.5          |
| PFHxA                                 | 16           |



|                   |             |
|-------------------|-------------|
| PFHxS             | 3.6         |
| PFOA              | 8.4         |
| PFOS              | 7.5         |
| PFPeA             | 18          |
| <b>CB13574-03</b> | <b>64.6</b> |
| PFBA              | 6.8         |
| PFBS              | 5.7         |
| PFHpA             | 4.9         |
| PFHxA             | 14          |
| PFHxS             | 3.9         |
| PFOA              | 7.1         |
| PFOS              | 6.2         |
| PFPeA             | 16          |
| <b>CB09473-01</b> | <b>61.4</b> |
| PFBA              | 5.5         |
| PFBS              | 5.6         |
| PFHpA             | 5.1         |
| PFHxA             | 13          |
| PFHxS             | 3.6         |
| PFOA              | 7.5         |
| PFOS              | 8.1         |
| PFPeA             | 13          |
| <b>CB01592-03</b> | <b>57.7</b> |
| 6:2 FTS           | 5.3         |
| PFBS              | 6.5         |
| PFHpA             | 4.3         |
| PFHxA             | 10          |
| PFHxS             | 6.6         |
| PFOA              | 5.5         |
| PFOS              | 8.5         |
| PFPeA             | 11          |
| <b>CB09473-03</b> | <b>57.6</b> |
| PFBA              | 5.1         |
| PFBS              | 5.4         |
| PFHpA             | 4.6         |
| PFHxA             | 12          |
| PFHxS             | 4.7         |
| PFOA              | 6.2         |
| PFOS              | 7.6         |

|                               |              |
|-------------------------------|--------------|
| PFPeA                         | 12           |
| <b>CB04595-03</b>             | <b>41.6</b>  |
| PFBS                          | 4.3          |
| PFHpA                         | 4            |
| PFHxA                         | 9            |
| PFHxS                         | 3.9          |
| PFOA                          | 5            |
| PFOS                          | 6.1          |
| PFPeA                         | 9.3          |
| <b>CB01592-01</b>             | <b>40.6</b>  |
| PFBS                          | 6.4          |
| PFHpA                         | 3.5          |
| PFHxA                         | 8.8          |
| PFHxS                         | 3.1          |
| PFOA                          | 5.1          |
| PFOS                          | 5.2          |
| PFPeA                         | 8.5          |
| <b>CB04595-01</b>             | <b>33.2</b>  |
| PFBS                          | 4            |
| PFHpA                         | 3.4          |
| PFHxA                         | 7.4          |
| PFOA                          | 5.4          |
| PFOS                          | 5.6          |
| PFPeA                         | 7.4          |
| <b>CB01592-05</b>             | <b>11</b>    |
| PFBS                          | 3.7          |
| PFHxA                         | 3.8          |
| PFPeA                         | 3.5          |
| <b>CB09473-05</b>             | <b>6.6</b>   |
| PFHxA                         | 3.2          |
| PFPeA                         | 3.4          |
| <b>CB13574-05</b>             | <b>3.3</b>   |
| PFPeA                         | 3.3          |
| <b>AUGUSTA-RICHMOND CO WS</b> |              |
| <b>AL34552</b>                | <b>152.4</b> |
| PFBS                          | 5.9          |
| PFHxA                         | 9            |
| PFHxS                         | 51.2         |
| PFOA                          | 29.9         |

|                                   |              |
|-----------------------------------|--------------|
| PFOS                              | 51           |
| PFPeS                             | 5.4          |
| AL35264                           | <b>25.3</b>  |
| PFHxS                             | 9.1          |
| PFOS                              | 16.2         |
| AL42891                           | <b>3</b>     |
| PFPeA                             | 3            |
| AL42890                           | <b>3</b>     |
| PFPeA                             | 3            |
| <b>BREMEN</b>                     |              |
| 101991P                           | <b>182.3</b> |
| 6:2 FTS                           | 168.3        |
| PFHxA                             | 7.9          |
| PFPeA                             | 6.1          |
| <b>HARRIS COUNTY WATER SYSTEM</b> |              |
| 810-81858-1                       | <b>34</b>    |
| PFBA                              | 5.4          |
| PFBS                              | 4.9          |
| PFHxA                             | 6.1          |
| PFOA                              | 5.4          |
| PFOS                              | 5.4          |
| PFPeA                             | 6.8          |
| 810-81867-1                       | <b>33.9</b>  |
| PFBA                              | 5.2          |
| PFBS                              | 4.8          |
| PFHxA                             | 6.1          |
| PFOA                              | 5.4          |
| PFOS                              | 5.4          |
| PFPeA                             | 7            |
| 810-69245-1                       | <b>24.1</b>  |
| PFBS                              | 3            |
| PFHxA                             | 4.3          |
| PFOA                              | 5.4          |
| PFOS                              | 6.9          |
| PFPeA                             | 4.5          |
| 810-69241-1                       | <b>24</b>    |
| PFBS                              | 3.7          |
| PFHxA                             | 4.6          |
| PFOA                              | 4.9          |

|   |             |
|---|-------------|
| PFOS                                    | 6.2         |
| PFPeA                                   | 4.6         |
| <b>810-59140-1</b>                      | <b>23.3</b> |
| PFBS                                    | 3           |
| PFHxA                                   | 3.9         |
| PFOA                                    | 4.6         |
| PFOS                                    | 7.1         |
| PFPeA                                   | 4.7         |
| <b>810-59140-2</b>                      | <b>20.7</b> |
| PFBA                                    | 8.2         |
| PFHxA                                   | 3.5         |
| PFOS                                    | 5.3         |
| PFPeA                                   | 3.7         |
| <b>810-59238-1</b>                      | <b>6.3</b>  |
| PFBA                                    | 6.3         |
| <b>SOUTH MONROE COUNTY WATER SYSTEM</b> |             |
| <b>107648P</b>                          | <b>23.2</b> |
| PFBS                                    | 5.2         |
| PFHxA                                   | 4.4         |
| PFOA                                    | 4.4         |
| PFOS                                    | 5.1         |
| PFPeA                                   | 4.1         |
| <b>107647P</b>                          | <b>18.4</b> |
| PFBS                                    | 5.2         |
| PFHxA                                   | 4           |
| PFOS                                    | 5           |
| PFPeA                                   | 4.2         |
| <b>104894P</b>                          | <b>16.4</b> |
| PFBS                                    | 4           |
| PFHxA                                   | 3.8         |
| PFOS                                    | 4.3         |
| PFPeA                                   | 4.3         |
| <b>104893P</b>                          | <b>12.3</b> |
| PFBS                                    | 4           |
| PFHxA                                   | 3.6         |
| PFOS                                    | 4.7         |
| <b>101993P</b>                          | <b>9.8</b>  |
| PFBS                                    | 3.5         |
| PFHxA                                   | 3.1         |

|                       |             |
|-----------------------|-------------|
| PFPeA                 | 3.2         |
| 101994P               | <b>6.6</b>  |
| PFBS                  | 3.5         |
| PFPeA                 | 3.1         |
| <b>WOODSTOCK, GA</b>  |             |
| GG02181-09            | <b>31.3</b> |
| PFBS                  | 5.6         |
| PFHxA                 | 4.6         |
| PFHxS                 | 4           |
| PFOA                  | 6.8         |
| PFOS                  | 5.3         |
| PFPeA                 | 5           |
| GG02181-05            | <b>29.1</b> |
| PFBS                  | 5           |
| PFHxA                 | 4.7         |
| PFHxS                 | 3.3         |
| PFOA                  | 6.2         |
| PFOS                  | 4.8         |
| PFPeA                 | 5.1         |
| GG02181-07            | <b>17.5</b> |
| PFBS                  | 5.4         |
| PFHxA                 | 3.9         |
| PFOA                  | 4.3         |
| PFPeA                 | 3.9         |
| <b>COVINGTON</b>      |             |
| 810-63702-1           | <b>30.1</b> |
| PFBA                  | 9.2         |
| PFHxA                 | 8.8         |
| PFPeA                 | 12.1        |
| 810-74757-1           | <b>26.3</b> |
| PFHxA                 | 11          |
| PFPeA                 | 15.3        |
| <b>FAYETTE COUNTY</b> |             |
| 35840616005SE2        | <b>17</b>   |
| PFBS                  | 3           |
| PFHxA                 | 4.7         |
| PFHxS                 | 3.4         |
| PFPeA                 | 5.9         |
| 35840616003SE2        | <b>16.9</b> |

|                       |             |
|-----------------------|-------------|
| PFBS                  | 3           |
| PFHxA                 | 4.7         |
| PFHxS                 | 3.4         |
| PFPeA                 | 5.8         |
| <b>35828795003SE1</b> | <b>12.8</b> |
| PFHxA                 | 4           |
| PFHxS                 | 3           |
| PFPeA                 | 5.8         |
| <b>35835661001SE1</b> | <b>9.7</b>  |
| PFHxA                 | 4.3         |
| PFPeA                 | 5.4         |
| <b>LAGRANGE</b>       |             |
| <b>810-72807-1</b>    | <b>37.1</b> |
| PFBA                  | 11.3        |
| PFBS                  | 5.1         |
| PFHxA                 | 7           |
| PFOA                  | 4           |
| PFPeA                 | 9.7         |
| <b>810-54426-1</b>    | <b>12.4</b> |
| PFBS                  | 4.3         |
| PFHxA                 | 4.1         |
| PFPeA                 | 4           |
| <b>810-63683-1</b>    | <b>6.1</b>  |
| PFBS                  | 3           |
| PFHxA                 | 3.1         |
| <b>ATLANTA</b>        |             |
| <b>810-70308-1</b>    | <b>12.1</b> |
| PFBS                  | 3           |
| PFHxA                 | 4.3         |
| PFPeA                 | 4.8         |
| <b>810-61095-1</b>    | <b>8.3</b>  |
| PFBA                  | 8.3         |
| <b>810-70308-2</b>    | <b>8.3</b>  |
| PFHxA                 | 4           |
| PFPeA                 | 4.3         |
| <b>810-81438-1</b>    | <b>6.6</b>  |
| PFHxA                 | 3.2         |
| PFPeA                 | 3.4         |
| <b>810-61114-1</b>    | <b>6.4</b>  |

|                        |             |
|------------------------|-------------|
| PFBA                   | 6.4         |
| 810-81447-1            | <b>6.3</b>  |
| PFHxA                  | 3           |
| PFPeA                  | 3.3         |
| <b>PORT WENTWORTH</b>  |             |
| 105670P                | <b>17.8</b> |
| PFBS                   | 3.6         |
| PFOA                   | 4.7         |
| PFOS                   | 6.5         |
| PFPeA                  | 3           |
| 102904P                | <b>15.5</b> |
| PFBS                   | 4.6         |
| PFOA                   | 4.2         |
| PFOS                   | 6.7         |
| 108645P                | <b>14.2</b> |
| PFBS                   | 4.4         |
| PFOA                   | 4.7         |
| PFOS                   | 5.1         |
| <b>BARTOW COUNTY</b>   |             |
| 810-71115-1            | <b>14.8</b> |
| PFBA                   | 11.7        |
| PFBS                   | 3.1         |
| 810-71113-1            | <b>14</b>   |
| PFBA                   | 14          |
| 810-83389-1            | <b>6.4</b>  |
| PFBS                   | 3.4         |
| PFHxA                  | 3           |
| 810-81853-1            | <b>6</b>    |
| PFHxA                  | 3           |
| PFPeA                  | 3           |
| 810-68187-1            | <b>3.3</b>  |
| PFBS                   | 3.3         |
| <b>BARNESVILLE, GA</b> |             |
| 106535P                | <b>18.2</b> |
| PFBS                   | 4.8         |
| PFHxA                  | 5.4         |
| PFPeA                  | 8           |
| 100874P                | <b>11.6</b> |
| PFBS                   | 4           |

|                                |             |
|--------------------------------|-------------|
| PFHxA                          | 3.1         |
| PFOS                           | 4.5         |
| 103882P                        | <b>7</b>    |
| PFBS                           | 3.8         |
| PFHxA                          | 3.2         |
| <b>FAYETTEVILLE</b>            |             |
| AL29586                        | <b>17.9</b> |
| PFBS                           | 3           |
| PFHxA                          | 5.2         |
| PFHxS                          | 3.4         |
| PFPeA                          | 6.3         |
| AL38334                        | <b>8.9</b>  |
| PFHxA                          | 3.9         |
| PFPeA                          | 5           |
| <b>VALDOSTA</b>                |             |
| GG03153-01                     | <b>25.9</b> |
| PFBS                           | 5.8         |
| PFHxA                          | 3.7         |
| PFOA                           | 6.1         |
| PFOS                           | 7           |
| PFPeA                          | 3.3         |
| <b>GLENNVILLE WATER SYSTEM</b> |             |
| 104904P                        | <b>16.6</b> |
| 6:2 FTS                        | 16.6        |
| 104903P                        | <b>9.2</b>  |
| 6:2 FTS                        | 9.2         |
| <b>COCHRAN</b>                 |             |
| 103875P                        | <b>13</b>   |
| PFBS                           | 3.2         |
| PFOS                           | 9.8         |
| 103872P                        | <b>6.3</b>  |
| PFOS                           | 6.3         |
| 103874P                        | <b>3.6</b>  |
| PFHxS                          | 3.6         |
| <b>ROSWELL</b>                 |             |
| 810-77371-1                    | <b>15.4</b> |
| PFBS                           | 4.9         |
| PFHxA                          | 5.8         |
| PFPeA                          | 4.7         |



|   |            |
|---|------------|
| 810-77235-1                             | <b>5.8</b> |
| PFBS                                    | 5.8        |
| <b>FITZGERALD</b>                       |            |
| 35840223001SE2                          | <b>17</b>  |
| 6:2 FTS                                 | 17         |
| <b>BLAIRSVILLE</b>                      |            |
| 106541P                                 | <b>4.5</b> |
| PFOS                                    | 4.5        |
| 100881P                                 | <b>4.2</b> |
| PFOS                                    | 4.2        |
| 106542P                                 | <b>3.2</b> |
| PFBS                                    | 3.2        |
| 100883P                                 | <b>3.2</b> |
| PFBS                                    | 3.2        |
| <b>CLEVELAND WATERWORKS</b>             |            |
| 106544P                                 | <b>8.1</b> |
| PFBA                                    | 8.1        |
| 103888P                                 | <b>6.8</b> |
| PFBA                                    | 6.8        |
| <b>HENRY COUNTY WATER AUTHORITY, GA</b> |            |
| 810-59454-1                             | <b>6.6</b> |
| PFBA                                    | 6.6        |
| 810-59448-1                             | <b>5.3</b> |
| PFBA                                    | 5.3        |
| 810-69207-1                             | <b>3</b>   |
| PFBS                                    | 3          |
| <b>AUSTELL</b>                          |            |
| 100171P                                 | <b>3.6</b> |
| PFBS                                    | 3.6        |
| 102905P                                 | <b>3.6</b> |
| PFBS                                    | 3.6        |
| 105672P                                 | <b>3.1</b> |
| PFBS                                    | 3.1        |
| <b>COBB COUNTY</b>                      |            |
| 810-72815-1                             | <b>9.6</b> |
| PFBA                                    | 6.5        |
| PFBS                                    | 3.1        |
| <b>HAPEVILLE</b>                        |            |
| 109335R                                 | <b>6</b>   |

|                                  |              |
|----------------------------------|--------------|
| PFHxA                            | 3            |
| PFPeA                            | 3            |
| 100181P                          | <b>3</b>     |
| PFHxA                            | 3            |
| <b>GRAY</b>                      |              |
| 103881P                          | <b>8.9</b>   |
| PFOA                             | 4.4          |
| PFOS                             | 4.5          |
| <b>CUMMING</b>                   |              |
| 810-62598-1                      | <b>7.8</b>   |
| PFBA                             | 7.8          |
| <b>SMYRNA</b>                    |              |
| 810-74322-1                      | <b>7.7</b>   |
| PFHxA                            | 3.7          |
| PFPeA                            | 4            |
| <b>SOCIAL CIRCLE</b>             |              |
| 107661P                          | <b>3.6</b>   |
| PFBS                             | 3.6          |
| 104907P                          | <b>3</b>     |
| PFBS                             | 3            |
| <b>OCONEE COUNTY</b>             |              |
| GF04131-09                       | <b>6.1</b>   |
| PFBA                             | 6.1          |
| <b>JASPER</b>                    |              |
| 107651P                          | <b>4.4</b>   |
| PFBS                             | 4.4          |
| <b>JONES COUNTY</b>              |              |
| J2313634001                      | <b>4.4</b>   |
| PFBS                             | 4.4          |
| <b>MONROE, GA</b>                |              |
| AL46667                          | <b>3.5</b>   |
| PFBS                             | 3.5          |
| <b>GU</b>                        |              |
| <b>GWA NORTHERN WATER SYSTEM</b> |              |
| 380-64223-1                      | <b>390.1</b> |
| 6:2 FTS                          | 56.3         |
| 8:2 FTS                          | 7.5          |
| PFBA                             | 6.8          |
| PFBS                             | 9            |

|                    |              |
|--------------------|--------------|
| PFHpA              | 14           |
| PFHxA              | 37.1         |
| PFHxS              | 80           |
| PFOA               | 18.3         |
| PFOS               | 135          |
| PFPeA              | 16.2         |
| PFPeS              | 9.9          |
| <b>380-65534-1</b> | <b>201.2</b> |
| 6:2 FTS            | 148.2        |
| PFBA               | 5.4          |
| PFBS               | 3.4          |
| PFHpA              | 3.6          |
| PFHxA              | 11.9         |
| PFHxS              | 6.2          |
| PFOS               | 4.7          |
| PFPeA              | 17.8         |
| <b>380-64207-1</b> | <b>195.6</b> |
| PFBA               | 18.1         |
| PFBS               | 34.9         |
| PFHpA              | 18.5         |
| PFHxA              | 34.4         |
| PFHxS              | 12           |
| PFOA               | 16.2         |
| PFOS               | 14           |
| PFPeA              | 47.5         |
| <b>380-64214-2</b> | <b>129.4</b> |
| PFBS               | 5.4          |
| PFHxA              | 5.1          |
| PFHxS              | 29.4         |
| PFOA               | 4.2          |
| PFOS               | 76.5         |
| PFPeA              | 4.7          |
| PFPeS              | 4.1          |
| <b>380-69861-1</b> | <b>90</b>    |
| 6:2 FTS            | 11           |
| PFBA               | 6.7          |
| PFBS               | 7.4          |
| PFHpA              | 8.9          |
| PFHxA              | 14           |

|                    |             |
|--------------------|-------------|
| PFHxS              | 7.7         |
| PFOA               | 6.3         |
| PFOS               | 7.3         |
| PFPeA              | 20.7        |
| <b>380-64207-2</b> | <b>86.8</b> |
| PFBS               | 4.9         |
| PFHxA              | 4.6         |
| PFHxS              | 11.5        |
| PFOS               | 60.6        |
| PFPeA              | 5.2         |
| <b>380-64212-1</b> | <b>62.3</b> |
| PFHxA              | 4.6         |
| PFHxS              | 32          |
| PFOA               | 7.3         |
| PFOS               | 15.4        |
| PFPeA              | 3           |
| <b>380-64740-4</b> | <b>58.7</b> |
| PFHxS              | 22.3        |
| PFOA               | 5           |
| PFOS               | 28.3        |
| PFPeA              | 3.1         |
| <b>380-64205-2</b> | <b>43.8</b> |
| PFBS               | 5           |
| PFHpA              | 3.4         |
| PFHxA              | 5.9         |
| PFHxS              | 6.9         |
| PFOS               | 13.1        |
| PFPeA              | 9.5         |
| <b>380-63970-2</b> | <b>43.2</b> |
| PFBA               | 6.3         |
| PFHpA              | 7.4         |
| PFHxA              | 11.1        |
| PFPeA              | 18.4        |
| <b>380-64223-2</b> | <b>42.9</b> |
| PFBS               | 4           |
| PFHpA              | 3.1         |
| PFHxA              | 5.9         |
| PFHxS              | 9.6         |
| PFOS               | 12.7        |

|                    |             |
|--------------------|-------------|
| PFPeA              | 7.6         |
| <b>380-64203-1</b> | <b>36.5</b> |
| PFBS               | 3.1         |
| PFHxA              | 4.7         |
| PFHxS              | 5.8         |
| PFOS               | 15.8        |
| PFPeA              | 7.1         |
| <b>380-64219-1</b> | <b>30.6</b> |
| PFBS               | 5.7         |
| PFHxA              | 3.6         |
| PFHxS              | 7.2         |
| PFOS               | 8.5         |
| PFPeA              | 5.6         |
| <b>380-69337-5</b> | <b>28.2</b> |
| PFHxA              | 4.2         |
| PFHxS              | 13.8        |
| PFOS               | 5.4         |
| PFPeA              | 4.8         |
| <b>380-64219-2</b> | <b>28.2</b> |
| PFBS               | 4.1         |
| PFHxS              | 8.2         |
| PFOS               | 12.5        |
| PFPeA              | 3.4         |
| <b>380-62344-1</b> | <b>26.8</b> |
| PFBS               | 9.2         |
| PFHxA              | 4.8         |
| PFHxS              | 8.3         |
| PFPeA              | 4.5         |
| <b>380-69337-1</b> | <b>26.8</b> |
| PFBS               | 3.6         |
| PFHpA              | 4           |
| PFHxA              | 5.8         |
| PFHxS              | 4.8         |
| PFPeA              | 8.6         |
| <b>380-69341-4</b> | <b>26.6</b> |
| PFBS               | 6.6         |
| PFHxA              | 6.1         |
| PFHxS              | 8.1         |
| PFPeA              | 5.8         |

|             |             |
|-------------|-------------|
| 380-64212-2 | <b>25.5</b> |
| PFBS        | 3.1         |
| PFHxS       | 5.6         |
| PFOS        | 16.8        |
| 380-69337-3 | <b>24.9</b> |
| PFHxA       | 4.8         |
| PFHxS       | 3.3         |
| PFOS        | 8.2         |
| PFPeA       | 8.6         |
| 380-63968-1 | <b>21.8</b> |
| PFHxA       | 4.7         |
| PFHxS       | 6.4         |
| PFOS        | 5.3         |
| PFPeA       | 5.4         |
| 380-69337-2 | <b>19.5</b> |
| PFHxA       | 3.8         |
| PFHxS       | 12          |
| PFPeA       | 3.7         |
| 380-69339-2 | <b>18.8</b> |
| PFHxA       | 3.6         |
| PFHxS       | 5.3         |
| PFOS        | 4.7         |
| PFPeA       | 5.2         |
| 380-64205-1 | <b>17.4</b> |
| PFHxS       | 3.3         |
| PFOS        | 11          |
| PFPeA       | 3.1         |
| 380-69337-4 | <b>14.8</b> |
| PFHxA       | 3.3         |
| PFHxS       | 7.5         |
| PFPeA       | 4           |
| 380-64203-2 | <b>14.5</b> |
| PFHxS       | 5.4         |
| PFOS        | 9.1         |
| 380-65534-2 | <b>13.1</b> |
| PFBS        | 5.1         |
| PFHxA       | 3.2         |
| PFPeA       | 4.8         |
| 380-63970-1 | <b>12.7</b> |

|  |              |
|--|--------------|
| PFHpA  | 3            |
| PFHxS  | 6            |
| PFPeA  | 3.7          |
| 380-65533-2                                  | <b>5.7</b>   |
| PFBS   | 5.7          |
| 380-62344-2                                  | <b>4.9</b>   |
| PFHxS  | 4.9          |
| 380-62343-1                                  | <b>3.6</b>   |
| PFHxS  | 3.6          |
| 380-69332-3                                  | <b>3.4</b>   |
| PFHxS  | 3.4          |
| 380-69339-1                                  | <b>3</b>     |
| PFPeA  | 3            |
| <b>HI</b>                                    |              |
| <b>WAIPAHU-EWA-WAIANAE</b>                   |              |
| 380-63947-2                                  | <b>3.3</b>   |
| PFPeA  | 3.3          |
| <b>HNL-WINDWARD-PEARL HARBOR</b>             |              |
| 380-53545-1                                  | <b>3</b>     |
| PFHxS  | 3            |
| <b>IA</b>                                    |              |
| <b>IOWA-AMERICAN WTR CO-CLINTON DISTRICT</b> |              |
| 63695901                                     | <b>689.6</b> |
| PFBA   | 646.4        |
| PFBS   | 11.7         |
| PFMBA  | 3            |
| PFMPA  | 10.4         |
| PFPeA  | 18.1         |
| 67968001                                     | <b>687.5</b> |
| PFBA   | 647.9        |
| PFBS   | 10.4         |
| PFMBA  | 3            |
| PFMPA  | 9.1          |
| PFPeA  | 17.1         |
| <b>MUSCATINE POWER &amp; WATER</b>           |              |
| 2264255                                      | <b>78.5</b>  |
| PFBA   | 60           |
| PFBS   | 5.2          |
| PFOA   | 7.2          |

|   |             |
|---|-------------|
| PFPeA                                     | 6.1         |
| 2264244                                   | <b>52.8</b> |
| PFBA                                      | 29          |
| PFBS                                      | 3.8         |
| PFHpA                                     | 3.2         |
| PFHxA                                     | 4.2         |
| PFOS                                      | 4.5         |
| PFPeA                                     | 8.1         |
| 2264266                                   | <b>46.1</b> |
| PFBA                                      | 42          |
| PFBS                                      | 4.1         |
| 2348590                                   | <b>44</b>   |
| PFBA                                      | 37          |
| PFBS                                      | 3.6         |
| PFPeA                                     | 3.4         |
| 2348567                                   | <b>41</b>   |
| PFBA                                      | 37          |
| PFBS                                      | 4           |
| 2348566                                   | <b>31.5</b> |
| PFBA                                      | 21          |
| PFBS                                      | 5.1         |
| PFPeA                                     | 5.4         |
| 2264267                                   | <b>27.1</b> |
| PFBA                                      | 22          |
| PFPeA                                     | 5.1         |
| <b>WEST BURLINGTON MUNI. WATER SUPPLY</b> |             |
| 107670P                                   | <b>57.5</b> |
| PFBA                                      | 33          |
| PFBS                                      | 3.6         |
| PFHxA                                     | 3.6         |
| PFOA                                      | 5.3         |
| PFPeA                                     | 12          |
| 102016P                                   | <b>41</b>   |
| PFBA                                      | 29          |
| PFPeA                                     | 12          |
| 104912P                                   | <b>22.4</b> |
| PFBA                                      | 16          |
| PFPeA                                     | 6.4         |
| <b>SIOUX CITY WATER SUPPLY</b>            |             |



|                                       |             |
|---------------------------------------|-------------|
| 2351528                               | <b>90.1</b> |
| PFBA                                  | 5.8         |
| PFBS                                  | 14          |
| PFHpA                                 | 3.2         |
| PFHxA                                 | 23          |
| PFHxS                                 | 22          |
| PFPeA                                 | 14          |
| PFPeS                                 | 8.1         |
| <b>WATERLOO WATER WORKS</b>           |             |
| CB01758-11                            | <b>16.2</b> |
| PFBS                                  | 3.2         |
| PFHxS                                 | 13          |
| CB10348-09                            | <b>13</b>   |
| PFBS                                  | 3.2         |
| PFHxS                                 | 9.8         |
| CB01758-07                            | <b>7.9</b>  |
| PFHxA                                 | 3.1         |
| PFPeA                                 | 4.8         |
| CB10348-05                            | <b>4.2</b>  |
| PFPeA                                 | 4.2         |
| CB01758-05                            | <b>3.6</b>  |
| PFHxS                                 | 3.6         |
| CB10348-03                            | <b>3.3</b>  |
| PFHxS                                 | 3.3         |
| <b>IOWA-AMERICAN WTR CO-DAVENPORT</b> |             |
| 62096801                              | <b>14</b>   |
| PFBA                                  | 14          |
| 67229201                              | <b>11.6</b> |
| PFBA                                  | 11.6        |
| <b>DUBUQUE WATER WORKS</b>            |             |
| 2308650                               | <b>18.1</b> |
| PFBA                                  | 13          |
| PFOA                                  | 5.1         |
| <b>ALBIA MUNICIPAL WATER WORKS</b>    |             |
| 105703P                               | <b>5.5</b>  |
| PFBA                                  | 5.5         |
| 102923P                               | <b>5.4</b>  |
| PFBA                                  | 5.4         |
| <b>DECORAH WATER DEPARTMENT</b>       |             |

|   |             |
|---|-------------|
| 103915P                                       | <b>6.8</b>  |
| PFBS  | 6.8         |
| <b>SPIRIT LAKE WATERWORKS</b>                 |             |
| 102017P                                       | <b>5.1</b>  |
| PFBA  | 5.1         |
| <b>IOWA LAKES REGIONAL WATER - LAKES AREA</b> |             |
| 100890P                                       | <b>5</b>    |
| PFBA  | 5           |
| <b>BONDURANT MUNI WATER SUPPLY</b>            |             |
| 100203P                                       | <b>3.5</b>  |
| PFHxS   | 3.5         |
| <b>ID</b>                                     |             |
| <b>CAPITOL WATER CORP</b>                     |             |
| 107312R                                       | <b>36.8</b> |
| PFBS  | 4           |
| PFHxA   | 4.3         |
| PFHxS   | 4.6         |
| PFNA  | 4.9         |
| PFOA  | 5.1         |
| PFOS  | 9.1         |
| PFPeA   | 4.8         |
| 100906P                                       | <b>24</b>   |
| PFNA  | 24          |
| 107313R                                       | <b>9.6</b>  |
| PFHxS   | 5.5         |
| PFOS  | 4.1         |
| <b>MOUNTAIN HOME AIR FORCE BASE</b>           |             |
| 102936P                                       | <b>15.7</b> |
| PFHxA   | 5.5         |
| PFHxS   | 6.2         |
| PFPeA   | 4           |
| 102935P                                       | <b>15.7</b> |
| PFHxA   | 5.4         |
| PFHxS   | 6.1         |
| PFPeA   | 4.2         |
| <b>SHELLEY CITY OF</b>                        |             |
| 107688P                                       | <b>3</b>    |
| PFBS  | 3           |
| <b>IL</b>                                     |             |

|                   |              |
|-------------------|--------------|
| <b>CREST HILL</b> |              |
| 810-65943-1       | <b>162.3</b> |
| PFBA              | 27.2         |
| PFBS              | 52.1         |
| PFHpA             | 11.8         |
| PFHxA             | 24.4         |
| PFHxS             | 4.1          |
| PFOA              | 10.5         |
| PFPeA             | 32.2         |
| 810-65938-1       | <b>98.9</b>  |
| PFBA              | 12.5         |
| PFBS              | 27.8         |
| PFHpA             | 10           |
| PFHxA             | 15.1         |
| PFHxS             | 5.1          |
| PFOA              | 11.1         |
| PFPeA             | 17.3         |
| 810-65940-1       | <b>76.4</b>  |
| PFBA              | 10.1         |
| PFBS              | 21.5         |
| PFHpA             | 7.6          |
| PFHxA             | 11.6         |
| PFHxS             | 4.6          |
| PFOA              | 7.6          |
| PFPeA             | 13.4         |
| 810-65941-1       | <b>27.4</b>  |
| PFBA              | 5.1          |
| PFBS              | 4.2          |
| PFHxA             | 5.5          |
| PFHxS             | 5.8          |
| PFPeA             | 6.8          |
| 810-65939-1       | <b>21.6</b>  |
| PFBS              | 3.3          |
| PFHxA             | 3.5          |
| PFHxS             | 9.9          |
| PFPeA             | 4.9          |
| 810-65944-1       | <b>9.6</b>   |
| PFBS              | 6.4          |
| PFPeA             | 3.2          |

|                            |              |
|----------------------------|--------------|
| 810-65942-1                | <b>5.1</b>   |
| PFBS                       | 5.1          |
| <b>IL AMERICAN-LINCOLN</b> |              |
| 68646001                   | <b>233.2</b> |
| PFBA                       | 233.2        |
| <b>GALESBURG</b>           |              |
| GB04688-01                 | <b>124.8</b> |
| PFBA                       | 85           |
| PFBS                       | 6.6          |
| PFOA                       | 14           |
| PFOS                       | 4.2          |
| PFPeA                      | 15           |
| GH05265-01                 | <b>76.5</b>  |
| PFBA                       | 54           |
| PFBS                       | 3.5          |
| PFOA                       | 8            |
| PFPeA                      | 11           |
| <b>MILLSTADT</b>           |              |
| 100224P                    | <b>45.3</b>  |
| PFBA                       | 16           |
| PFBS                       | 23           |
| PFHxA                      | 3            |
| PFPeA                      | 3.3          |
| 108699P                    | <b>32.2</b>  |
| PFBA                       | 19           |
| PFBS                       | 3.4          |
| PFHxA                      | 4.7          |
| PFPeA                      | 5.1          |
| 105724P                    | <b>28.2</b>  |
| PFBA                       | 19           |
| PFHxA                      | 4.6          |
| PFPeA                      | 4.6          |
| 102958P                    | <b>9.8</b>   |
| PFBA                       | 9.8          |
| <b>MITCHELL PWD</b>        |              |
| 100221P                    | <b>39</b>    |
| PFBA                       | 15           |
| PFBS                       | 21           |
| PFPeA                      | 3            |

|                          |             |
|--------------------------|-------------|
| 105721P                  | <b>24.1</b> |
| PFBA                     | 17          |
| PFHxA                    | 3.4         |
| PFPeA                    | 3.7         |
| 102955P                  | <b>9.5</b>  |
| PFBA                     | 9.5         |
| <b>BRIGHTON</b>          |             |
| 106575P                  | <b>27.7</b> |
| PFBA                     | 20          |
| PFHxA                    | 3.6         |
| PFPeA                    | 4.1         |
| 100922P                  | <b>26</b>   |
| PFBA                     | 23          |
| PFHxA                    | 3           |
| 103935P                  | <b>13</b>   |
| PFBA                     | 13          |
| <b>SOUTH ELGIN</b>       |             |
| GH05085-07               | <b>20.1</b> |
| PFBS                     | 8.2         |
| PFHxA                    | 4.5         |
| PFPeA                    | 7.4         |
| GH05085-03               | <b>15.2</b> |
| PFBA                     | 6.2         |
| PFOA                     | 5.7         |
| PFPeA                    | 3.3         |
| GH05085-13               | <b>12.3</b> |
| PFBA                     | 5.8         |
| PFHxA                    | 3           |
| PFPeA                    | 3.5         |
| GH05085-05               | <b>11.5</b> |
| PFBA                     | 8           |
| PFBS                     | 3.5         |
| <b>PONTOON BEACH PWD</b> |             |
| 107711P                  | <b>27.1</b> |
| PFBA                     | 19          |
| PFHxA                    | 4.2         |
| PFPeA                    | 3.9         |
| 102058P                  | <b>11.8</b> |
| PFBA                     | 8.3         |

|                                     |      |
|-------------------------------------|------|
| PFHxA                               | 3.5  |
| 104947P                             | 11   |
| PFBA                                | 11   |
| <b>ROCK ISLAND</b>                  |      |
| GB02782-01                          | 15   |
| PFBA                                | 15   |
| GF00983-01                          | 14   |
| PFBA                                | 14   |
| GH02661-01                          | 11   |
| PFBA                                | 11   |
| <b>ROCK ISLAND ARSENAL, US ARMY</b> |      |
| 100928P                             | 16   |
| PFBA                                | 16   |
| 106581P                             | 11   |
| PFBA                                | 11   |
| 103939P                             | 11   |
| PFBA                                | 11   |
| <b>IL AMERICAN-PEORIA</b>           |      |
| 68638201                            | 32.2 |
| PFBA                                | 7.4  |
| PFBS                                | 4.8  |
| PFHxA                               | 7.4  |
| PFOS                                | 5.1  |
| PFPeA                               | 7.5  |
| 68637901                            | 3    |
| PFBS                                | 3    |
| <b>BOND/MADISON WATER COMPANY</b>   |      |
| 107691P                             | 20.6 |
| PFBA                                | 14   |
| PFHxA                               | 3.4  |
| PFPeA                               | 3.2  |
| 104547R                             | 11   |
| PFBA                                | 11   |
| <b>IL AMERICAN-ALTON</b>            |      |
| 68628001                            | 29.6 |
| PFBA                                | 17.8 |
| PFHxA                               | 6.2  |
| PFPeA                               | 5.6  |
| <b>EAST MOLINE</b>                  |      |

|  |             |
|--|-------------|
| GI01681-01                                 | <b>27.6</b> |
| PFBA                                       | 24          |
| PFBS                                       | 3.6         |
| <b>IL AMERICAN-EAST ST LOUIS</b>           |             |
| 68631301                                   | <b>26.7</b> |
| PFBA                                       | 18.1        |
| PFHxA                                      | 4.4         |
| PFPeA                                      | 4.2         |
| <b>IL AMERICAN-GRANITE CITY</b>            |             |
| 68631901                                   | <b>25.6</b> |
| PFBA                                       | 17.4        |
| PFHxA                                      | 4           |
| PFPeA                                      | 4.2         |
| <b>FOX RIVER GROVE</b>                     |             |
| 107706P                                    | <b>14.5</b> |
| PFBA                                       | 5.2         |
| PFHxA                                      | 3.7         |
| PFPeA                                      | 5.6         |
| 104549R                                    | <b>4.6</b>  |
| PFHxS                                      | 4.6         |
| 107707P                                    | <b>4.5</b>  |
| PFHxS                                      | 4.5         |
| <b>MARENGO</b>                             |             |
| 102056P                                    | <b>11</b>   |
| PFBS                                       | 11          |
| 107709P                                    | <b>7.1</b>  |
| PFBS                                       | 7.1         |
| <b>JERSEY RWC</b>                          |             |
| GI01675-01                                 | <b>18</b>   |
| PFBA                                       | 18          |
| <b>FREEPORT</b>                            |             |
| GG03288-01                                 | <b>14</b>   |
| PFOS                                       | 14          |
| <b>SOUTHERN IL UNIVERSITY-EDWARDSVILLE</b> |             |
| 106576P                                    | <b>6.8</b>  |
| PFBS                                       | 3.5         |
| PFPeA                                      | 3.3         |
| 100923P                                    | <b>6.7</b>  |
| PFBS                                       | 3.7         |

|                                       |              |
|---------------------------------------|--------------|
| PFPeA                                 | 3            |
| <b>MOUNT VERNON</b>                   |              |
| GI04765-01                            | <b>8.8</b>   |
| PFBA                                  | 8.8          |
| <b>EAST PEORIA</b>                    |              |
| GI00312-09                            | <b>7.7</b>   |
| PFBS                                  | 3.6          |
| PFHxS                                 | 4.1          |
| <b>AQUA ILLINOIS-VERMILION COUNTY</b> |              |
| GI03018-01                            | <b>7.3</b>   |
| PFBA                                  | 7.3          |
| <b>HIGHLAND</b>                       |              |
| 67447801                              | <b>6.9</b>   |
| PFBA                                  | 6.9          |
| <b>ROCKFORD, IL</b>                   |              |
| GJ01849-07                            | <b>6.1</b>   |
| PFHxS                                 | 6.1          |
| <b>GLEN CARBON</b>                    |              |
| GH01486-01                            | <b>5.9</b>   |
| PFBA                                  | 5.9          |
| <b>PANA</b>                           |              |
| 102939P                               | <b>5.2</b>   |
| PFBA                                  | 5.2          |
| <b>CAROL STREAM</b>                   |              |
| A17052-001                            | <b>5.1</b>   |
| PFBA                                  | 5.1          |
| <b>LIBERTYVILLE</b>                   |              |
| A17050-003                            | <b>5.1</b>   |
| PFBA                                  | 5.1          |
| <b>CORINTH PWD</b>                    |              |
| 107715P                               | <b>5</b>     |
| PFBA                                  | 5            |
| <b>AQUA ILLINOIS-UNIVERSITY PARK</b>  |              |
| 106587P                               | <b>4.3</b>   |
| PFHxA                                 | 4.3          |
| <b>IN</b>                             |              |
| <b>SOUTH BEND WATER WORKS</b>         |              |
| 810-82558-1                           | <b>143.5</b> |
| PFBA                                  | 23.2         |



|                                      |             |
|--------------------------------------|-------------|
| PFBS                                 | 8.7         |
| PFHpA                                | 8.3         |
| PFHxA                                | 20.8        |
| PFHxS                                | 25.6        |
| PFOA                                 | 10          |
| PFPeA                                | 39.7        |
| PFPeS                                | 7.2         |
| 810-82337-1                          | <b>9.4</b>  |
| PFOA                                 | 9.4         |
| 810-82555-1                          | <b>8.3</b>  |
| PFBS                                 | 3.8         |
| PFPeA                                | 4.5         |
| 810-82340-1                          | <b>5.4</b>  |
| PFPeA                                | 5.4         |
| 810-82552-1                          | <b>3.4</b>  |
| PFHxS                                | 3.4         |
| 810-85159-1                          | <b>3.2</b>  |
| PFHxS                                | 3.2         |
| <b>PURDUE UNIV. WATER WORKS</b>      |             |
| 810-73153-1                          | <b>61</b>   |
| PFBA                                 | 5.6         |
| PFBS                                 | 17.4        |
| PFHxA                                | 11.3        |
| PFHxS                                | 6.8         |
| PFPeA                                | 11.5        |
| PFPeS                                | 8.4         |
| 810-54872-1                          | <b>18.6</b> |
| PFBS                                 | 6.8         |
| PFHxA                                | 4.1         |
| PFHxS                                | 3.6         |
| PFPeA                                | 4.1         |
| <b>CITIZENS WATER - INDIANAPOLIS</b> |             |
| 810-75460-1                          | <b>16.6</b> |
| PFBA                                 | 5           |
| PFHxA                                | 4.9         |
| PFPeA                                | 6.7         |
| 810-76021-1                          | <b>15.4</b> |
| PFBS                                 | 4           |
| PFHxA                                | 4           |

|   |             |
|---|-------------|
| PFPeA   | 7.4         |
| 810-75454-1                                   | <b>9.6</b>  |
| PFHxA   | 4.4         |
| PFPeA   | 5.2         |
| 810-75462-1                                   | <b>3.9</b>  |
| PFPeA   | 3.9         |
| <b>PIKE-GIBSON WATER, INC.</b>                |             |
| 103718P                                       | <b>8.7</b>  |
| PFBA  | 8.7         |
| 106597P                                       | <b>7.6</b>  |
| PFBA  | 7.6         |
| 103717P                                       | <b>7.5</b>  |
| PFBA  | 7.5         |
| 106598P                                       | <b>4.4</b>  |
| PFPeA   | 4.4         |
| <b>WEST TERRE HAUTE WATER</b>                 |             |
| 100949P                                       | <b>14.1</b> |
| PFBS  | 3.5         |
| PFHxS   | 3.5         |
| PFOS  | 7.1         |
| 106602P                                       | <b>12.2</b> |
| PFBS  | 3           |
| PFHxS   | 3           |
| PFOS  | 6.2         |
| <b>NEW PEKIN WATER UTILITY</b>                |             |
| 103720P                                       | <b>22.3</b> |
| PFBA  | 22.3        |
| <b>INDIANA AMERICAN WATER - CHARLESTOWN</b>   |             |
| 104958P                                       | <b>13.4</b> |
| PFOA  | 13.4        |
| <b>WHITELAND WATER WORKS</b>                  |             |
| 107728P                                       | <b>8</b>    |
| PFHxA   | 3.7         |
| PFPeA   | 4.3         |
| 102075P                                       | <b>3</b>    |
| PFPeA   | 3           |
| <b>FORT WAYNE - 3 RIVERS FILTRATION PLANT</b> |             |
| 810-77648-1                                   | <b>5.6</b>  |
| PFPeA   | 5.6         |

|  |       |
|--|-------|
| 810-65657-1                                    | 4.5   |
| PFPeA  | 4.5   |
| <b>GOSHEN WATER UTILITY</b>                    |       |
| 810-77158-1                                    | 9.6   |
| PFHxA  | 4.5   |
| PFPeA  | 5.1   |
| <b>INDIANA AMERICAN WATER - WARSAW</b>         |       |
| 67389201                                       | 9.6   |
| PFBS   | 4.6   |
| PFPeA  | 5     |
| <b>INDIANA AMERICAN WATER - JOHNSON COUNTY</b> |       |
| 66740601                                       | 8.3   |
| PFHxA  | 3.9   |
| PFPeA  | 4.4   |
| <b>IRELAND UTILITIES, INC.</b>                 |       |
| 102068P  | 7.9   |
| PFBA   | 7.9   |
| <b>BATESVILLE WATER UTILITY</b>                |       |
| 102972P  | 6.6   |
| PFBA   | 6.6   |
| <b>SCOTTSBURG WATER DEPARTMENT</b>             |       |
| 106600P  | 6.5   |
| PFBA   | 6.5   |
| <b>LIPPERT COMPONENTS (PLANT #30)</b>          |       |
| 104957P  | 6.5   |
| PFBA   | 6.5   |
| <b>MISHAWAKA UTILITIES</b>                     |       |
| 810-75914-1                                    | 5.6   |
| PFHxS  | 5.6   |
| <b>JASPER MUNICIPAL WATER UTILITY</b>          |       |
| 810-56490-1                                    | 5.2   |
| PFBA   | 5.2   |
| <b>KS</b>                                      |       |
| <b>GREAT BEND, CITY OF</b>                     |       |
| GJ02674-11                                     | 332.2 |
| 6:2 FTS  | 10    |
| PFBA   | 25    |
| PFBS   | 11    |
| PFHpA  | 13    |

|                                    |             |
|------------------------------------|-------------|
| PFHxA                              | 69          |
| PFHxS                              | 60          |
| PFOA                               | 5.2         |
| PFOS                               | 11          |
| PFPeA                              | 110         |
| PFPeS                              | 18          |
| GJ02674-13                         | <b>4.8</b>  |
| PFHxS                              | 4.8         |
| GJ02674-07                         | <b>4.3</b>  |
| PFHxS                              | 4.3         |
| GJ02674-09                         | <b>3.1</b>  |
| PFHxS                              | 3.1         |
| <b>FRUSI WATER TREATMENT PLANT</b> |             |
| FJ18003-01A                        | <b>64.2</b> |
| PFBS                               | 6.9         |
| PFHxA                              | 9.2         |
| PFHxS                              | 20.1        |
| PFOA                               | 7.1         |
| PFPeA                              | 16.5        |
| PFPeS                              | 4.4         |
| <b>PRATT, CITY OF</b>              |             |
| 102090P                            | <b>28.2</b> |
| PFBA                               | 5.2         |
| PFHxA                              | 9.1         |
| PFPeA                              | 13.9        |
| 107743P                            | <b>13.7</b> |
| PFHxA                              | 5.4         |
| PFPeA                              | 8.3         |
| 102096P                            | <b>8.5</b>  |
| PFBS                               | 4.4         |
| PFOS                               | 4.1         |
| 107747P                            | <b>6.2</b>  |
| PFNA                               | 6.2         |
| <b>HAYS, CITY OF</b>               |             |
| FK08009-01B                        | <b>23.8</b> |
| 6:2 FTS                            | 7           |
| PFHxA                              | 6.1         |
| PFPeA                              | 10.7        |
| FE02016-01B                        | <b>14.9</b> |

|   |             |
|---|-------------|
| PFBS                                      | 3.8         |
| PFHxA                                     | 4.2         |
| PFPeA                                     | 6.9         |
| <b>LAWRENCE, CITY OF</b>                  |             |
| 810-60305-1                               | <b>14.7</b> |
| PFBA                                      | 11          |
| PFHxS                                     | 3.7         |
| 810-80767-1                               | <b>9.7</b>  |
| PFBA                                      | 5.5         |
| PFHxS                                     | 4.2         |
| 810-76917-1                               | <b>5.7</b>  |
| PFBA                                      | 5.7         |
| 810-50706-1                               | <b>3.6</b>  |
| PFHxS                                     | 3.6         |
| 810-68849-1                               | <b>3.4</b>  |
| PFHxS                                     | 3.4         |
| <b>COUNCIL GROVE, CITY OF</b>             |             |
| 105748P                                   | <b>5</b>    |
| PFBA                                      | 5           |
| <b>GARDNER, CITY OF</b>                   |             |
| FI19012-01B                               | <b>3.4</b>  |
| PFPeA                                     | 3.4         |
| <b>KY</b>                                 |             |
| <b>GEORGETOWN MUNICIPAL WATER SERVICE</b> |             |
| 35838784001SE4                            | <b>86.4</b> |
| PFBA                                      | 11          |
| PFBS                                      | 9.4         |
| PFHpA                                     | 4.7         |
| PFHxA                                     | 14          |
| PFHxS                                     | 3           |
| PFOA                                      | 9.3         |
| PFOS                                      | 12          |
| PFPeA                                     | 23          |
| 35799198001SE2                            | <b>17</b>   |
| PFBS                                      | 4.7         |
| PFHxA                                     | 3.1         |
| PFOS                                      | 4.8         |
| PFPeA                                     | 4.4         |
| 35835503001SE3                            | <b>14.6</b> |

|  |             |
|--|-------------|
| PFBS                                     | 4.5         |
| PFOS                                     | 6.8         |
| PFPeA                                    | 3.3         |
| 35778356001SE1                           | <b>3.5</b>  |
| PFBS                                     | 3.5         |
| <b>LYON COUNTY WATER DISTRICT</b>        |             |
| 103745P                                  | <b>51.2</b> |
| PFBA                                     | 51.2        |
| 103742P                                  | <b>26.8</b> |
| PFBA                                     | 26.8        |
| 101568P                                  | <b>9.8</b>  |
| PFBA                                     | 5.4         |
| PFOS                                     | 4.4         |
| 101565P                                  | <b>8.5</b>  |
| PFBA                                     | 8.5         |
| <b>CALDWELL COUNTY WATER DISTRICT</b>    |             |
| 101777R                                  | <b>16.3</b> |
| PFBA                                     | 16.3        |
| 101776R                                  | <b>15.4</b> |
| PFBA                                     | 15.4        |
| 102983P                                  | <b>12</b>   |
| PFBA                                     | 12          |
| 102984P                                  | <b>5.5</b>  |
| PFBA                                     | 5.5         |
| 102982P                                  | <b>5.5</b>  |
| PFBA                                     | 5.5         |
| <b>RUSSELL SPRINGS WATER &amp; SEWER</b> |             |
| 106630P                                  | <b>12.4</b> |
| PFBA                                     | 12.4        |
| 103749P                                  | <b>12.1</b> |
| PFBA                                     | 12.1        |
| 103750P                                  | <b>10.6</b> |
| PFBA                                     | 10.6        |
| 106631P                                  | <b>9.8</b>  |
| PFBA                                     | 9.8         |
| <b>SIMPSON COUNTY WATER DISTRICT</b>     |             |
| 103751P                                  | <b>27.2</b> |
| PFBA                                     | 27.2        |
| <b>MUHLENBERG CO WATER DISTRICT #3</b>   |             |

|   |             |
|---|-------------|
| 107354R                                 | <b>13.5</b> |
| PFBA                                    | 13.5        |
| 100274P                                 | <b>6.8</b>  |
| PFBA                                    | 6.8         |
| 102991P                                 | <b>6.4</b>  |
| PFBA                                    | 6.4         |
| <b>LOUISVILLE WATER COMPANY</b>         |             |
| 810-79841-1                             | <b>17.8</b> |
| PFBS                                    | 3           |
| PFHxA                                   | 3.4         |
| PFOA                                    | 7.5         |
| PFPeA                                   | 3.9         |
| 810-85370-1                             | <b>7.7</b>  |
| PFHxA                                   | 3.6         |
| PFPeA                                   | 4.1         |
| <b>EAST PENDLETON WATER DISTRICT</b>    |             |
| 107766P                                 | <b>8.3</b>  |
| PFHpA                                   | 3.9         |
| PFPeA                                   | 4.4         |
| 102115P                                 | <b>5.1</b>  |
| 6:2 FTS                                 | 5.1         |
| 102116P                                 | <b>4.4</b>  |
| PFHxS                                   | 4.4         |
| 107767P                                 | <b>4.1</b>  |
| PFOA                                    | 4.1         |
| <b>LIVINGSTON MUNICIPAL WATER WORKS</b> |             |
| 102995P                                 | <b>14.7</b> |
| PFBA                                    | 14.7        |
| 100278P                                 | <b>6.3</b>  |
| PFBA                                    | 6.3         |
| <b>PARIS WATER WORKS</b>                |             |
| 68172301                                | <b>18.5</b> |
| PFBA                                    | 6           |
| PFBS                                    | 3.1         |
| PFHxA                                   | 3.1         |
| PFPeA                                   | 6.3         |
| <b>NORTH NELSON WATER DISTRICT</b>      |             |
| 66806401                                | <b>13.4</b> |
| PFBS                                    | 3.7         |

|   |             |
|---|-------------|
| PFOA  | 5.7         |
| PFPeA                                       | 4           |
| 68173501                                    | <b>3</b>    |
| PFPeA                                       | 3           |
| <b>BUTLER COUNTY WATER SYSTEM INC</b>       |             |
| 810-79460-1                                 | <b>5.6</b>  |
| PFPeA                                       | 5.6         |
| 810-67056-1                                 | <b>5.4</b>  |
| PFPeA                                       | 5.4         |
| 810-79059-1                                 | <b>5</b>    |
| PFPeA                                       | 5           |
| <b>PENDLETON CO WATER DISTRICT #1/SOUTH</b> |             |
| 102992P                                     | <b>8.2</b>  |
| PFBA  | 8.2         |
| 100275P                                     | <b>7</b>    |
| PFBA  | 7           |
| <b>BLOOMFIELD WATER &amp; SEWER DEPT</b>    |             |
| 103748P                                     | <b>14</b>   |
| PFBA  | 14          |
| <b>KENTUCKY-AMERICAN WATER CO</b>           |             |
| 67571601                                    | <b>10.4</b> |
| 6:2 FTS                                     | 6.1         |
| PFPeA                                       | 4.3         |
| 62251101                                    | <b>3.5</b>  |
| PFBS  | 3.5         |
| <b>S E DAVIESS CO WATER DISTRICT</b>        |             |
| 810-56493-1                                 | <b>5</b>    |
| PFOA  | 5           |
| 810-56493-2                                 | <b>4.9</b>  |
| PFOA  | 4.9         |
| 810-76582-1                                 | <b>4</b>    |
| PFOA  | 4           |
| <b>LAWRENCEBURG WATER &amp; SEWER DEPT</b>  |             |
| 67915801                                    | <b>12.3</b> |
| 6:2 FTS                                     | 9.2         |
| PFPeA                                       | 3.1         |
| <b>SHARPSBURG WATER DISTRICT</b>            |             |
| 102979P                                     | <b>6.1</b>  |
| PFBA  | 6.1         |



|   |            |
|---|------------|
| 107405R   | 5          |
| PFPeA   | 5          |
| <b>WHITESVILLE WATER WORKS</b>                  |            |
| 100266P   | <b>5.6</b> |
| PFOA  | 5.6        |
| 105766P   | <b>5.3</b> |
| PFOA  | 5.3        |
| <b>NORTHERN KENTUCKY WATER DISTRICT</b>         |            |
| 810-70328-3                                     | <b>4.5</b> |
| PFPeA   | 4.5        |
| 810-70328-2                                     | <b>3.1</b> |
| PFPeA   | 3.1        |
| 810-82220-1                                     | <b>3</b>   |
| PFPeA   | 3          |
| <b>CANNONSBURG WATER DISTRICT</b>               |            |
| 100261P   | <b>6.8</b> |
| PFOA  | 6.8        |
| 105761P   | <b>3.2</b> |
| PFBS  | 3.2        |
| <b>KIRKSVILLE WATER ASSOCIATION</b>             |            |
| 103746P   | <b>9.8</b> |
| PFBA  | 9.8        |
| <b>FLATWOODS WATER COMPANY</b>                  |            |
| 100269P   | <b>6.5</b> |
| PFOA  | 6.5        |
| 105768P   | <b>3.2</b> |
| PFHxA   | 3.2        |
| <b>FRANKLIN WATER WORKS, KY</b>                 |            |
| 810-61536-1                                     | <b>7.7</b> |
| PFBA  | 7.7        |
| <b>TODD COUNTY WATER DISTRICT</b>               |            |
| 102997P   | <b>7.4</b> |
| PFBA  | 7.4        |
| <b>LAUREL CO WATER DISTRICT #2</b>              |            |
| GJ03519-01                                      | <b>3.9</b> |
| PFHxA   | 3.9        |
| GG02077-01                                      | <b>3.5</b> |
| PFHxA   | 3.5        |
| <b>WESTERN LEWIS RECTORVILLE WATER DISTRICT</b> |            |

|   |      |
|---|------|
| 107764P                                     | 7.3  |
| HFPO-DA                                     | 7.3  |
| <b>FARMDALE WATER DISTRICT</b>              |      |
| 107759P                                     | 3.8  |
| PFPeA                                       | 3.8  |
| 107758P                                     | 3.3  |
| PFPeA                                       | 3.3  |
| <b>CADIZ MUNICIPAL WATER CO</b>             |      |
| 107769P                                     | 5.8  |
| PFBA  | 5.8  |
| <b>RUSSELLVILLE MUN WATER WORKS</b>         |      |
| 102989P                                     | 5.4  |
| PFBA  | 5.4  |
| <b>GREENVILLE UTILITIES COMMISSION</b>      |      |
| 100273P                                     | 5.3  |
| PFBA  | 5.3  |
| <b>OAK GROVE UTILITIES OFFICE</b>           |      |
| 103729P                                     | 5.2  |
| PFBA  | 5.2  |
| <b>E DAVIESS CO WATER ASSOC INC</b>         |      |
| 810-56488-1                                 | 5    |
| PFOA  | 5    |
| <b>OWENSBORO MUNICIPAL UTILITIES</b>        |      |
| 810-56489-1                                 | 5    |
| PFOA  | 5    |
| <b>BOONE CO WATER &amp; SEWER DISTRICT</b>  |      |
| 810-71157-1                                 | 3.1  |
| PFPeA                                       | 3.1  |
| <b>LA</b>                                   |      |
| <b>ST CHARLES PARISH DEPT OF WATERWORKS</b> |      |
| 810-61097-1                                 | 13.6 |
| PFBA  | 13.6 |
| 810-57938-1                                 | 7.8  |
| PFBA  | 7.8  |
| 810-81336-1                                 | 7.5  |
| PFBA  | 7.5  |
| 810-81337-1                                 | 7.5  |
| PFBA  | 7.5  |
| 810-57936-1                                 | 7.5  |

|                                      |             |
|--------------------------------------|-------------|
| PFBA                                 | 7.5         |
| 810-69217-1                          | <b>5.9</b>  |
| PFBA                                 | 5.9         |
| 810-69216-1                          | <b>5.9</b>  |
| PFBA                                 | 5.9         |
| <b>NEW ORLEANS CARROLLTON WW</b>     |             |
| 810-77479-1                          | <b>10.7</b> |
| PFBA                                 | 6.5         |
| PFOS                                 | 4.2         |
| 810-77481-1                          | <b>10.5</b> |
| PFBA                                 | 6.3         |
| PFOS                                 | 4.2         |
| 810-55733-1                          | <b>6.7</b>  |
| PFBA                                 | 6.7         |
| 810-55736-1                          | <b>6.6</b>  |
| PFBA                                 | 6.6         |
| 810-55739-1                          | <b>6.6</b>  |
| PFBA                                 | 6.6         |
| 810-65948-1                          | <b>5.5</b>  |
| PFBA                                 | 5.5         |
| 810-65676-1                          | <b>5.4</b>  |
| PFBA                                 | 5.4         |
| <b>PARISH UTILITIES OF ASCENSION</b> |             |
| 100282P                              | <b>11.3</b> |
| PFBA                                 | 6.6         |
| PFBS                                 | 4.7         |
| 108420R                              | <b>11.2</b> |
| PFBA                                 | 6.7         |
| PFOS                                 | 4.5         |
| 102999P                              | <b>6.3</b>  |
| PFBA                                 | 6.3         |
| <b>E JEFFERSON WW DISTRICT 1</b>     |             |
| GH05764-01                           | <b>6.6</b>  |
| PFBA                                 | 6.6         |
| GJ04479-01                           | <b>6.6</b>  |
| PFBA                                 | 6.6         |
| GJ04479-03                           | <b>6.4</b>  |
| PFBA                                 | 6.4         |
| GJ04479-05                           | <b>6.1</b>  |

|   |             |
|---|-------------|
| PFBA  | 6.1         |
| <b>NEW ORLEANS ALGIERS WATER WORKS</b>        |             |
| 810-77484-1                                   | <b>11.3</b> |
| PFBA  | 6.8         |
| PFOS  | 4.5         |
| 810-55726-1                                   | <b>7.2</b>  |
| PFBA  | 7.2         |
| 810-65679-1                                   | <b>5.4</b>  |
| PFBA  | 5.4         |
| <b>SCHRIEVER WATER TREATMENT SERVICE AREA</b> |             |
| 810-58441-1                                   | <b>6.8</b>  |
| PFBA  | 6.8         |
| 810-80541-1                                   | <b>6.8</b>  |
| PFBA  | 6.8         |
| 810-70305-1                                   | <b>6</b>    |
| PFBA  | 6           |
| <b>HOUMA WATER TREATMENT SERVICE AREA</b>     |             |
| 810-76883-1                                   | <b>11.7</b> |
| PFBA  | 8           |
| PFPeA   | 3.7         |
| 810-66248-1                                   | <b>6</b>    |
| PFBA  | 6           |
| <b>SOUTH TOLEDO BEND WATER DISTRICT</b>       |             |
| 103008P                                       | <b>8.2</b>  |
| PFBA  | 8.2         |
| 108422R                                       | <b>5.6</b>  |
| PFBA  | 5.6         |
| <b>SHREVEPORT WATER SYSTEM</b>                |             |
| 810-66265-1                                   | <b>7.5</b>  |
| PFBA  | 7.5         |
| 810-77375-1                                   | <b>6.2</b>  |
| PFBA  | 6.2         |
| <b>W JEFFERSON WW DISTRICT 2</b>              |             |
| GJ04485-01                                    | <b>6.5</b>  |
| PFBA  | 6.5         |
| GH00700-01                                    | <b>5.7</b>  |
| PFBA  | 5.7         |
| <b>FARMERVILLE WATER SYSTEM</b>               |             |
| 105016P                                       | <b>7.8</b>  |

|  |             |
|--|-------------|
| PFHpA                                    | 3           |
| PFPeA                                    | 4.8         |
| 107306R                                  | <b>3.5</b>  |
| PFHpA                                    | 3.5         |
| <b>ST JOHN WATER DISTRICT 2</b>          |             |
| 105008P                                  | <b>5.2</b>  |
| PFBA                                     | 5.2         |
| 102132P                                  | <b>5.2</b>  |
| PFBA                                     | 5.2         |
| <b>EAST FELICIANA RURAL GURLEY RD WS</b> |             |
| 107775P                                  | <b>8.5</b>  |
| PFBA                                     | 8.5         |
| <b>MONROE WATER SYSTEM, LA</b>           |             |
| 810-84360-1                              | <b>8.2</b>  |
| PFBA                                     | 8.2         |
| <b>BELLE CHASSE WATER DISTRICT</b>       |             |
| 810-83408-1                              | <b>8.1</b>  |
| PFBA                                     | 8.1         |
| <b>TOWN OF BENTON WATER SYSTEM</b>       |             |
| 103752P                                  | <b>6.9</b>  |
| PFBA                                     | 6.9         |
| <b>SOUTHWEST ALLEN WW DISTRICT NO 2</b>  |             |
| 107771P                                  | <b>5.8</b>  |
| PFBA                                     | 5.8         |
| <b>ST JAMES WATER DISTRICT 2</b>         |             |
| 105007P                                  | <b>5.5</b>  |
| PFBA                                     | 5.5         |
| <b>TOWN OF GREENWOOD WATER SYSTEM</b>    |             |
| 103753P                                  | <b>5</b>    |
| PFBA                                     | 5           |
| <b>NATCHITOCHEs WATER SYSTEM</b>         |             |
| GH02326-01                               | <b>3.1</b>  |
| PFHpA                                    | 3.1         |
| <b>MA</b>                                |             |
| <b>ACTON WATER SUPPLY DISTRICT</b>       |             |
| 810-79057-1                              | <b>47.3</b> |
| PFBA                                     | 20.6        |
| PFHpA                                    | 4.8         |
| PFHxA                                    | 5.4         |

|                    |             |
|--------------------|-------------|
| PFOA               | 11.9        |
| PFPeA              | 4.6         |
| <b>810-67971-1</b> | <b>43.4</b> |
| PFBA               | 14.1        |
| PFHpA              | 5.2         |
| PFHxA              | 5.8         |
| PFOA               | 13.4        |
| PFPeA              | 4.9         |
| <b>810-56823-1</b> | <b>40.5</b> |
| PFBA               | 11.8        |
| PFHpA              | 4.6         |
| PFHxA              | 5.2         |
| PFHxS              | 3.2         |
| PFOA               | 11.3        |
| PFPeA              | 4.4         |
| <b>810-65235-1</b> | <b>30.6</b> |
| PFBS               | 3.7         |
| PFHxA              | 7.1         |
| PFOA               | 7.1         |
| PFOS               | 4.6         |
| PFPeA              | 8.1         |
| <b>810-78173-1</b> | <b>29.8</b> |
| PFBS               | 3.4         |
| PFHxA              | 6.3         |
| PFOA               | 7.3         |
| PFOS               | 4.7         |
| PFPeA              | 8.1         |
| <b>810-56826-1</b> | <b>25.4</b> |
| PFBS               | 3.2         |
| PFHxA              | 5.5         |
| PFOA               | 6.1         |
| PFOS               | 4.2         |
| PFPeA              | 6.4         |
| <b>810-56819-1</b> | <b>16.5</b> |
| PFBS               | 3.5         |
| PFHxA              | 3           |
| PFOA               | 5.1         |
| PFOS               | 4.9         |
| <b>810-79058-1</b> | <b>8.9</b>  |

|   |             |
|---|-------------|
| PFOA                                    | 4.7         |
| PFOS                                    | 4.2         |
| <b>AQUARION WATER COMPANY, MILLBURY</b> |             |
| 107333R                                 | <b>63.1</b> |
| PFBA                                    | 12.7        |
| PFBS                                    | 3.7         |
| PFHpA                                   | 5.8         |
| PFHxA                                   | 8.6         |
| PFOA                                    | 15.8        |
| PFOS                                    | 6.2         |
| PFPeA                                   | 10.3        |
| 105027P                                 | <b>19.3</b> |
| PFBA                                    | 15.9        |
| PFPeA                                   | 3.4         |
| 107789P                                 | <b>15.6</b> |
| PFOA                                    | 6.5         |
| PFOS                                    | 5.7         |
| PFPeA                                   | 3.4         |
| 102141P                                 | <b>9.8</b>  |
| PFBA                                    | 6.8         |
| PFPeA                                   | 3           |
| 107790P                                 | <b>8.5</b>  |
| PFHxA                                   | 3.6         |
| PFPeA                                   | 4.9         |
| <b>NORWELL WATER DEPARTMENT</b>         |             |
| 810-78566-1                             | <b>63.6</b> |
| PFBA                                    | 6           |
| PFBS                                    | 7.7         |
| PFHpA                                   | 3.7         |
| PFHxA                                   | 8.4         |
| PFOA                                    | 9.9         |
| PFOS                                    | 18.4        |
| PFPeA                                   | 9.5         |
| 810-75657-1                             | <b>41.8</b> |
| PFBS                                    | 3.2         |
| PFHpA                                   | 3.8         |
| PFHxA                                   | 6.7         |
| PFOA                                    | 8.3         |
| PFOS                                    | 11.1        |

|                                  |             |
|----------------------------------|-------------|
| PFPeA                            | 8.7         |
| 810-75658-1                      | <b>4.8</b>  |
| PFOA                             | 4.8         |
| <b>ROWLEY WATER DEPARTMENT</b>   |             |
| 105843P                          | <b>50.3</b> |
| 6:2 FTS                          | 5.1         |
| PFBA                             | 6           |
| PFHpA                            | 3.4         |
| PFHxA                            | 9.1         |
| PFOA                             | 7.1         |
| PFOS                             | 5.5         |
| PFPeA                            | 14.1        |
| 100307P                          | <b>40.9</b> |
| PFBA                             | 6.6         |
| PFHxA                            | 8.2         |
| PFOA                             | 7.7         |
| PFOS                             | 5.7         |
| PFPeA                            | 12.7        |
| <b>HANOVER WATER DEPT, MA</b>    |             |
| 810-75000-1                      | <b>58.6</b> |
| PFBA                             | 8           |
| PFBS                             | 6.6         |
| PFHpA                            | 3.5         |
| PFHxA                            | 8.6         |
| PFOA                             | 8.9         |
| PFOS                             | 11.4        |
| PFPeA                            | 11.6        |
| 810-74993-1                      | <b>12.7</b> |
| PFHxA                            | 3.7         |
| PFOA                             | 5.2         |
| PFPeA                            | 3.8         |
| 810-74997-1                      | <b>9.8</b>  |
| PFHxA                            | 4.3         |
| PFPeA                            | 5.5         |
| <b>WESTFORD WATER DEPARTMENT</b> |             |
| 810-69220-1                      | <b>24.6</b> |
| PFBS                             | 3           |
| PFHxA                            | 4.4         |
| PFOA                             | 8.6         |



|                                     |             |
|-------------------------------------|-------------|
| PFOS                                | 4.3         |
| PFPeA                               | 4.3         |
| 810-59145-1                         | <b>24.3</b> |
| PFBS                                | 3.2         |
| PFHxA                               | 4.1         |
| PFOA                                | 8.6         |
| PFOS                                | 4.4         |
| PFPeA                               | 4           |
| 810-81213-1                         | <b>19.3</b> |
| PFBS                                | 3           |
| PFHxA                               | 4           |
| PFOA                                | 8.4         |
| PFPeA                               | 3.9         |
| 810-69223-1                         | <b>4.8</b>  |
| PFOA                                | 4.8         |
| 810-81221-1                         | <b>4.5</b>  |
| PFOA                                | 4.5         |
| <b>BRIDGEWATER WATER DEPARTMENT</b> |             |
| L2336005-05                         | <b>26</b>   |
| PFHpA                               | 3           |
| PFHxA                               | 7           |
| PFOA                                | 9           |
| PFPeA                               | 7           |
| L2336005-03                         | <b>26</b>   |
| PFBS                                | 4           |
| PFHxA                               | 3           |
| PFHxS                               | 4           |
| PFOA                                | 8           |
| PFOS                                | 7           |
| L2336005-01                         | <b>17</b>   |
| PFBS                                | 3           |
| PFHxA                               | 4           |
| PFOA                                | 6           |
| PFPeA                               | 4           |
| <b>PLAINVILLE WATER DEPARTMENT</b>  |             |
| 106676P                             | <b>17.6</b> |
| PFBS                                | 17.6        |
| 103786P                             | <b>13.7</b> |
| PFBS                                | 13.7        |

|                                   |             |
|-----------------------------------|-------------|
| 101008P                           | <b>11.3</b> |
| PFBS                              | 11.3        |
| 101007P                           | <b>10</b>   |
| PFBS                              | 4.5         |
| PFOS                              | 5.5         |
| 106675P                           | <b>8.1</b>  |
| PFBS                              | 3           |
| PFOS                              | 5.1         |
| 103785P                           | <b>8</b>    |
| PFBS                              | 3.4         |
| PFOS                              | 4.6         |
| <b>HOLDEN WATER DIVISION, DPW</b> |             |
| 810-77477-1                       | <b>17.1</b> |
| PFHxA                             | 5.5         |
| PFOA                              | 4.9         |
| PFPeA                             | 6.7         |
| 810-59237-1                       | <b>16.2</b> |
| PFBA                              | 16.2        |
| 810-60993-1                       | <b>10.7</b> |
| PFBS                              | 3.3         |
| PFHxA                             | 3.1         |
| PFOA                              | 4.3         |
| 810-77463-1                       | <b>10.3</b> |
| PFBS                              | 3           |
| PFHxA                             | 3.2         |
| PFOA                              | 4.1         |
| 810-77410-1                       | <b>7.6</b>  |
| PFHxA                             | 3.3         |
| PFPeA                             | 4.3         |
| 810-68495-1                       | <b>6.7</b>  |
| PFHxA                             | 3.1         |
| PFPeA                             | 3.6         |
| <b>RANDOLPH WATER DEPARTMENT</b>  |             |
| 810-79724-1                       | <b>32.8</b> |
| PFBA                              | 5.3         |
| PFHxA                             | 4.5         |
| PFOA                              | 7.3         |
| PFOS                              | 11          |
| PFPeA                             | 4.7         |

|                                  |             |
|----------------------------------|-------------|
| 810-69543-1                      | <b>30.3</b> |
| PFHxA                            | 4.4         |
| PFHxS                            | 3           |
| PFOA                             | 7.2         |
| PFOS                             | 11.1        |
| PFPeA                            | 4.6         |
| <b>WAYLAND WATER DEPARTMENT</b>  |             |
| L2319327-03                      | <b>25</b>   |
| PFHpA                            | 4           |
| PFHxA                            | 4           |
| PFOA                             | 9           |
| PFOS                             | 4           |
| PFPeA                            | 4           |
| L2362102-01                      | <b>23</b>   |
| PFHpA                            | 3           |
| PFHxA                            | 4           |
| PFOA                             | 8           |
| PFOS                             | 4           |
| PFPeA                            | 4           |
| L2362102-07                      | <b>15</b>   |
| PFBA                             | 5           |
| PFPeA                            | 10          |
| <b>LYNN WATER AND SEWER COMM</b> |             |
| 810-83569-1                      | <b>23.1</b> |
| PFBA                             | 5.4         |
| PFBS                             | 3           |
| PFHxA                            | 4.8         |
| PFOA                             | 4.7         |
| PFPeA                            | 5.2         |
| 810-72383-1                      | <b>22.8</b> |
| PFBA                             | 5.3         |
| PFBS                             | 3.1         |
| PFHxA                            | 4.9         |
| PFOA                             | 4.3         |
| PFPeA                            | 5.2         |
| RAYMOND REARDON WTP/00007        | <b>8.1</b>  |
| PFHxA                            | 4           |
| PFPeA                            | 4.1         |
| 810-62004-1                      | <b>8.1</b>  |

|   |             |
|---|-------------|
| PFHxA   | 4.2         |
| PFPeA   | 3.9         |
| <b>BARNSTABLE FIRE DISTRICT</b>                 |             |
| 101003P   | <b>36.6</b> |
| PFBS  | 18.2        |
| PFHxA   | 4.1         |
| PFOA  | 4.4         |
| PFOS  | 4.4         |
| PFPeA   | 5.5         |
| 106671P   | <b>22.3</b> |
| PFBS  | 10.3        |
| PFHxA   | 3.1         |
| PFOS  | 4.9         |
| PFPeA   | 4           |
| <b>HYANNIS WATER SYSTEM, TOWN OF BARNSTABLE</b> |             |
| 810-63465-1                                     | <b>52.4</b> |
| PFBA  | 16.8        |
| PFHxA   | 5.8         |
| PFPeA   | 29.8        |
| 810-63456-1                                     | <b>4.3</b>  |
| PFPeA   | 4.3         |
| <b>SWANSEA WATER DISTRICT</b>                   |             |
| 810-70781-1                                     | <b>24.9</b> |
| PFBA  | 10.9        |
| PFHxA   | 4           |
| PFOA  | 5.1         |
| PFPeA   | 4.9         |
| 810-83196-1                                     | <b>14.3</b> |
| PFBA  | 6.4         |
| PFOA  | 4.4         |
| PFPeA   | 3.5         |
| 810-70779-1                                     | <b>7.6</b>  |
| PFBS  | 3.4         |
| PFOA  | 4.2         |
| 810-70777-1                                     | <b>4.2</b>  |
| PFHxS   | 4.2         |
| <b>WALPOLE WATER DEPT</b>                       |             |
| L2346858-01                                     | <b>38</b>   |
| PFBA  | 8           |

|  |             |
|--|-------------|
| PFHpA                                  | 3           |
| PFHxA                                  | 7           |
| PFOA                                   | 4           |
| PFOS                                   | 4           |
| PFPeA                                  | 12          |
| L2346860-01                            | <b>13</b>   |
| PFBA                                   | 13          |
| <b>EASTON WATER DIV</b>                |             |
| 810-69492-1                            | <b>48.7</b> |
| PFBS                                   | 4.4         |
| PFHxA                                  | 5.6         |
| PFHxS                                  | 7.9         |
| PFOA                                   | 7.7         |
| PFOS                                   | 16.3        |
| PFPeA                                  | 6.8         |
| <b>PEPPERELL DPW WATER DIVISION</b>    |             |
| 102148P                                | <b>21.4</b> |
| PFOA                                   | 11.4        |
| PFOS                                   | 10          |
| 107792P                                | <b>16.2</b> |
| PFOA                                   | 9.8         |
| PFOS                                   | 6.4         |
| 102146P                                | <b>10.6</b> |
| PFOA                                   | 5.3         |
| PFOS                                   | 5.3         |
| <b>CHELMSFORD WATER DISTRICT</b>       |             |
| 810-81428-1                            | <b>27.2</b> |
| PFBS                                   | 4.2         |
| PFHxA                                  | 3.3         |
| PFOA                                   | 8.9         |
| PFOS                                   | 7.2         |
| PFPeA                                  | 3.6         |
| 810-81436-1                            | <b>13.7</b> |
| PFHxA                                  | 3.2         |
| PFOA                                   | 7.1         |
| PFPeA                                  | 3.4         |
| <b>BRAINTREE WATER AND SEWER DEPT.</b> |             |
| Q2324399001                            | <b>23</b>   |
| PFBS                                   | 3           |

|                                |             |
|--------------------------------|-------------|
| PFHxA                          | 4           |
| PFOA                           | 4.8         |
| PFOS                           | 7.5         |
| PFPeA                          | 3.7         |
| <b>Q2311375001</b>             | <b>17.2</b> |
| PFHxA                          | 3.1         |
| PFOA                           | 4.4         |
| PFOS                           | 6.2         |
| PFPeA                          | 3.5         |
| <b>SCITUATE WATER DIVISION</b> |             |
| <b>810-55199-1</b>             | <b>14.2</b> |
| PFHxA                          | 3           |
| PFOA                           | 5.5         |
| PFOS                           | 5.7         |
| <b>810-75418-1</b>             | <b>10.4</b> |
| PFOA                           | 5.6         |
| PFOS                           | 4.8         |
| <b>810-55196-1</b>             | <b>3</b>    |
| PFBS                           | 3           |
| <b>HAMILTON WATER DEPT</b>     |             |
| <b>106374R</b>                 | <b>20.8</b> |
| PFBS                           | 4.6         |
| PFOA                           | 7.3         |
| PFOS                           | 8.9         |
| <b>104536R</b>                 | <b>6.4</b>  |
| PFBS                           | 6.4         |
| <b>WRENTHAM WATER DIVISION</b> |             |
| <b>810-74516-1</b>             | <b>16.4</b> |
| PFHxA                          | 3.2         |
| PFOA                           | 5.7         |
| PFOS                           | 4.4         |
| PFPeA                          | 3.1         |
| <b>810-74523-1</b>             | <b>10.2</b> |
| PFBS                           | 5.9         |
| PFOA                           | 4.3         |
| <b>MILLIS WATER DEPT</b>       |             |
| <b>103774P</b>                 | <b>23.3</b> |
| PFBS                           | 9.1         |
| PFOA                           | 6.9         |

|                                      |             |
|--------------------------------------|-------------|
| PFOS                                 | 7.3         |
| <b>PAXTON WATER DEPARTMENT</b>       |             |
| 108771P                              | <b>7.7</b>  |
| PFHxA                                | 3.3         |
| PFPeA                                | 4.4         |
| 103030P                              | <b>7.6</b>  |
| PFBA                                 | 7.6         |
| 105839P                              | <b>6.5</b>  |
| PFHxA                                | 3           |
| PFPeA                                | 3.5         |
| <b>DEVENS MASSDEVELOPMENT</b>        |             |
| 103022P                              | <b>19.3</b> |
| PFBA                                 | 7.7         |
| PFPeA                                | 11.6        |
| <b>WEBSTER WATER DEPARTMENT</b>      |             |
| M3K1851-01                           | <b>12.2</b> |
| PFHxA                                | 3           |
| PFOA                                 | 4.4         |
| PFPeA                                | 4.8         |
| M3C1330-01                           | <b>4.8</b>  |
| PFPeA                                | 4.8         |
| <b>WESTBOROUGH WATER DEPARTMENT</b>  |             |
| 35800406009SE1                       | <b>13.3</b> |
| PFOA                                 | 5.8         |
| PFOS                                 | 7.5         |
| 35812809001SE1                       | <b>3.4</b>  |
| PFBS                                 | 3.4         |
| <b>AYER DPW WATER DIVISION</b>       |             |
| 103771P                              | <b>14.3</b> |
| PFBA                                 | 10.1        |
| PFPeA                                | 4.2         |
| <b>NORTH READING WATER DEPT.</b>     |             |
| L2358422-01                          | <b>13</b>   |
| PFBA                                 | 6           |
| PFHxA                                | 3           |
| PFPeA                                | 4           |
| <b>LOWELL REGIONAL WATER UTILITY</b> |             |
| 810-78194-1                          | <b>12.5</b> |
| PFHxA                                | 4           |

|  |             |
|--|-------------|
| PFOA                                   | 4.6         |
| PFPeA                                  | 3.9         |
| <b>LYNNFIELD CENTER WATER DISTRICT</b> |             |
| 103779P                                | <b>11.3</b> |
| PFHxA                                  | 3.2         |
| PFOA                                   | 5.1         |
| PFPeA                                  | 3           |
| <b>TYNGSBOROUGH WATER DISTRICT</b>     |             |
| 106668P                                | <b>11.2</b> |
| PFHxA                                  | 3.6         |
| PFOA                                   | 4.6         |
| PFPeA                                  | 3           |
| <b>SOUTHBRIDGE WATER DEPARTMENT</b>    |             |
| L2327223-01                            | <b>5</b>    |
| PFBA                                   | 5           |
| L2309327-01                            | <b>5</b>    |
| PFBA                                   | 5           |
| <b>TOWN OF AVON</b>                    |             |
| 103783P                                | <b>9.5</b>  |
| PFOA                                   | 4.5         |
| PFOS                                   | 5           |
| <b>MCI SHIRLEY</b>                     |             |
| 103031P                                | <b>8.7</b>  |
| PFHxS                                  | 8.7         |
| <b>NORTH SAGAMORE WATER DISTRICT</b>   |             |
| 105849P                                | <b>8.2</b>  |
| PFHxA                                  | 4.5         |
| PFPeA                                  | 3.7         |
| <b>CAMBRIDGE WATER DEPARTMENT</b>      |             |
| M3H1111-01                             | <b>6.5</b>  |
| PFHxA                                  | 3           |
| PFPeA                                  | 3.5         |
| <b>REVERE WATER DIVISION (MWRA)</b>    |             |
| 35801835001SE2                         | <b>6.2</b>  |
| 6:2 FTS                                | 6.2         |
| <b>OAK BLUFFS WATER DISTRICT</b>       |             |
| L2335774-02                            | <b>6</b>    |
| PFHxA                                  | 3           |
| PFPeA                                  | 3           |



|                                      |             |
|--------------------------------------|-------------|
| <b>NORTH ADAMS WATER DEPT</b>        |             |
| M3D0632-01                           | <b>5.9</b>  |
| PFOA                                 | 5.9         |
| <b>LUNENBURG WATER DISTRICT</b>      |             |
| 105025P                              | <b>5.1</b>  |
| PFOA                                 | 5.1         |
| <b>PINEHILLS WATER COMPANY, INC.</b> |             |
| 103787P                              | <b>4.9</b>  |
| PFHxA                                | 4.9         |
| <b>NORTON WATER DEPARTMENT</b>       |             |
| 810-74007-1                          | <b>4.2</b>  |
| PFHxS                                | 4.2         |
| <b>AQUARION WATER COMPANY OXFORD</b> |             |
| 105030P                              | <b>3.3</b>  |
| PFHxA                                | 3.3         |
| <b>MD</b>                            |             |
| <b>TOWN OF HAMPSTEAD</b>             |             |
| 101014P                              | <b>57.4</b> |
| PFBA                                 | 5.6         |
| PFBS                                 | 5.3         |
| PFHpA                                | 5.2         |
| PFHxA                                | 14.9        |
| PFOA                                 | 9.1         |
| PFPeA                                | 17.3        |
| 106679P                              | <b>53.7</b> |
| PFBA                                 | 5.3         |
| PFBS                                 | 5.3         |
| PFHpA                                | 5.1         |
| PFHxA                                | 13.4        |
| PFOA                                 | 9           |
| PFPeA                                | 15.6        |
| 106677P                              | <b>38.5</b> |
| PFBS                                 | 6.3         |
| PFHpA                                | 3.5         |
| PFHxA                                | 5.9         |
| PFHxS                                | 3.4         |
| PFOA                                 | 7.8         |
| PFOS                                 | 5.7         |
| PFPeA                                | 5.9         |

|         |             |
|---------|-------------|
| 106685P | <b>37.1</b> |
| PFBA    | 5.3         |
| PFBS    | 8.3         |
| PFHpA   | 4.1         |
| PFHxA   | 5.8         |
| PFOA    | 7.9         |
| PFPeA   | 5.7         |
| 101020P | <b>31.5</b> |
| PFBS    | 7.1         |
| PFHpA   | 3.6         |
| PFHxA   | 5           |
| PFOA    | 6.6         |
| PFOS    | 4           |
| PFPeA   | 5.2         |
| 101012P | <b>30.5</b> |
| PFBS    | 4.9         |
| PFHpA   | 3.2         |
| PFHxA   | 5.3         |
| PFOA    | 6.7         |
| PFOS    | 5.2         |
| PFPeA   | 5.2         |
| 106678P | <b>29.1</b> |
| PFBS    | 9.1         |
| PFHpA   | 3           |
| PFHxA   | 5.6         |
| PFOA    | 5.3         |
| PFPeA   | 6.1         |
| 101019P | <b>23.3</b> |
| PFBS    | 11.1        |
| PFHxA   | 5.5         |
| PFPeA   | 6.7         |
| 106683P | <b>21.5</b> |
| PFBS    | 10.5        |
| PFHxA   | 5.6         |
| PFPeA   | 5.4         |
| 101013P | <b>20.8</b> |
| PFBS    | 7           |
| PFHxA   | 4.8         |
| PFOA    | 4           |

|                            |             |
|----------------------------|-------------|
| PFPeA                      | 5           |
| 106684P                    | <b>19.9</b> |
| PFBS                       | 13.4        |
| PFPeA                      | 6.5         |
| 101018P                    | <b>19.6</b> |
| PFBS                       | 9.1         |
| PFHxA                      | 5.6         |
| PFPeA                      | 4.9         |
| 106687P                    | <b>18.6</b> |
| PFBS                       | 5.6         |
| PFHxA                      | 4.2         |
| PFOA                       | 4.7         |
| PFPeA                      | 4.1         |
| 106688P                    | <b>14.7</b> |
| PFBS                       | 3.3         |
| PFHxA                      | 3.3         |
| PFOA                       | 4.9         |
| PFPeA                      | 3.2         |
| 106681P                    | <b>13.7</b> |
| PFBS                       | 4.3         |
| PFHxA                      | 4.5         |
| PFPeA                      | 4.9         |
| 101016P                    | <b>10.8</b> |
| PFBS                       | 3.7         |
| PFHxA                      | 3.4         |
| PFPeA                      | 3.7         |
| 101022P                    | <b>10.1</b> |
| PFBS                       | 3.8         |
| PFHxA                      | 3.2         |
| PFPeA                      | 3.1         |
| 106686P                    | <b>6.1</b>  |
| PFBS                       | 6.1         |
| 101021P                    | <b>5.9</b>  |
| PFBS                       | 5.9         |
| 101023P                    | <b>3</b>    |
| PFHxA                      | 3           |
| <b>TOWN OF POOLESVILLE</b> |             |
| 101032P                    | <b>51.4</b> |
| PFBA                       | 7           |

|                |             |
|----------------|-------------|
| PFBS           | 4.8         |
| PFHpA          | 5.1         |
| PFHxA          | 9.8         |
| PFOA           | 5.4         |
| PFOS           | 5.3         |
| PFPeA          | 14          |
| <b>106694P</b> | <b>46.7</b> |
| PFBA           | 7           |
| PFBS           | 4.2         |
| PFHpA          | 5.4         |
| PFHxA          | 9.8         |
| PFOA           | 5.2         |
| PFPeA          | 15.1        |
| <b>106693P</b> | <b>23.9</b> |
| PFBS           | 4           |
| PFHxA          | 3.7         |
| PFOA           | 5.4         |
| PFOS           | 6.5         |
| PFPeA          | 4.3         |
| <b>101031P</b> | <b>23</b>   |
| PFBS           | 3.6         |
| PFHxA          | 3.9         |
| PFOA           | 5.1         |
| PFOS           | 5.6         |
| PFPeA          | 4.8         |
| <b>106692P</b> | <b>21.3</b> |
| PFBS           | 3.2         |
| PFHxA          | 3.5         |
| PFOA           | 4.8         |
| PFOS           | 6           |
| PFPeA          | 3.8         |
| <b>101030P</b> | <b>19.3</b> |
| PFBS           | 3.1         |
| PFHxA          | 3.8         |
| PFOA           | 4.1         |
| PFOS           | 4.5         |
| PFPeA          | 3.8         |
| <b>106698P</b> | <b>17.4</b> |
| PFHxS          | 6.8         |

|  |             |
|--|-------------|
| PFOA                                   | 4.1         |
| PFOS                                   | 6.5         |
| 101036P                                | <b>12.3</b> |
| PFHxS                                  | 6.9         |
| PFOS                                   | 5.4         |
| 106696P                                | <b>5.3</b>  |
| PFOA                                   | 5.3         |
| 101034P                                | <b>4.7</b>  |
| PFOA                                   | 4.7         |
| <b>GLENELG COUNTRY SCHOOL</b>          |             |
| 103793P                                | <b>47.8</b> |
| PFBA                                   | 5.3         |
| PFBS                                   | 3.5         |
| PFHpA                                  | 3.1         |
| PFHxA                                  | 10          |
| PFNA                                   | 4.4         |
| PFOA                                   | 7.9         |
| PFPeA                                  | 13.6        |
| 103795P                                | <b>29</b>   |
| PFBA                                   | 6.4         |
| PFBS                                   | 5.9         |
| PFHxA                                  | 6.5         |
| PFPeA                                  | 10.2        |
| 103796P                                | <b>3</b>    |
| PFPeA                                  | 3           |
| <b>MARYLAND AMERICAN WATER COMPANY</b> |             |
| 63614901                               | <b>58.3</b> |
| PFBA                                   | 8.7         |
| PFBS                                   | 7.1         |
| PFHpA                                  | 4.1         |
| PFHxA                                  | 9.5         |
| PFOA                                   | 9.3         |
| PFOS                                   | 9.1         |
| PFPeA                                  | 10.5        |
| 63614801                               | <b>18.1</b> |
| PFBS                                   | 4.1         |
| PFHxA                                  | 3.1         |
| PFHxS                                  | 3.4         |
| PFOS                                   | 4.5         |

|                                |             |
|--------------------------------|-------------|
| PFPeA                          | 3           |
| 67884701                       | <b>3.1</b>  |
| PFBS                           | 3.1         |
| <b>TOWN OF MOUNT AIRY</b>      |             |
| 103037P                        | <b>24.9</b> |
| PFBS                           | 3.9         |
| PFHxA                          | 4.6         |
| PFOA                           | 5.1         |
| PFOS                           | 6           |
| PFPeA                          | 5.3         |
| 103038P                        | <b>17.5</b> |
| PFBS                           | 3.8         |
| PFHxA                          | 4.7         |
| PFOA                           | 4.2         |
| PFPeA                          | 4.8         |
| 105440R                        | <b>15</b>   |
| PFBS                           | 6.3         |
| PFHxA                          | 4.1         |
| PFPeA                          | 4.6         |
| 103040P                        | <b>13.4</b> |
| PFHxA                          | 4.6         |
| PFOA                           | 4.4         |
| PFPeA                          | 4.4         |
| <b>CITY OF SALISBURY</b>       |             |
| GG03137-03                     | <b>38.2</b> |
| PFBS                           | 4.1         |
| PFHxA                          | 4.1         |
| PFHxS                          | 6.2         |
| PFOS                           | 20          |
| PFPeA                          | 3.8         |
| GA00691-01                     | <b>27.3</b> |
| PFBS                           | 6.2         |
| PFHxA                          | 3.9         |
| PFOA                           | 5.9         |
| PFOS                           | 7.5         |
| PFPeA                          | 3.8         |
| GA00691-03                     | <b>3.2</b>  |
| PFHxS                          | 3.2         |
| <b>CITY OF WESTMINSTER, MD</b> |             |

|                                  |             |
|----------------------------------|-------------|
| 810-52093-1                      | <b>14.2</b> |
| PFHxS                            | 3.9         |
| PFOA                             | 5.7         |
| PFOS                             | 4.6         |
| 810-60303-1                      | <b>12.5</b> |
| PFHxS                            | 3.4         |
| PFOA                             | 5           |
| PFOS                             | 4.1         |
| 810-69497-1                      | <b>9.1</b>  |
| PFHxS                            | 3.2         |
| PFOA                             | 5.9         |
| 810-60302-1                      | <b>6.2</b>  |
| PFBS                             | 6.2         |
| 810-69499-1                      | <b>6.1</b>  |
| PFBS                             | 6.1         |
| 810-52080-1                      | <b>5.6</b>  |
| PFBS                             | 5.6         |
| 810-80579-1                      | <b>5.4</b>  |
| PFOA                             | 5.4         |
| 810-80580-1                      | <b>5.2</b>  |
| PFBS                             | 5.2         |
| 810-80571-1                      | <b>3.8</b>  |
| PFBS                             | 3.8         |
| <b>CITY OF ABERDEEN</b>          |             |
| 3C03077-01                       | <b>52.5</b> |
| PFBA                             | 5.5         |
| PFBS                             | 4.3         |
| PFHpA                            | 4.2         |
| PFHxA                            | 8.2         |
| PFHxS                            | 5.8         |
| PFOA                             | 7.2         |
| PFOS                             | 8.6         |
| PFPeA                            | 8.7         |
| 3A05117-01                       | <b>9.4</b>  |
| PFBA                             | 9.4         |
| <b>NEW LIFE CHRISTIAN SCHOOL</b> |             |
| 105038P                          | <b>56.7</b> |
| PFBA                             | 6.3         |
| PFBS                             | 6.9         |

|  |             |
|--|-------------|
| PFHpA  | 6.3         |
| PFHxA  | 8.8         |
| PFOA   | 7.1         |
| PFOS   | 9.3         |
| PFPeA  | 12          |
| <b>TOWN OF BERLIN</b>                          |             |
| 100321P  | <b>17.4</b> |
| PFHpA  | 3.1         |
| PFHxA  | 4.4         |
| PFHxS  | 3.8         |
| PFPeA  | 6.1         |
| 105854P  | <b>15.1</b> |
| PFHpA  | 3.5         |
| PFHxA  | 4.8         |
| PFPeA  | 6.8         |
| 105855P  | <b>4.9</b>  |
| PFHxS  | 4.9         |
| 100323P  | <b>4.3</b>  |
| PFHxS  | 4.3         |
| <b>WASHINGTON SUBURBAN SANITARY COMMISSION</b> |             |
| 380-52082-1                                    | <b>11.5</b> |
| PFHxA  | 4.8         |
| PFPeA  | 6.7         |
| 380-56677-1                                    | <b>9.9</b>  |
| PFHxA  | 4.5         |
| PFPeA  | 5.4         |
| <b>TOWN OF NORTH EAST</b>                      |             |
| 103791P  | <b>12.5</b> |
| PFBA   | 12.5        |
| <b>CITY OF ROCKVILLE</b>                       |             |
| 23060681-01                                    | <b>3.8</b>  |
| PFPeA  | 3.8         |
| <b>HOWARD COUNTY D.P.W. DISTRIBUTION</b>       |             |
| 23092319-01                                    | <b>3</b>    |
| PFPeA  | 3           |
| <b>ME</b>                                      |             |
| <b>KENNEBEC WATER DISTRICT</b>                 |             |
| 810-72182-1                                    | <b>14.8</b> |
| PFHpA  | 5.4         |



|                                      |             |
|--------------------------------------|-------------|
| PFHxA                                | 3           |
| PFOA                                 | 6.4         |
| 810-62118-1                          | <b>9.9</b>  |
| PFBA                                 | 6.5         |
| PFHpA                                | 3.4         |
| 810-54453-1                          | <b>8.3</b>  |
| PFHpA                                | 3.9         |
| PFOA                                 | 4.4         |
| <b>FRANKLIN WATER DEPARTMENT, ME</b> |             |
| 101039P                              | <b>9.3</b>  |
| PFHxA                                | 6           |
| PFHxS                                | 3.3         |
| <b>GARDINER WATER DISTRICT</b>       |             |
| 103044P                              | <b>4.2</b>  |
| PFHxS                                | 4.2         |
| <b>MI</b>                            |             |
| <b>KALAMAZOO</b>                     |             |
| 810-74459-1                          | <b>20</b>   |
| PFBS                                 | 6.7         |
| PFHxS                                | 4.2         |
| PFOA                                 | 4           |
| PFOS                                 | 5.1         |
| 810-74439-1                          | <b>16.1</b> |
| PFBS                                 | 6.6         |
| PFHxS                                | 3.1         |
| PFOS                                 | 6.4         |
| 810-79530-1                          | <b>14.8</b> |
| PFBS                                 | 7.6         |
| PFHxS                                | 3.7         |
| PFPeA                                | 3.5         |
| 810-79532-1                          | <b>4.6</b>  |
| PFBS                                 | 4.6         |
| 810-74456-1                          | <b>4.4</b>  |
| PFPeA                                | 4.4         |
| <b>ANN ARBOR</b>                     |             |
| 810-77662-1                          | <b>14.3</b> |
| PFBA                                 | 6.1         |
| PFHxA                                | 3.5         |
| PFPeA                                | 4.7         |

|                             |             |
|-----------------------------|-------------|
| 810-65663-1                 | <b>3.1</b>  |
| PFPeA                       | 3.1         |
| 810-56850-1                 | <b>3</b>    |
| PFPeA                       | 3           |
| <b>AUBURN HILLS</b>         |             |
| 810-70579-1                 | <b>8.2</b>  |
| PFBA                        | 8.2         |
| 810-83034-1                 | <b>5.9</b>  |
| PFBA                        | 5.9         |
| 810-60262-1                 | <b>5.8</b>  |
| PFBA                        | 5.8         |
| <b>SCIO TOWNSHIP</b>        |             |
| 101062P                     | <b>12.7</b> |
| PFHpA                       | 4.2         |
| PFHxA                       | 3.6         |
| PFPeA                       | 4.9         |
| 106721P                     | <b>3.4</b>  |
| PFPeA                       | 3.4         |
| <b>BUENA VISTA TOWNSHIP</b> |             |
| 103048P                     | <b>13</b>   |
| PFBA                        | 13          |
| <b>ALLEN PARK</b>           |             |
| 35770339001SE1              | <b>12</b>   |
| 6:2 FTS                     | 12          |
| <b>FRENCHTOWN TOWNSHIP</b>  |             |
| 810-78898-1                 | <b>9.8</b>  |
| PFBA                        | 9.8         |
| <b>MIDDLEVILLE</b>          |             |
| 106715P                     | <b>4.8</b>  |
| PFBS                        | 4.8         |
| 101054P                     | <b>4.4</b>  |
| PFBS                        | 4.4         |
| <b>MIDLAND, CITY OF</b>     |             |
| 810-71916-1                 | <b>8.9</b>  |
| PFBA                        | 8.9         |
| <b>SAGINAW, CITY OF</b>     |             |
| 810-78382-1                 | <b>7.3</b>  |
| PFBA                        | 7.3         |
| <b>WATERFORD TOWNSHIP</b>   |             |

|                       |       |
|-----------------------|-------|
| 23091048-01           | 6.5   |
| PFHxS                 | 6.5   |
| <b>OAK PARK, MI</b>   |       |
| 810-73397-1           | 6.3   |
| PFBA                  | 6.3   |
| <b>BIRMINGHAM</b>     |       |
| 810-73599-1           | 5.4   |
| PFBA                  | 5.4   |
| <b>PONTIAC</b>        |       |
| 810-71169-1           | 5.1   |
| PFBA                  | 5.1   |
| <b>UNION TOWNSHIP</b> |       |
| 810-66674-1           | 3.3   |
| PFBS                  | 3.3   |
| <b>MN</b>             |       |
| <b>Woodbury</b>       |       |
| 32300824019           | 349.1 |
| PFBA                  | 299   |
| PFBS                  | 6.2   |
| PFHxA                 | 6.9   |
| PFHxS                 | 13    |
| PFOA                  | 7.6   |
| PFPeA                 | 16.4  |
| 32300824009           | 310.9 |
| PFBA                  | 279   |
| PFBS                  | 3.3   |
| PFHxA                 | 5.7   |
| PFOA                  | 5.7   |
| PFPeA                 | 17.2  |
| 32300824001           | 293.9 |
| PFBA                  | 263   |
| PFBS                  | 4     |
| PFHxA                 | 3.5   |
| PFOA                  | 8.7   |
| PFOS                  | 5.5   |
| PFPeA                 | 9.2   |
| 32300824021           | 291.8 |
| PFBA                  | 253   |
| PFBS                  | 3.9   |

|                    |              |
|--------------------|--------------|
| PFHxA              | 5.8          |
| PFHxS              | 5.2          |
| PFOA               | 9.7          |
| PFPeA              | 14.2         |
| <b>32300824013</b> | <b>278.4</b> |
| PFBA               | 238          |
| PFBS               | 5.3          |
| PFHxA              | 4.9          |
| PFHxS              | 5.3          |
| PFOA               | 8.6          |
| PFOS               | 4            |
| PFPeA              | 12.3         |
| <b>32300824027</b> | <b>277.7</b> |
| PFBA               | 262          |
| PFOA               | 6.9          |
| PFPeA              | 8.8          |
| <b>32300824017</b> | <b>253.3</b> |
| PFBA               | 212          |
| PFBS               | 5.4          |
| PFHxA              | 6.6          |
| PFOA               | 13.9         |
| PFPeA              | 15.4         |
| <b>32300824023</b> | <b>239.6</b> |
| PFBA               | 199          |
| PFHxA              | 6.5          |
| PFOA               | 17.1         |
| PFOS               | 8.4          |
| PFPeA              | 8.6          |
| <b>32300824005</b> | <b>200.3</b> |
| PFBA               | 194          |
| PFPeA              | 6.3          |
| <b>32300824025</b> | <b>82.5</b>  |
| PFBA               | 82.5         |
| <b>Lake Elmo</b>   |              |
| <b>106731P</b>     | <b>143.2</b> |
| PFBA               | 140          |
| PFPeA              | 3.2          |
| <b>101580P</b>     | <b>118.7</b> |
| PFBA               | 118.7        |

|                         |              |
|-------------------------|--------------|
| 106732P                 | <b>110</b>   |
| PFBA                    | 98           |
| PFOA                    | 12           |
| 106730P                 | <b>103</b>   |
| PFBA                    | 100          |
| PFPeA                   | 3            |
| 101579P                 | <b>100.8</b> |
| PFBA                    | 100.8        |
| 101581P                 | <b>99.9</b>  |
| PFBA                    | 90.8         |
| PFOA                    | 9.1          |
| <b>North Saint Paul</b> |              |
| WELL #1 ENTRY POINT     | <b>88.5</b>  |
| PFBA                    | 85.1         |
| PFHxS                   | 3.4          |
| 32302446009             | <b>64.3</b>  |
| PFBA                    | 64.3         |
| 32302446005             | <b>40.7</b>  |
| PFBA                    | 36.5         |
| PFOS                    | 4.2          |
| WELL #3 ENTRY POINT     | <b>29.6</b>  |
| PFBA                    | 29.6         |
| WELL #5 ENTRY POINT     | <b>25.6</b>  |
| PFBA                    | 25.6         |
| 32302446007             | <b>25</b>    |
| PFBA                    | 25           |
| 32302446001             | <b>23.6</b>  |
| PFBA                    | 23.6         |
| 32302446003             | <b>15.9</b>  |
| PFBA                    | 15.9         |
| WELL #4 ENTRY POINT     | <b>14.2</b>  |
| PFBA                    | 14.2         |
| WELL #2 ENTRY POINT     | <b>6.6</b>   |
| PFBA                    | 6.6          |
| <b>Rosemount</b>        |              |
| 32301512007             | <b>70.3</b>  |
| PFBA                    | 70.3         |
| 32301512005             | <b>57.7</b>  |
| PFBA                    | 57.7         |

|                         |              |
|-------------------------|--------------|
| 32301512009             | <b>41.7</b>  |
| PFBA                    | 41.7         |
| 32301512015             | <b>36.8</b>  |
| PFBA                    | 36.8         |
| 32301512013             | <b>18.3</b>  |
| PFBA                    | 18.3         |
| 32301512003             | <b>14.9</b>  |
| PFBA                    | 14.9         |
| 32301512011             | <b>9.1</b>   |
| PFBA                    | 9.1          |
| <b>Oak Park Heights</b> |              |
| 103975P                 | <b>127.3</b> |
| PFBA                    | 120          |
| PFHxS                   | 3            |
| PFPeA                   | 4.3          |
| 103976P                 | <b>117.7</b> |
| PFBA                    | 100          |
| PFBS                    | 4            |
| PFHxA                   | 3.7          |
| PFHxS                   | 6            |
| PFPeA                   | 4            |
| <b>Sauk Rapids</b>      |              |
| 32302406001             | <b>62.8</b>  |
| PFBA                    | 6.1          |
| PFBS                    | 4.2          |
| PFHxA                   | 5.2          |
| PFHxS                   | 34.2         |
| PFOA                    | 5.7          |
| PFOS                    | 4.4          |
| PFPeA                   | 3            |
| 32302406003             | <b>47.8</b>  |
| PFBA                    | 10.2         |
| PFBS                    | 6.1          |
| PFHxA                   | 4.4          |
| PFHxS                   | 11.2         |
| PFOA                    | 5            |
| PFOS                    | 6.9          |
| PFPeA                   | 4            |
| <b>Edina</b>            |              |

|                            |             |
|----------------------------|-------------|
| 32302194001                | <b>17.1</b> |
| PFBA                       | 17.1        |
| 32302194003                | <b>12.3</b> |
| PFBA                       | 12.3        |
| 32300897003                | <b>11.9</b> |
| PFBA                       | 11.9        |
| 32300897015                | <b>9.7</b>  |
| PFBA                       | 9.7         |
| 32300897011                | <b>8.9</b>  |
| PFBA                       | 8.9         |
| 32300897009                | <b>7.5</b>  |
| PFBA                       | 7.5         |
| 32300897001                | <b>5.2</b>  |
| PFBA                       | 5.2         |
| <b>Waite Park</b>          |             |
| 103974P                    | <b>71.3</b> |
| PFBA                       | 11          |
| PFBS                       | 4.3         |
| PFHpA                      | 3.4         |
| PFHxA                      | 6.7         |
| PFHxS                      | 16          |
| PFOA                       | 5.4         |
| PFOS                       | 15          |
| PFPeA                      | 9.5         |
| <b>Lino Lakes</b>          |             |
| 32301801001                | <b>40.3</b> |
| PFBA                       | 40.3        |
| 32301801005                | <b>13.5</b> |
| PFBA                       | 13.5        |
| 32301801009                | <b>6.7</b>  |
| PFBA                       | 6.7         |
| <b>Inver Grove Heights</b> |             |
| 32300964001                | <b>49</b>   |
| PFBA                       | 49          |
| <b>Thief River Falls</b>   |             |
| 108799P                    | <b>12</b>   |
| PFBA                       | 12          |
| 103074P                    | <b>12</b>   |
| PFBA                       | 12          |

|                         |             |
|-------------------------|-------------|
| 100348P                 | <b>11</b>   |
| PFBA                    | 11          |
| 105880P                 | <b>9.6</b>  |
| PFBA                    | 9.6         |
| <b>Saint Louis Park</b> |             |
| 32302470005             | <b>9.1</b>  |
| PFBA                    | 9.1         |
| TREATMENT PLANT #4      | <b>8.8</b>  |
| PFBA                    | 8.8         |
| 32302470001             | <b>5.9</b>  |
| PFBA                    | 5.9         |
| 32302470011             | <b>5.4</b>  |
| PFBA                    | 5.4         |
| <b>Little Canada</b>    |             |
| 103973P                 | <b>14</b>   |
| PFBA                    | 14          |
| 106726P                 | <b>12</b>   |
| PFBA                    | 12          |
| <b>Minnetonka</b>       |             |
| 32302633005             | <b>11.7</b> |
| PFBA                    | 11.7        |
| 32302633011             | <b>7.2</b>  |
| PFBA                    | 7.2         |
| 32302633003             | <b>5.5</b>  |
| PFBA                    | 5.5         |
| <b>Robbinsdale</b>      |             |
| 32301904001             | <b>23.8</b> |
| PFBA                    | 20          |
| PFHxS                   | 3.8         |
| <b>Plymouth, MN</b>     |             |
| 32301773001             | <b>14.2</b> |
| PFBA                    | 14.2        |
| 32301773003             | <b>6.4</b>  |
| PFBA                    | 6.4         |
| <b>Roseville</b>        |             |
| 32301989001             | 13.3        |
| PFBA                    | <b>13.3</b> |
| <b>Minneapolis</b>      |             |
| 32302111001             | <b>6.8</b>  |



|                                |             |
|--------------------------------|-------------|
| PFBA                           | 6.8         |
| 32302387003                    | <b>6.4</b>  |
| PFBA                           | 6.4         |
| <b>Eden Prairie</b>            |             |
| 32301538001                    | <b>10.7</b> |
| PFBA                           | 10.7        |
| <b>Zimmerman</b>               |             |
| 106728P                        | <b>5.4</b>  |
| PFBA                           | 5.4         |
| 101070P                        | <b>5.3</b>  |
| PFBA                           | 5.3         |
| <b>Wayzata</b>                 |             |
| 105068P                        | <b>9.9</b>  |
| PFBA                           | 9.9         |
| <b>Mora</b>                    |             |
| 105070P                        | <b>6.4</b>  |
| PFBA                           | 6.4         |
| <b>Golden Valley</b>           |             |
| 32302405001                    | <b>6.4</b>  |
| PFBA                           | 6.4         |
| <b>Rochester, MN</b>           |             |
| 32302641027                    | <b>3.9</b>  |
| PFHxS                          | 3.9         |
| <b>Pipestone</b>               |             |
| 106725P                        | <b>3.6</b>  |
| PFBS                           | 3.6         |
| <b>MO</b>                      |             |
| <b>CAMDENTON PWS</b>           |             |
| 107843P                        | <b>19.5</b> |
| PFHxS                          | 9.2         |
| PFOS                           | 10.3        |
| 102195P                        | 18.1        |
| PFHxS                          | 8.3         |
| PFOS                           | 9.8         |
| <b>ST JAMES PWS</b>            |             |
| 106463R                        | <b>9.1</b>  |
| PFHxA                          | 3.3         |
| PFHxS                          | 5.8         |
| <b>JEFFERSON COUNTY PWSD 6</b> |             |

|   |       |
|---|-------|
| 105087P                                     | 3.9   |
| PFPeA                                       | 3.9   |
| <b>MP</b>                                   |       |
| <b>Commonwealth Utilities Corp (Saipan)</b> |       |
| 380-68531-1                                 | 13.8  |
| PFHxA                                       | 3.3   |
| PFPeA                                       | 10.5  |
| <b>MT</b>                                   |       |
| <b>MALMSTROM AIR FORCE BASE</b>             |       |
| 104030P                                     | 7     |
| PFBA  | 7     |
| 104031P                                     | 7     |
| PFBA  | 7     |
| 101613P                                     | 6.8   |
| PFBA  | 6.8   |
| 101071P                                     | 6.4   |
| PFBA  | 6.4   |
| <b>KALISPELL PUBLIC WORKS</b>               |       |
| C3G2446-03                                  | 11.6  |
| PFHxS                                       | 5     |
| PFOS  | 6.6   |
| C3G2696-01                                  | 3.6   |
| PFHxS                                       | 3.6   |
| <b>HAMILTON CITY OF</b>                     |       |
| 107420R                                     | 3.1   |
| PFBS  | 3.1   |
| <b>NC</b>                                   |       |
| <b>ROBESON COUNTY WATER SYSTEM</b>          |       |
| CB08577-23                                  | 165.2 |
| HFPO-DA                                     | 33    |
| PFBA  | 11    |
| PFBS  | 8.2   |
| PFHpA                                       | 16    |
| PFHxA                                       | 25    |
| PFHxS                                       | 8.3   |
| PFOA  | 30    |
| PFPeA                                       | 29    |
| PFPeS                                       | 4.7   |
| CB01512-23                                  | 149.7 |

|                              |             |
|------------------------------|-------------|
| HFPO-DA                      | 34          |
| PFBA                         | 9.4         |
| PFBS                         | 8.5         |
| PFHpA                        | 13          |
| PFHxA                        | 23          |
| PFHxS                        | 8.4         |
| PFOA                         | 22          |
| PFPeA                        | 27          |
| PFPeS                        | 4.4         |
| <b>CB01512-01</b>            | <b>43.2</b> |
| PFHpA                        | 5.1         |
| PFHxA                        | 9           |
| PFOA                         | 12          |
| PFOS                         | 6.1         |
| PFPeA                        | 11          |
| <b>CB08577-01</b>            | <b>37.9</b> |
| PFHpA                        | 4.6         |
| PFHxA                        | 7.8         |
| PFOA                         | 11          |
| PFOS                         | 5.6         |
| PFPeA                        | 8.9         |
| <b>CB08577-17</b>            | <b>12.7</b> |
| PFHxA                        | 3.3         |
| PFOA                         | 5.5         |
| PFPeA                        | 3.9         |
| <b>CB01512-09</b>            | <b>7.7</b>  |
| PFOA                         | 4.4         |
| PFPeA                        | 3.3         |
| <b>BRAGG COMMUNITIES/NTA</b> |             |
| <b>107941P</b>               | <b>82.4</b> |
| PFBA                         | 11          |
| PFBS                         | 12          |
| PFHpA                        | 5.8         |
| PFHxA                        | 14          |
| PFHxS                        | 3.1         |
| PFOA                         | 9.5         |
| PFOS                         | 13          |
| PFPeA                        | 14          |
| <b>107940P</b>               | <b>79.6</b> |

|                |             |
|----------------|-------------|
| PFBA           | 9.3         |
| PFBS           | 15          |
| PFHpA          | 4.7         |
| PFHxA          | 12          |
| PFHxS          | 3.5         |
| PFOA           | 8.1         |
| PFOS           | 14          |
| PFPeA          | 13          |
| <b>105143P</b> | <b>65.4</b> |
| PFBA           | 8.1         |
| PFBS           | 6.7         |
| PFHpA          | 4.6         |
| PFHxA          | 10.8        |
| PFHxS          | 4.1         |
| PFOA           | 8.9         |
| PFOS           | 11.7        |
| PFPeA          | 10.5        |
| <b>107337R</b> | <b>65</b>   |
| PFBA           | 10.2        |
| PFBS           | 5.9         |
| PFHpA          | 4.4         |
| PFHxA          | 8.8         |
| PFHxS          | 3.4         |
| PFOA           | 8           |
| PFOS           | 13          |
| PFPeA          | 11.3        |
| <b>102295P</b> | <b>58</b>   |
| PFBA           | 10.5        |
| PFBS           | 5.4         |
| PFHpA          | 4.1         |
| PFHxA          | 8.5         |
| PFHxS          | 3.6         |
| PFOA           | 7.8         |
| PFOS           | 10.5        |
| PFPeA          | 7.6         |
| <b>102294P</b> | <b>56.5</b> |
| PFBA           | 10          |
| PFBS           | 5.3         |
| PFHpA          | 4.1         |

|                           |             |
|---------------------------|-------------|
| PFHxA                     | 8.2         |
| PFHxS                     | 3.5         |
| PFOA                      | 7.5         |
| PFOS                      | 10.3        |
| PFPeA                     | 7.6         |
| <b>JAMESTOWN, TOWN OF</b> |             |
| <b>106909P</b>            | <b>55.8</b> |
| PFBA                      | 6.1         |
| PFBS                      | 4.1         |
| PFHpA                     | 4           |
| PFHxA                     | 9           |
| PFHxS                     | 6.3         |
| PFOA                      | 5.9         |
| PFOS                      | 10.4        |
| PFPeA                     | 10          |
| <b>106911P</b>            | <b>47.9</b> |
| PFBA                      | 5.3         |
| PFBS                      | 3.6         |
| PFHpA                     | 3.1         |
| PFHxA                     | 7.4         |
| PFHxS                     | 5.7         |
| PFOA                      | 4.9         |
| PFOS                      | 9.9         |
| PFPeA                     | 8           |
| <b>104044P</b>            | <b>46.9</b> |
| PFBA                      | 9.2         |
| PFBS                      | 6.2         |
| PFHxA                     | 6.5         |
| PFHxS                     | 5.8         |
| PFOA                      | 4           |
| PFOS                      | 8.7         |
| PFPeA                     | 6.5         |
| <b>104043P</b>            | <b>42.5</b> |
| PFBA                      | 11          |
| PFBS                      | 7.1         |
| PFHxA                     | 5.4         |
| PFHxS                     | 4.5         |
| PFOS                      | 8.5         |
| PFPeA                     | 6           |

|                            |             |
|----------------------------|-------------|
| 104045P                    | <b>39.5</b> |
| PFBA                       | 11          |
| PFBS                       | 4.7         |
| PFHxA                      | 5.4         |
| PFHxS                      | 5.3         |
| PFOS                       | 7           |
| PFPeA                      | 6.1         |
| 101090P                    | <b>36.8</b> |
| PFBA                       | 8.5         |
| PFHxA                      | 6.7         |
| PFHxS                      | 4.6         |
| PFOA                       | 4           |
| PFOS                       | 5.3         |
| PFPeA                      | 7.7         |
| 101092P                    | <b>35.3</b> |
| PFBA                       | 11          |
| PFBS                       | 3.3         |
| PFHxA                      | 5.9         |
| PFHxS                      | 3           |
| PFOS                       | 5.9         |
| PFPeA                      | 6.2         |
| 101093P                    | <b>33.5</b> |
| PFBA                       | 7.2         |
| PFBS                       | 7.6         |
| PFHxA                      | 3.9         |
| PFHxS                      | 4.5         |
| PFOS                       | 5.7         |
| PFPeA                      | 4.6         |
| <b>GREENSBORO, CITY OF</b> |             |
| 810-81746-1                | <b>92</b>   |
| PFBA                       | 5.7         |
| PFBS                       | 5.3         |
| PFHpA                      | 3.8         |
| PFHxA                      | 10          |
| PFHxS                      | 16.8        |
| PFOA                       | 5.6         |
| PFOS                       | 35.6        |
| PFPeA                      | 9.2         |
| 810-70298-1                | <b>91.9</b> |

|                      |              |
|----------------------|--------------|
| 6:2 FTS              | 7.2          |
| PFBA                 | 5.9          |
| PFBS                 | 4.6          |
| PFHpA                | 3.7          |
| PFHxA                | 10.4         |
| PFHxS                | 14.2         |
| PFOA                 | 4.9          |
| PFOS                 | 31.3         |
| PFPeA                | 9.7          |
| <b>810-70980-1</b>   | <b>55.5</b>  |
| PFBA                 | 10           |
| PFBS                 | 3.3          |
| PFHxA                | 5.7          |
| PFHxS                | 10.5         |
| PFOS                 | 20.2         |
| PFPeA                | 5.8          |
| <b>810-81738-1</b>   | <b>46.7</b>  |
| PFBS                 | 3.3          |
| PFHxA                | 6.3          |
| PFHxS                | 9.9          |
| PFOS                 | 21.2         |
| PFPeA                | 6            |
| <b>DUNN, CITY OF</b> |              |
| <b>810-80763-1</b>   | <b>109.6</b> |
| PFBA                 | 13.4         |
| PFBS                 | 14.2         |
| PFHpA                | 7.6          |
| PFHxA                | 20.4         |
| PFHxS                | 5.2          |
| PFOA                 | 12           |
| PFOS                 | 14.4         |
| PFPeA                | 22.4         |
| <b>810-72186-1</b>   | <b>64.7</b>  |
| PFBA                 | 9.9          |
| PFBS                 | 6.1          |
| PFHpA                | 4.4          |
| PFHxA                | 9            |
| PFHxS                | 3.3          |
| PFOA                 | 7.9          |

|                                       |              |
|---------------------------------------|--------------|
| PFOS                                  | 13           |
| PFPeA                                 | 11.1         |
| 810-60718-1                           | <b>57.5</b>  |
| PFBA                                  | 11.3         |
| PFBS                                  | 5.3          |
| PFHpA                                 | 3.8          |
| PFHxA                                 | 8            |
| PFHxS                                 | 3            |
| PFOA                                  | 6.9          |
| PFOS                                  | 10.5         |
| PFPeA                                 | 8.7          |
| <b>FAYETTEVILLE PUBLIC WORKS COMM</b> |              |
| 810-81824-1                           | <b>113.4</b> |
| 6:2 FTS                               | 7.7          |
| PFBA                                  | 11.4         |
| PFBS                                  | 12.1         |
| PFHpA                                 | 7            |
| PFHxA                                 | 18.2         |
| PFHxS                                 | 8.2          |
| PFOA                                  | 11           |
| PFOS                                  | 16.3         |
| PFPeA                                 | 21.5         |
| 810-81827-1                           | <b>67.9</b>  |
| PFBS                                  | 6.9          |
| PFHxA                                 | 6.4          |
| PFHxS                                 | 19.1         |
| PFOA                                  | 8.6          |
| PFOS                                  | 21.8         |
| PFPeA                                 | 5.1          |
| <b>BRUNSWICK COUNTY WATER SYSTEM</b>  |              |
| 810-81672-1                           | <b>68.5</b>  |
| HFPO-DA                               | 5.8          |
| PFBA                                  | 7.3          |
| PFBS                                  | 7.1          |
| PFHpA                                 | 4.1          |
| PFHxA                                 | 9.8          |
| PFHxS                                 | 5.2          |
| PFOA                                  | 7            |
| PFOS                                  | 10.7         |



|                               |             |
|-------------------------------|-------------|
| PFPeA                         | 11.5        |
| <b>810-72516-1</b>            | <b>56</b>   |
| PFBA                          | 7.1         |
| PFBS                          | 5.2         |
| PFHpA                         | 3.7         |
| PFHxA                         | 7.5         |
| PFHxS                         | 4.1         |
| PFOA                          | 7.7         |
| PFOS                          | 12.4        |
| PFPeA                         | 8.3         |
| <b>810-50254-1</b>            | <b>37.1</b> |
| PFBS                          | 4.3         |
| PFHpA                         | 3.2         |
| PFHxA                         | 6.3         |
| PFHxS                         | 3.4         |
| PFOA                          | 5.1         |
| PFOS                          | 8.4         |
| PFPeA                         | 6.4         |
| <b>810-59868-1</b>            | <b>13.7</b> |
| PFBA                          | 8.5         |
| PFOS                          | 5.2         |
| <b>BESSEMER CITY, CITY OF</b> |             |
| <b>106897P</b>                | <b>58</b>   |
| PFBA                          | 5.3         |
| PFHpA                         | 8.2         |
| PFHxA                         | 21          |
| PFOA                          | 5.5         |
| PFPeA                         | 18          |
| <b>104036P</b>                | <b>44</b>   |
| PFBA                          | 5.1         |
| PFHpA                         | 6.9         |
| PFHxA                         | 14          |
| PFOA                          | 5           |
| PFPeA                         | 13          |
| <b>101077P</b>                | <b>41.1</b> |
| 6:2 FTS                       | 5           |
| PFBA                          | 6.5         |
| PFHpA                         | 6           |
| PFHxA                         | 8.6         |

|                                |             |
|--------------------------------|-------------|
| PFOA                           | 4           |
| PFPeA                          | 11          |
| <b>LILLINGTON WATER SYSTEM</b> |             |
| 105132P                        | <b>60.8</b> |
| PFBA                           | 8.1         |
| PFBS                           | 5.8         |
| PFHpA                          | 4.3         |
| PFHxA                          | 9.9         |
| PFHxS                          | 3.8         |
| PFOA                           | 7.3         |
| PFOS                           | 11.4        |
| PFPeA                          | 10.2        |
| 102280P                        | <b>56.7</b> |
| PFBA                           | 9.2         |
| PFBS                           | 5           |
| PFHpA                          | 4           |
| PFHxA                          | 8.2         |
| PFHxS                          | 3.6         |
| PFOA                           | 7.9         |
| PFOS                           | 11.3        |
| PFPeA                          | 7.5         |
| <b>LAMPLIGHTER SOUTH-DANBY</b> |             |
| 106902P                        | <b>18.5</b> |
| PFBS                           | 8.9         |
| PFHxS                          | 4.2         |
| PFOS                           | 5.4         |
| 106905P                        | <b>17.6</b> |
| PFBS                           | 3           |
| PFHxA                          | 7.4         |
| PFPeA                          | 7.2         |
| 105505R                        | <b>15.7</b> |
| PFBS                           | 3.1         |
| PFHxA                          | 6.3         |
| PFPeA                          | 6.3         |
| 101085P                        | <b>12.3</b> |
| PFBS                           | 5.3         |
| PFHxA                          | 3.5         |
| PFPeA                          | 3.5         |
| 106904P                        | <b>10.6</b> |

|                                  |             |
|----------------------------------|-------------|
| PFBS                             | 3.3         |
| PFHpA                            | 3.5         |
| PFHxA                            | 3.8         |
| 106903P                          | <b>8.9</b>  |
| PFBS                             | 4.4         |
| PFHxS                            | 4.5         |
| 101082P                          | <b>8.8</b>  |
| PFBS                             | 8.8         |
| 101083P                          | <b>4</b>    |
| PFBS                             | 4           |
| 101084P                          | <b>3.9</b>  |
| PFBS                             | 3.9         |
| <b>UNION COUNTY WATER SYSTEM</b> |             |
| 810-68254-1                      | <b>23.3</b> |
| PFBA                             | 5.5         |
| PFHxA                            | 6.7         |
| PFOA                             | 4.2         |
| PFPeA                            | 6.9         |
| 810-80333-1                      | <b>17.4</b> |
| PFHxA                            | 7.4         |
| PFPeA                            | 10          |
| 810-59137-2                      | <b>12.4</b> |
| PFHxA                            | 6.2         |
| PFPeA                            | 6.2         |
| 810-68253-1                      | <b>12</b>   |
| PFHxA                            | 3.5         |
| PFOS                             | 4.9         |
| PFPeA                            | 3.6         |
| 810-80315-1                      | <b>11.4</b> |
| PFHxA                            | 3.3         |
| PFOS                             | 4.1         |
| PFPeA                            | 4           |
| 810-50771-1                      | <b>9.6</b>  |
| PFHxA                            | 4.5         |
| PFPeA                            | 5.1         |
| 810-59137-1                      | <b>6.5</b>  |
| PFBA                             | 6.5         |
| 810-50777-1                      | <b>6.3</b>  |
| PFHxA                            | 3           |

|                            |             |
|----------------------------|-------------|
| PFPeA                      | 3.3         |
| <b>DURHAM, CITY OF</b>     |             |
| 810-85124-1                | <b>15.3</b> |
| PFBS                       | 5.6         |
| PFOA                       | 4.1         |
| PFOS                       | 5.6         |
| 810-62603-1                | <b>14.6</b> |
| PFBA                       | 5.2         |
| PFBS                       | 4.9         |
| PFOS                       | 4.5         |
| 810-54194-1                | <b>12.3</b> |
| PFBS                       | 6.5         |
| PFOS                       | 5.8         |
| 810-54195-1                | <b>12.1</b> |
| PFBS                       | 6.3         |
| PFOS                       | 5.8         |
| 810-62591-1                | <b>11.5</b> |
| PFBS                       | 5.9         |
| PFOS                       | 5.6         |
| 810-73151-1                | <b>10.6</b> |
| PFBS                       | 5.4         |
| PFOS                       | 5.2         |
| 810-73154-1                | <b>10.1</b> |
| PFBS                       | 5.2         |
| PFOS                       | 4.9         |
| <b>SANFORD, CITY OF</b>    |             |
| GF03146-01                 | <b>76.4</b> |
| PFBA                       | 13          |
| PFBS                       | 7.2         |
| PFHpA                      | 4.8         |
| PFHxA                      | 12          |
| PFHxS                      | 4.9         |
| PFOA                       | 7.5         |
| PFOS                       | 16          |
| PFPeA                      | 11          |
| <b>OAK ISLAND, TOWN OF</b> |             |
| CB12513-01                 | <b>67.5</b> |
| HFPO-DA                    | 5.2         |
| PFBA                       | 6.6         |

|                                       |             |
|---------------------------------------|-------------|
| PFBS                                  | 6           |
| PFHpA                                 | 4.1         |
| PFHxA                                 | 9.5         |
| PFHxS                                 | 5.1         |
| PFOA                                  | 7           |
| PFOS                                  | 12          |
| PFPeA                                 | 12          |
| <b>SEYMOUR JOHNSON AFB</b>            |             |
| 105141P                               | <b>36.3</b> |
| PFBA                                  | 5.5         |
| PFBS                                  | 4.4         |
| PFHxA                                 | 6.2         |
| PFOA                                  | 6.8         |
| PFOS                                  | 7.2         |
| PFPeA                                 | 6.2         |
| 102292P                               | <b>30.6</b> |
| PFBA                                  | 7.1         |
| PFBS                                  | 3.4         |
| PFHxA                                 | 4.2         |
| PFOA                                  | 4.3         |
| PFOS                                  | 6.7         |
| PFPeA                                 | 4.9         |
| <b>SELMA, TOWN OF (COUNTY LINE)</b>   |             |
| 102293P                               | <b>35.7</b> |
| PFBA                                  | 9.5         |
| PFBS                                  | 3.8         |
| PFHxA                                 | 5.4         |
| PFOA                                  | 5.4         |
| PFOS                                  | 6.5         |
| PFPeA                                 | 5.1         |
| 107334R                               | <b>30.3</b> |
| PFBA                                  | 5.8         |
| PFBS                                  | 3.2         |
| PFHxA                                 | 4.6         |
| PFOA                                  | 5.1         |
| PFOS                                  | 6.6         |
| PFPeA                                 | 5           |
| <b>CENTRAL NASH WATER &amp; SEWER</b> |             |
| 107304R                               | <b>22.4</b> |

|                         |             |
|-------------------------|-------------|
| PFBA                    | 5.9         |
| PFOA                    | 6.3         |
| PFOS                    | 10.2        |
| <b>105945P</b>          | <b>15.5</b> |
| PFBA                    | 6.2         |
| PFOA                    | 4.1         |
| PFOS                    | 5.2         |
| <b>108924P</b>          | <b>12.5</b> |
| PFOA                    | 4.8         |
| PFOS                    | 7.7         |
| <b>100421P</b>          | <b>10.5</b> |
| PFOA                    | 5.3         |
| PFOS                    | 5.2         |
| <b>RALEIGH, CITY OF</b> |             |
| <b>Q2332390003</b>      | <b>17.3</b> |
| PFBA                    | 5.5         |
| PFBS                    | 3.3         |
| PFHxA                   | 4.2         |
| PFPeA                   | 4.3         |
| <b>Q2332390001</b>      | <b>16.3</b> |
| PFBA                    | 7.6         |
| PFBS                    | 3.1         |
| PFOS                    | 5.6         |
| <b>810-58297-1</b>      | <b>9</b>    |
| PFBA                    | 9           |
| <b>810-71473-1</b>      | <b>8.3</b>  |
| PFBS                    | 3           |
| PFOS                    | 5.3         |
| <b>Q2319914001</b>      | <b>6.5</b>  |
| PFBS                    | 3.2         |
| PFHxA                   | 3.3         |
| <b>810-62594-1</b>      | <b>3.3</b>  |
| PFPeA                   | 3.3         |
| <b>DALLAS, TOWN OF</b>  |             |
| <b>104038P</b>          | <b>25.4</b> |
| PFBA                    | 7.7         |
| PFBS                    | 3.9         |
| PFHxA                   | 6.3         |
| PFPeA                   | 7.5         |

|                                  |             |
|----------------------------------|-------------|
| 106899P                          | <b>20.8</b> |
| PFHxA                            | 8.2         |
| PFOA                             | 4.1         |
| PFPeA                            | 8.5         |
| 101079P                          | <b>8</b>    |
| PFHxA                            | 4.1         |
| PFPeA                            | 3.9         |
| <b>NORTH LENOIR WATER CORP</b>   |             |
| 810-79089-1                      | <b>49.4</b> |
| PFBA                             | 7.7         |
| PFBS                             | 4.8         |
| PFHxA                            | 6.8         |
| PFHxS                            | 6.8         |
| PFOA                             | 6           |
| PFOS                             | 10.1        |
| PFPeA                            | 7.2         |
| <b>ARCHDALE, CITY OF</b>         |             |
| 810-80048-1                      | <b>46.7</b> |
| PFBA                             | 5.8         |
| PFBS                             | 3.3         |
| PFHpA                            | 3           |
| PFHxA                            | 8.9         |
| PFHxS                            | 4.5         |
| PFOA                             | 4.8         |
| PFOS                             | 6.9         |
| PFPeA                            | 9.5         |
| <b>EASTERN PINES WATER CORP</b>  |             |
| 810-76032-1                      | <b>46.5</b> |
| PFBA                             | 6.5         |
| PFBS                             | 4.4         |
| PFHxA                            | 6.4         |
| PFHxS                            | 5.3         |
| PFOA                             | 6.1         |
| PFOS                             | 10.4        |
| PFPeA                            | 7.4         |
| <b>GREENVILLE UTILITIES COMM</b> |             |
| 810-75880-1                      | <b>37.1</b> |
| PFBA                             | 6.9         |
| PFBS                             | 6.1         |

|                             |             |
|-----------------------------|-------------|
| PFHxA                       | 5.1         |
| PFOA                        | 7.6         |
| PFOS                        | 6.3         |
| PFPeA                       | 5.1         |
| 810-63471-1                 | <b>9.2</b>  |
| PFBA                        | 5.2         |
| PFOS                        | 4           |
| <b>WADESBORO, TOWN OF</b>   |             |
| 105127P                     | <b>13</b>   |
| PFHxA                       | 4           |
| PFOS                        | 5.1         |
| PFPeA                       | 3.9         |
| 105128P                     | <b>12.6</b> |
| PFHxA                       | 3.8         |
| PFOS                        | 4.9         |
| PFPeA                       | 3.9         |
| 107922P                     | <b>7.1</b>  |
| PFHxA                       | 3.2         |
| PFPeA                       | 3.9         |
| 102274P                     | <b>6.7</b>  |
| PFBA                        | 6.7         |
| 102275P                     | <b>6.1</b>  |
| PFBA                        | 6.1         |
| <b>WINGATE, TOWN OF</b>     |             |
| 105126P                     | <b>12.6</b> |
| PFHxA                       | 3.9         |
| PFOS                        | 4.9         |
| PFPeA                       | 3.8         |
| 107920P                     | <b>11.9</b> |
| PFHxA                       | 3.6         |
| PFOS                        | 4           |
| PFPeA                       | 4.3         |
| 102273P                     | <b>10.6</b> |
| PFBA                        | 10.6        |
| <b>WINTERVILLE, TOWN OF</b> |             |
| 107937P                     | <b>21.3</b> |
| PFBS                        | 3.3         |
| PFHxA                       | 3           |
| PFOA                        | 4.7         |



|                            |             |
|----------------------------|-------------|
| PFOS                       | 6.6         |
| PFPeA                      | 3.7         |
| 105140P                    | <b>8.9</b>  |
| PFOA                       | 4.4         |
| PFOS                       | 4.5         |
| <b>CHARLOTTE WATER</b>     |             |
| 810-73119-1                | <b>9.7</b>  |
| PFBA                       | 9.7         |
| 810-73117-1                | <b>8.7</b>  |
| PFBA                       | 5.3         |
| PFPeA                      | 3.4         |
| 810-73112-1                | <b>3.4</b>  |
| PFPeA                      | 3.4         |
| 810-73114-1                | <b>3.3</b>  |
| PFPeA                      | 3.3         |
| 810-73118-1                | <b>3.3</b>  |
| PFPeA                      | 3.3         |
| <b>APEX, TOWN OF</b>       |             |
| 810-75886-1                | <b>27.5</b> |
| PFBA                       | 8.9         |
| PFBS                       | 4           |
| PFHxA                      | 6.8         |
| PFPeA                      | 7.8         |
| <b>ROCKINGHAM, CITY OF</b> |             |
| CB05544-01                 | <b>11.5</b> |
| PFHxA                      | 3.6         |
| PFOS                       | 4.2         |
| PFPeA                      | 3.7         |
| CB09467-05                 | <b>8.3</b>  |
| PFOA                       | 4.1         |
| PFOS                       | 4.2         |
| CB12685-05                 | <b>4.2</b>  |
| PFOS                       | 4.2         |
| CB01591-05                 | <b>3.2</b>  |
| PFHxS                      | 3.2         |
| <b>DIAMOND HEAD S/D</b>    |             |
| 105119P                    | <b>22.7</b> |
| PFBS                       | 5.8         |
| PFHxA                      | 3.8         |

|  |             |
|--|-------------|
| PFHxS  | 4.9         |
| PFOA   | 4.6         |
| PFPeA  | 3.6         |
| <b>PENDER COUNTY UTILITIES</b>                 |             |
| 32302747001                                    | <b>22.7</b> |
| PFBA   | 5           |
| PFBS   | 5.3         |
| PFHxA  | 4.8         |
| PFPeA  | 7.6         |
| <b>SELMA, TOWN OF</b>                          |             |
| 105501R  | <b>20.1</b> |
| PFBS   | 3           |
| PFHxS  | 7.4         |
| PFOS   | 9.7         |
| <b>OXFORD, CITY OF</b>                         |             |
| 101088P  | <b>7.3</b>  |
| PFBA   | 7.3         |
| 104042P  | <b>6.9</b>  |
| PFBA   | 6.9         |
| 106908P  | <b>5.3</b>  |
| PFOS   | 5.3         |
| <b>SOUTH GRANVILLE WTR&amp;SEWER AUTHORITY</b> |             |
| 35803045001SE1                                 | <b>19</b>   |
| PFOA   | 7           |
| PFOS   | 12          |
| <b>NORTHAMPTON--LAKE GASTON</b>                |             |
| 100416P  | <b>6.2</b>  |
| PFOS   | 6.2         |
| 108918P  | <b>5.7</b>  |
| PFOS   | 5.7         |
| 109336R  | <b>5.5</b>  |
| PFOS   | 5.5         |
| <b>MOORE CO PUBLIC UTIL-PINEHURST</b>          |             |
| M3H0914-03                                     | <b>6.6</b>  |
| PFOS   | 6.6         |
| M3H0914-27                                     | <b>4.3</b>  |
| PFHxS  | 4.3         |
| M3H0914-29                                     | <b>3.6</b>  |
| PFHxS  | 3.6         |

|                                       |             |
|---------------------------------------|-------------|
| <b>HANDY SANITARY DISTRICT</b>        |             |
| 104041P                               | <b>10</b>   |
| PFBA                                  | 6.2         |
| PFBS                                  | 3.8         |
| 106907P                               | <b>4.1</b>  |
| PFOS                                  | 4.1         |
| <b>BLADEN CO WTR DIST-EAST BLADEN</b> |             |
| 102276P                               | <b>13.6</b> |
| HFPO-DA                               | 13.6        |
| <b>RICHMOND COUNTY WATER SYSTEM</b>   |             |
| 35831979003SE1                        | <b>13</b>   |
| 6:2 FTS                               | 6.6         |
| PFBS                                  | 3.1         |
| PFPeA                                 | 3.3         |
| <b>MOCKSVILLE, TOWN OF</b>            |             |
| 105930P                               | <b>12.3</b> |
| 6:2 FTS                               | 12.3        |
| <b>FARM WATER WORKS</b>               |             |
| 103140P                               | <b>11.9</b> |
| PFHxS                                 | 7.7         |
| PFOS                                  | 4.2         |
| <b>MONROE, CITY OF</b>                |             |
| GG05052-01                            | <b>4.7</b>  |
| PFBS                                  | 4.7         |
| GI04108-01                            | <b>3.1</b>  |
| PFBS                                  | 3.1         |
| <b>BROAD RIVER WATER AUTHORITY</b>    |             |
| 810-61538-1                           | <b>5.1</b>  |
| PFBA                                  | 5.1         |
| <b>OLD FORT, TOWN OF</b>              |             |
| 106900P                               | <b>5.1</b>  |
| PFBS                                  | 5.1         |
| <b>HENDERSON-KERR LAKE REG WTR</b>    |             |
| 810-82547-1                           | <b>4.8</b>  |
| PFOS                                  | 4.8         |
| <b>LAKE ROYALE S/D</b>                |             |
| 105931P                               | <b>4.8</b>  |
| PFOS                                  | 4.8         |
| <b>WILLIAMSTON, TOWN OF</b>           |             |

|  |      |
|--|------|
| 103142P                                      | 4.4  |
| PFOS   | 4.4  |
| <b>ELIZABETHTOWN, TOWN OF</b>                |      |
| 105502R                                      | 4    |
| PFHxS  | 4    |
| <b>BLUE RIDGE WATER ASSOCIATION</b>          |      |
| 103135P                                      | 3.7  |
| PFBS   | 3.7  |
| <b>SOUTHERN OUTER BANKS WTR SYST</b>         |      |
| 104056P                                      | 3.7  |
| PFBS   | 3.7  |
| <b>BOONE, TOWN OF</b>                        |      |
| GJ02156-01                                   | 3.5  |
| PFPeA  | 3.5  |
| <b>Wrightsville Beach Water</b>              |      |
| 107934P                                      | 3    |
| PFPeA  | 3    |
| <b>ND</b>                                    |      |
| <b>GRAND FORKS REGIONAL WTP</b>              |      |
| 810-84025-1                                  | 8.6  |
| PFBA   | 8.6  |
| <b>CASS RURAL WATER DISTRICT FARGO</b>       |      |
| 104057P                                      | 7.3  |
| PFBA   | 7.3  |
| <b>NORTHWEST RURAL WATER DISTRICT, ND</b>    |      |
| 104550R                                      | 6.3  |
| PFBA   | 6.3  |
| <b>SOUTH CENTRAL REGIONAL WATER DISTRICT</b> |      |
| 104484R                                      | 5.9  |
| PFBA   | 5.9  |
| <b>NE</b>                                    |      |
| <b>NORTH PLATTE, CITY OF</b>                 |      |
| CB07804-03                                   | 23.5 |
| PFHxS  | 6.5  |
| PFOS   | 17   |
| <b>HASTINGS, CITY OF</b>                     |      |
| CB11159-01                                   | 12.6 |
| PFHxS  | 6    |
| PFOS   | 6.6  |

|                               |      |
|-------------------------------|------|
| CB02800-01                    | 5.3  |
| PFHxS                         | 5.3  |
| <b>BLAIR, CITY OF</b>         |      |
| 104076P                       | 7.7  |
| PFBA                          | 7.7  |
| <b>GRAND ISLAND, CITY OF</b>  |      |
| 3107902FRS                    | 7.5  |
| PFOS                          | 7.5  |
| <b>NH</b>                     |      |
| <b>PORTSMOUTH WATER WORKS</b> |      |
| L2341083-05                   | 27   |
| PFBS                          | 4    |
| PFHxA                         | 4    |
| PFHxS                         | 4    |
| PFOA                          | 6    |
| PFOS                          | 4    |
| PFPeA                         | 5    |
| L2341083-03                   | 26   |
| PFBS                          | 3    |
| PFHxA                         | 4    |
| PFHxS                         | 5    |
| PFOA                          | 5    |
| PFOS                          | 4    |
| PFPeA                         | 5    |
| L2341083-11                   | 8    |
| PFHxA                         | 4    |
| PFPeA                         | 4    |
| L2361360-01                   | 5    |
| PFBA                          | 5    |
| <b>PEU/LITCHFIELD</b>         |      |
| 102311P                       | 24.3 |
| PFHpA                         | 3    |
| PFHxA                         | 5.4  |
| PFOA                          | 8.1  |
| PFPeA                         | 7.8  |
| 107957P                       | 13.8 |
| PFHxA                         | 3.2  |
| PFOA                          | 6.8  |
| PFPeA                         | 3.8  |

|                                   |             |
|-----------------------------------|-------------|
| <b>CENTRAL HOOKSETT WATER PCT</b> |             |
| 104078P                           | <b>28</b>   |
| PFBA                              | 28          |
| 106924P                           | <b>4.9</b>  |
| PFOA                              | 4.9         |
| 101107P                           | <b>4.3</b>  |
| PFOA                              | 4.3         |
| <b>JAFFREY WATER WORKS</b>        |             |
| 105957P                           | <b>17.6</b> |
| PFHxS                             | 11          |
| PFOA                              | 6.6         |
| 100433P                           | <b>12.8</b> |
| PFHxS                             | 7.5         |
| PFOA                              | 5.3         |
| 100431P                           | <b>5.6</b>  |
| PFOS                              | 5.6         |
| <b>MANCHESTER WATER WORKS, NH</b> |             |
| L2362963-01                       | <b>5</b>    |
| PFOA                              | 5           |
| L2312340-01                       | <b>4</b>    |
| PFOA                              | 4           |
| L2336418-01                       | <b>4</b>    |
| PFOA                              | 4           |
| <b>PEMBROKE WATER WORKS</b>       |             |
| 100437P                           | <b>12.4</b> |
| PFBS                              | 5.9         |
| PFOS                              | 6.5         |
| <b>PEU/LONDONDERRY</b>            |             |
| 107958P                           | <b>6.1</b>  |
| PFOA                              | 6.1         |
| 105151P                           | <b>4.3</b>  |
| PFOA                              | 4.3         |
| <b>LITTLE POND ESTATES</b>        |             |
| 106923P                           | <b>5.4</b>  |
| PFOA                              | 5.4         |
| 101106P                           | <b>4.4</b>  |
| PFOA                              | 4.4         |
| <b>NJ</b>                         |             |
| <b>RIDGEWOOD WATER</b>            |             |

|             |             |
|-------------|-------------|
| 810-55771-1 | <b>96.3</b> |
| PFBA        | 8.1         |
| PFBS        | 6.7         |
| PFHpA       | 6.9         |
| PFHxA       | 16.3        |
| PFHxS       | 4           |
| PFOA        | 29.8        |
| PFOS        | 11.7        |
| PFPeA       | 12.8        |
| 810-77440-1 | <b>92.1</b> |
| PFBA        | 8           |
| PFBS        | 7.7         |
| PFHpA       | 6.9         |
| PFHxA       | 10          |
| PFHxS       | 4.3         |
| PFOA        | 31.4        |
| PFOS        | 12.9        |
| PFPeA       | 10.9        |
| 810-55190-1 | <b>91.3</b> |
| PFBA        | 7.8         |
| PFBS        | 7.4         |
| PFHpA       | 7           |
| PFHxA       | 10          |
| PFHxS       | 4.5         |
| PFOA        | 29.8        |
| PFOS        | 13.7        |
| PFPeA       | 11.1        |
| 810-77218-1 | <b>90.9</b> |
| PFBA        | 7.4         |
| PFBS        | 6.6         |
| PFHpA       | 6.9         |
| PFHxA       | 13.8        |
| PFHxS       | 3.9         |
| PFOA        | 30.4        |
| PFOS        | 9.8         |
| PFPeA       | 12.1        |
| 810-77230-1 | <b>87.2</b> |
| PFBA        | 6.7         |
| PFBS        | 6.7         |

|                    |             |
|--------------------|-------------|
| PFHpA              | 7.2         |
| PFHxA              | 12.5        |
| PFHxS              | 3.5         |
| PFOA               | 28          |
| PFOS               | 10.3        |
| PFPeA              | 12.3        |
| <b>810-77460-1</b> | <b>77.2</b> |
| PFBA               | 6.2         |
| PFBS               | 7.8         |
| PFHpA              | 5.4         |
| PFHpS              | 3           |
| PFHxA              | 6.9         |
| PFHxS              | 3.5         |
| PFOA               | 28.3        |
| PFOS               | 8.8         |
| PFPeA              | 7.3         |
| <b>810-55544-1</b> | <b>75.3</b> |
| PFBA               | 6.8         |
| PFBS               | 6.2         |
| PFHpA              | 6.1         |
| PFHxA              | 9.4         |
| PFHxS              | 3           |
| PFOA               | 24.7        |
| PFOS               | 9.5         |
| PFPeA              | 9.6         |
| <b>810-77447-1</b> | <b>73.9</b> |
| PFBA               | 5.7         |
| PFBS               | 5.7         |
| PFHpA              | 6.5         |
| PFHxA              | 8.5         |
| PFHxS              | 3.9         |
| PFOA               | 27          |
| PFOS               | 8.1         |
| PFPeA              | 8.5         |
| <b>810-85000-1</b> | <b>73.7</b> |
| PFBA               | 5.6         |
| PFBS               | 6.3         |
| PFHpA              | 5.7         |
| PFHxA              | 7.8         |



|                    |             |
|--------------------|-------------|
| PFHxS              | 4.9         |
| PFOA               | 27.2        |
| PFOS               | 8.2         |
| PFPeA              | 8           |
| <b>810-55536-1</b> | <b>68.8</b> |
| PFBA               | 5.9         |
| PFBS               | 6           |
| PFHpA              | 5.4         |
| PFHxA              | 7.1         |
| PFHxS              | 4.7         |
| PFOA               | 24.7        |
| PFOS               | 7.9         |
| PFPeA              | 7.1         |
| <b>810-55195-1</b> | <b>68</b>   |
| PFBA               | 5.6         |
| PFBS               | 5.7         |
| PFHpA              | 4.9         |
| PFHxA              | 7.1         |
| PFHxS              | 4.9         |
| PFOA               | 20.1        |
| PFOS               | 12.6        |
| PFPeA              | 7.1         |
| <b>810-55193-1</b> | <b>66.4</b> |
| PFBA               | 8.7         |
| PFBS               | 8.3         |
| PFHpA              | 5           |
| PFHxA              | 14.5        |
| PFOA               | 9.7         |
| PFPeA              | 20.2        |
| <b>810-77456-1</b> | <b>65.3</b> |
| PFBA               | 6.3         |
| PFBS               | 6.1         |
| PFHpA              | 5           |
| PFHxA              | 6.7         |
| PFHxS              | 3.3         |
| PFOA               | 21.5        |
| PFOS               | 9.3         |
| PFPeA              | 7.1         |
| <b>810-55532-1</b> | <b>58</b>   |

|                    |             |
|--------------------|-------------|
| PFBA               | 5           |
| PFBS               | 4.3         |
| PFHpA              | 4.2         |
| PFHxA              | 6.3         |
| PFHxS              | 3.1         |
| PFOA               | 21.2        |
| PFOS               | 8.2         |
| PFPeA              | 5.7         |
| <b>810-65673-1</b> | <b>57.8</b> |
| PFBA               | 6.2         |
| PFBS               | 4           |
| PFHpA              | 3.4         |
| PFHxA              | 10.9        |
| PFHxS              | 3.7         |
| PFOA               | 11.5        |
| PFOS               | 7.4         |
| PFPeA              | 10.7        |
| <b>810-56381-1</b> | <b>57</b>   |
| PFBA               | 5.4         |
| PFBS               | 6.3         |
| PFHpA              | 4.4         |
| PFHxA              | 5.9         |
| PFOA               | 20.2        |
| PFOS               | 8.8         |
| PFPeA              | 6           |
| <b>810-77225-1</b> | <b>54.4</b> |
| PFBS               | 4.6         |
| PFHpA              | 4.3         |
| PFHxA              | 6.2         |
| PFHxS              | 3           |
| PFOA               | 22.7        |
| PFOS               | 7.9         |
| PFPeA              | 5.7         |
| <b>810-77394-1</b> | <b>53.7</b> |
| PFBA               | 5.9         |
| PFBS               | 3.8         |
| PFHpA              | 3.3         |
| PFHxA              | 9.2         |
| PFHxS              | 3.8         |

|                    |             |
|--------------------|-------------|
| PFOA               | 10          |
| PFOS               | 7.8         |
| PFPeA              | 9.9         |
| <b>810-77227-1</b> | <b>50.5</b> |
| PFBS               | 4.6         |
| PFHpA              | 4.1         |
| PFHxA              | 5.6         |
| PFHxS              | 3.7         |
| PFOA               | 18.8        |
| PFOS               | 8.1         |
| PFPeA              | 5.6         |
| <b>810-82725-1</b> | <b>43.8</b> |
| PFBA               | 10.7        |
| PFHxA              | 6.4         |
| PFPeA              | 26.7        |
| <b>810-77452-1</b> | <b>43.4</b> |
| PFBS               | 3.6         |
| PFHpA              | 4           |
| PFHxA              | 5.1         |
| PFOA               | 19.7        |
| PFOS               | 5.4         |
| PFPeA              | 5.6         |
| <b>810-65669-1</b> | <b>41.8</b> |
| PFBA               | 5.4         |
| PFBS               | 3.8         |
| PFHpA              | 4.1         |
| PFHxA              | 5.9         |
| PFOA               | 12.8        |
| PFOS               | 4.1         |
| PFPeA              | 5.7         |
| <b>810-55187-1</b> | <b>34</b>   |
| PFBA               | 6.6         |
| PFBS               | 3.6         |
| PFHpA              | 3.4         |
| PFHxA              | 5.1         |
| PFOA               | 9.8         |
| PFPeA              | 5.5         |
| <b>810-55782-1</b> | <b>29.4</b> |
| PFBS               | 3.6         |

|                             |              |
|-----------------------------|--------------|
| PFHpA                       | 3.2          |
| PFHxA                       | 3.8          |
| PFOA                        | 15.1         |
| PFPeA                       | 3.7          |
| <b>810-55541-1</b>          | <b>27.7</b>  |
| PFBA                        | 5.1          |
| PFHxA                       | 5.2          |
| PFOA                        | 7.2          |
| PFOS                        | 5.7          |
| PFPeA                       | 4.5          |
| <b>810-77217-1</b>          | <b>26.7</b>  |
| PFBA                        | 8.4          |
| PFHxA                       | 5.6          |
| PFPeA                       | 12.7         |
| <b>810-77385-1</b>          | <b>23.6</b>  |
| PFBA                        | 7            |
| PFHxA                       | 4.4          |
| PFOA                        | 7.5          |
| PFPeA                       | 4.7          |
| <b>810-55775-1</b>          | <b>10.6</b>  |
| PFBA                        | 6.9          |
| PFPeA                       | 3.7          |
| <b>HO HO KUS WATER DEPT</b> |              |
| <b>106930P</b>              | <b>109.2</b> |
| PFBA                        | 9.4          |
| PFBS                        | 4.8          |
| PFHpA                       | 8.1          |
| PFHxA                       | 12.4         |
| PFHxS                       | 5.5          |
| PFNA                        | 4.7          |
| PFOA                        | 29.3         |
| PFOS                        | 21           |
| PFPeA                       | 14           |
| <b>101116P</b>              | <b>107.3</b> |
| PFBA                        | 7.2          |
| PFBS                        | 13.8         |
| PFHpA                       | 6.5          |
| PFHxA                       | 9            |
| PFHxS                       | 7.8          |

|                |              |
|----------------|--------------|
| PFNA           | 10.8         |
| PFOA           | 27.5         |
| PFOS           | 16.1         |
| PFPeA          | 8.6          |
| <b>106933P</b> | <b>106.7</b> |
| PFBA           | 6.8          |
| PFBS           | 13.5         |
| PFHpA          | 5.9          |
| PFHxA          | 7.5          |
| PFHxS          | 4.7          |
| PFNA           | 16.1         |
| PFOA           | 30.4         |
| PFOS           | 14.4         |
| PFPeA          | 7.4          |
| <b>106931P</b> | <b>73</b>    |
| PFBA           | 7            |
| PFBS           | 4.6          |
| PFHpA          | 5.5          |
| PFHxA          | 9.3          |
| PFHxS          | 3.4          |
| PFOA           | 23.8         |
| PFOS           | 10.2         |
| PFPeA          | 9.2          |
| <b>101115P</b> | <b>66.2</b>  |
| PFBA           | 6.6          |
| PFBS           | 4.8          |
| PFHpA          | 4.2          |
| PFHxA          | 4.9          |
| PFHxS          | 4.2          |
| PFNA           | 6.8          |
| PFOA           | 20.9         |
| PFOS           | 9            |
| PFPeA          | 4.8          |
| <b>106932P</b> | <b>66</b>    |
| PFBA           | 6.6          |
| PFBS           | 4.9          |
| PFHpA          | 4            |
| PFHxA          | 4.5          |
| PFHxS          | 4.6          |

|                            |             |
|----------------------------|-------------|
| PFNA                       | 6           |
| PFOA                       | 21.6        |
| PFOS                       | 9           |
| PFPeA                      | 4.8         |
| <b>101113P</b>             | <b>65.9</b> |
| PFBA                       | 6.9         |
| PFBS                       | 3.7         |
| PFHpA                      | 6.2         |
| PFHxA                      | 8.6         |
| PFOA                       | 25          |
| PFOS                       | 7.3         |
| PFPeA                      | 8.2         |
| <b>101114P</b>             | <b>60.7</b> |
| PFBA                       | 5.9         |
| PFBS                       | 5.3         |
| PFHpA                      | 4.7         |
| PFHxA                      | 6.3         |
| PFHxS                      | 3.6         |
| PFOA                       | 20.3        |
| PFOS                       | 8.1         |
| PFPeA                      | 6.5         |
| <b>WALDWICK WATER DEPT</b> |             |
| <b>810-70970-1</b>         | <b>82.7</b> |
| PFBA                       | 8.6         |
| PFBS                       | 7           |
| PFHpA                      | 6.6         |
| PFHxA                      | 12          |
| PFNA                       | 5.5         |
| PFOA                       | 20.6        |
| PFOS                       | 10          |
| PFPeA                      | 12.4        |
| <b>810-70968-1</b>         | <b>77.2</b> |
| PFBA                       | 7.4         |
| PFBS                       | 4.6         |
| PFHpA                      | 7.1         |
| PFHxA                      | 12          |
| PFNA                       | 4.4         |
| PFOA                       | 21.9        |
| PFOS                       | 8.3         |

|                              |             |
|------------------------------|-------------|
| PFPeA                        | 11.5        |
| <b>810-70973-1</b>           | <b>73.7</b> |
| PFBA                         | 6           |
| PFBS                         | 5.3         |
| PFHpA                        | 6           |
| PFHxA                        | 10          |
| PFHxS                        | 3.9         |
| PFOA                         | 23.3        |
| PFOS                         | 9.2         |
| PFPeA                        | 10          |
| <b>810-70964-1</b>           | <b>60</b>   |
| PFBA                         | 5.5         |
| PFBS                         | 4.6         |
| PFHpA                        | 4.8         |
| PFHxA                        | 5.8         |
| PFHxS                        | 3.8         |
| PFOA                         | 19          |
| PFOS                         | 10.2        |
| PFPeA                        | 6.3         |
| <b>810-60250-1</b>           | <b>38.1</b> |
| PFBA                         | 24.3        |
| PFPeA                        | 13.8        |
| <b>PARK RIDGE WATER DEPT</b> |             |
| <b>810-78880-1</b>           | <b>49.7</b> |
| PFBA                         | 6.1         |
| PFBS                         | 5.1         |
| PFHxA                        | 4.5         |
| PFNA                         | 8.1         |
| PFOA                         | 10.1        |
| PFOS                         | 9.9         |
| PFPeA                        | 5.9         |
| <b>810-78886-1</b>           | <b>41.9</b> |
| PFHxA                        | 3.6         |
| PFHxS                        | 13.8        |
| PFOA                         | 7.2         |
| PFOS                         | 14.1        |
| PFPeA                        | 3.2         |
| <b>810-78837-1</b>           | <b>38.8</b> |
| PFBS                         | 4           |

|             |             |
|-------------|-------------|
| PFHpA       | 3.4         |
| PFHxA       | 4.3         |
| PFOA        | 17.2        |
| PFOS        | 5.7         |
| PFPeA       | 4.2         |
| 810-57526-1 | <b>34</b>   |
| PFBA        | 5.2         |
| PFBS        | 5           |
| PFHxA       | 3.5         |
| PFOA        | 9.8         |
| PFOS        | 6.8         |
| PFPeA       | 3.7         |
| 810-57521-1 | <b>24.6</b> |
| PFHxS       | 10.3        |
| PFOA        | 6           |
| PFOS        | 8.3         |
| 810-78888-1 | <b>23.3</b> |
| PFBS        | 3.5         |
| PFHxA       | 3.2         |
| PFOA        | 13.3        |
| PFPeA       | 3.3         |
| 810-57523-1 | <b>17.4</b> |
| PFOA        | 12.4        |
| PFOS        | 5           |
| 810-57518-1 | <b>17.2</b> |
| PFBS        | 3.2         |
| PFOA        | 10.9        |
| PFPeA       | 3.1         |
| 810-78891-1 | <b>15.8</b> |
| PFOA        | 10.5        |
| PFOS        | 5.3         |
| 810-57532-1 | <b>13.2</b> |
| PFOA        | 9.1         |
| PFOS        | 4.1         |
| 810-78856-1 | <b>9.9</b>  |
| PFBA        | 5.3         |
| PFPeA       | 4.6         |
| 810-78831-1 | <b>8.1</b>  |
| PFHxA       | 4           |



|                                    |             |
|------------------------------------|-------------|
| PFPeA                              | 4.1         |
| 810-57531-1                        | <b>7.2</b>  |
| PFHxA                              | 3.5         |
| PFPeA                              | 3.7         |
| 810-57530-1                        | <b>5</b>    |
| PFBA                               | 5           |
| 810-57529-1                        | <b>4.7</b>  |
| PFOA                               | 4.7         |
| 810-78893-1                        | <b>4.4</b>  |
| PFOA                               | 4.4         |
| 810-78883-1                        | <b>3.6</b>  |
| PFPeA                              | 3.6         |
| 810-57525-1                        | <b>3</b>    |
| PFPeA                              | 3           |
| <b>SOUTHEAST MORRIS COUNTY MUA</b> |             |
| 810-73139-1                        | <b>58.6</b> |
| PFBA                               | 12.4        |
| PFBS                               | 3.8         |
| PFHpA                              | 3.1         |
| PFHxA                              | 9.2         |
| PFHxS                              | 3.1         |
| PFOA                               | 9.8         |
| PFOS                               | 6.8         |
| PFPeA                              | 10.4        |
| 810-83801-1                        | <b>43.4</b> |
| PFBA                               | 11.9        |
| PFBS                               | 3.1         |
| PFHxA                              | 6.5         |
| PFOA                               | 8.9         |
| PFOS                               | 6           |
| PFPeA                              | 7           |
| 810-73088-1                        | <b>41</b>   |
| PFBA                               | 7           |
| PFBS                               | 4.4         |
| PFHxA                              | 6.7         |
| PFHxS                              | 7.1         |
| PFOA                               | 8.3         |
| PFPeA                              | 7.5         |
| 810-52103-1                        | <b>38.8</b> |

|   |             |
|---|-------------|
| PFBA  | 7.2         |
| PFBS  | 3.8         |
| PFHxA   | 6.3         |
| PFHxS   | 6.8         |
| PFOA  | 7.2         |
| PFPeA   | 7.5         |
| 810-52096-1                                   | <b>24</b>   |
| PFHxA   | 3.4         |
| PFOA  | 10.9        |
| PFOS  | 5.4         |
| PFPeA   | 4.3         |
| 810-73097-1                                   | <b>23.8</b> |
| PFHxA   | 3.4         |
| PFOA  | 10.9        |
| PFOS  | 5.6         |
| PFPeA   | 3.9         |
| 810-61927-1                                   | <b>19.9</b> |
| PFBA  | 15.7        |
| PFOA  | 4.2         |
| 810-73092-1                                   | <b>19.3</b> |
| PFHxA   | 3.9         |
| PFOA  | 12.1        |
| PFPeA   | 3.3         |
| 810-52320-1                                   | <b>17.4</b> |
| PFHxA   | 3.9         |
| PFOA  | 10.1        |
| PFPeA   | 3.4         |
| 810-52101-1                                   | <b>12.6</b> |
| PFHxA   | 3.4         |
| PFOA  | 5.9         |
| PFPeA   | 3.3         |
| 810-73390-1                                   | <b>5.4</b>  |
| PFOA  | 5.4         |
| 810-73379-1                                   | <b>5</b>    |
| PFOS  | 5           |
| 810-52315-1                                   | <b>4.7</b>  |
| PFOA  | 4.7         |
| <b>PARSIPPANY-TROY HILLS WATER DEPARTMENT</b> |             |
| 810-79043-1                                   | <b>39</b>   |

|                    |             |
|--------------------|-------------|
| PFBA               | 5.4         |
| PFBS               | 5.8         |
| PFHxA              | 4.7         |
| PFHxS              | 6.5         |
| PFOA               | 8.9         |
| PFOS               | 4.5         |
| PFPeA              | 3.2         |
| <b>810-77841-1</b> | <b>35.6</b> |
| PFHpA              | 3           |
| PFHxA              | 4.6         |
| PFHxS              | 5.1         |
| PFOA               | 8.2         |
| PFOS               | 9.3         |
| PFPeA              | 5.4         |
| <b>810-78376-1</b> | <b>33.5</b> |
| PFBS               | 7           |
| PFHxA              | 7.1         |
| PFHxS              | 5.8         |
| PFOA               | 7.8         |
| PFPeA              | 5.8         |
| <b>810-78261-1</b> | <b>32.6</b> |
| PFBA               | 5.1         |
| PFBS               | 4.7         |
| PFHxA              | 4.8         |
| PFHxS              | 4.1         |
| PFOA               | 9.1         |
| PFPeA              | 4.8         |
| <b>810-78357-1</b> | <b>27.7</b> |
| PFBS               | 3.5         |
| PFHxA              | 5.3         |
| PFHxS              | 3.2         |
| PFOA               | 9.9         |
| PFPeA              | 5.8         |
| <b>810-79060-1</b> | <b>26.5</b> |
| PFBS               | 5.3         |
| PFHxA              | 6           |
| PFHxS              | 6.9         |
| PFOA               | 5.2         |
| PFPeA              | 3.1         |

|                                       |             |
|---------------------------------------|-------------|
| 810-79061-1                           | <b>19.2</b> |
| PFBS                                  | 4.1         |
| PFHxA                                 | 4.3         |
| PFHxS                                 | 4.8         |
| PFOA                                  | 6           |
| 810-79237-1                           | <b>7.2</b>  |
| PFHxS                                 | 3.2         |
| PFOA                                  | 4           |
| 810-79242-1                           | <b>5.8</b>  |
| PFOA                                  | 5.8         |
| 810-78186-1                           | <b>5.7</b>  |
| PFOA                                  | 5.7         |
| 810-77870-1                           | <b>5.4</b>  |
| PFOA                                  | 5.4         |
| 810-78171-1                           | <b>5.1</b>  |
| PFOA                                  | 5.1         |
| 810-80524-1                           | <b>4.1</b>  |
| PFOA                                  | 4.1         |
| <b>PENNSVILLE TWSP. WATER DEPART.</b> |             |
| CB09470-01                            | <b>87</b>   |
| PFBA                                  | 10          |
| PFHpA                                 | 13          |
| PFHxA                                 | 24          |
| PFOA                                  | 19          |
| PFPeA                                 | 21          |
| CB06136-01                            | <b>83.4</b> |
| PFBA                                  | 14          |
| PFHpA                                 | 11          |
| PFHxA                                 | 27          |
| PFOA                                  | 6.4         |
| PFPeA                                 | 25          |
| CB01163-01                            | <b>61.3</b> |
| PFBA                                  | 6.9         |
| PFHpA                                 | 9.4         |
| PFHxA                                 | 18          |
| PFOA                                  | 12          |
| PFPeA                                 | 15          |
| CB09470-03                            | <b>3.5</b>  |
| PFHxA                                 | 3.5         |

|  |             |
|--|-------------|
| CB01163-03                             | <b>3.3</b>  |
| PFHxA                                  | 3.3         |
| <b>OAKLAND WATER DEPT, NJ</b>          |             |
| 35811292001SE1                         | <b>90.9</b> |
| PFBA                                   | 6           |
| PFBS                                   | 15          |
| PFHpA                                  | 4.6         |
| PFHxA                                  | 8.1         |
| PFHxS                                  | 3.8         |
| PFOA                                   | 22          |
| PFOS                                   | 23          |
| PFPeA                                  | 8.4         |
| GF04954-01                             | <b>86</b>   |
| PFBA                                   | 6.2         |
| PFBS                                   | 14          |
| PFHpA                                  | 4           |
| PFHxA                                  | 6.8         |
| PFHxS                                  | 3.6         |
| PFOA                                   | 21          |
| PFOS                                   | 23          |
| PFPeA                                  | 7.4         |
| 35800405007SE1                         | <b>35</b>   |
| PFBS                                   | 3.6         |
| PFHxA                                  | 4.7         |
| PFHxS                                  | 3.2         |
| PFOA                                   | 12          |
| PFOS                                   | 7.2         |
| PFPeA                                  | 4.3         |
| 35800405005SE1                         | <b>15.7</b> |
| PFBS                                   | 3.1         |
| PFOA                                   | 6.3         |
| PFOS                                   | 6.3         |
| <b>NJ AMERICAN WATER - SHORT HILLS</b> |             |
| 67248501                               | <b>45.2</b> |
| PFBA                                   | 6.5         |
| PFHxA                                  | 11.2        |
| PFPeA                                  | 27.5        |
| 61934001                               | <b>40.1</b> |
| PFBA                                   | 6.5         |

|                 |             |
|-----------------|-------------|
| PFHxA           | 6.4         |
| PFPeA           | 27.2        |
| <b>67248601</b> | <b>22</b>   |
| PFBA            | 5.1         |
| PFHxA           | 4.5         |
| PFOA            | 7.9         |
| PFPeA           | 4.5         |
| <b>67249001</b> | <b>21.3</b> |
| PFHxA           | 4.3         |
| PFOA            | 5.9         |
| PFOS            | 6.1         |
| PFPeA           | 5           |
| <b>63458001</b> | <b>18.5</b> |
| PFHxA           | 4           |
| PFOA            | 6           |
| PFOS            | 4.3         |
| PFPeA           | 4.2         |
| <b>68430601</b> | <b>14.4</b> |
| PFHxA           | 3.7         |
| PFOA            | 6.7         |
| PFPeA           | 4           |
| <b>63457901</b> | <b>9.2</b>  |
| PFOA            | 6.1         |
| PFPeA           | 3.1         |
| <b>67248201</b> | <b>8.3</b>  |
| PFBS            | 3           |
| PFOA            | 5.3         |
| <b>61934401</b> | <b>7.9</b>  |
| PFHxS           | 3.6         |
| PFOA            | 4.3         |
| <b>67248101</b> | <b>7.2</b>  |
| PFOA            | 4           |
| PFPeA           | 3.2         |
| <b>67248401</b> | <b>5.5</b>  |
| PFOA            | 5.5         |
| <b>61934101</b> | <b>5.4</b>  |
| PFOA            | 5.4         |
| <b>61933901</b> | <b>4.7</b>  |
| PFOA            | 4.7         |

|                             |             |
|-----------------------------|-------------|
| 61934201                    | <b>4.5</b>  |
| PFOA                        | 4.5         |
| 67248701                    | <b>4.1</b>  |
| PFOA                        | 4.1         |
| 61933601                    | <b>4.1</b>  |
| PFOA                        | 4.1         |
| 67248301                    | <b>3.1</b>  |
| PFHxS                       | 3.1         |
| <b>ALLENDALE WATER DEPT</b> |             |
| 100440P                     | <b>51.6</b> |
| PFBS                        | 3           |
| PFHpA                       | 3.8         |
| PFHxA                       | 5.4         |
| PFHxS                       | 5.2         |
| PFOA                        | 15.7        |
| PFOS                        | 13.1        |
| PFPeA                       | 5.4         |
| 105963P                     | <b>43.5</b> |
| PFHpA                       | 4.7         |
| PFHxA                       | 7           |
| PFOA                        | 17.8        |
| PFOS                        | 6.8         |
| PFPeA                       | 7.2         |
| 104419P                     | <b>37.9</b> |
| PFBA                        | 9.6         |
| PFBS                        | 3.6         |
| PFHpA                       | 3.5         |
| PFHxA                       | 5.4         |
| PFOA                        | 10.7        |
| PFPeA                       | 5.1         |
| 105962P                     | <b>34.3</b> |
| PFBA                        | 5.2         |
| PFBS                        | 3.3         |
| PFHpA                       | 3.5         |
| PFHxA                       | 5.7         |
| PFOA                        | 10.7        |
| PFPeA                       | 5.9         |
| 100849P                     | <b>25.8</b> |
| PFBS                        | 3.2         |

|                                    |             |
|------------------------------------|-------------|
| PFHpA                              | 3.2         |
| PFHxA                              | 5.1         |
| PFOA                               | 9.2         |
| PFPeA                              | 5.1         |
| 105965P                            | <b>10.2</b> |
| PFOA                               | 10.2        |
| 100441P                            | <b>8.6</b>  |
| PFOA                               | 8.6         |
| <b>EAST HANOVER TWP WATER DEPT</b> |             |
| 68171701                           | <b>55.4</b> |
| PFBA                               | 7.4         |
| PFBS                               | 3.1         |
| PFHpA                              | 4.6         |
| PFHxA                              | 8           |
| PFHxS                              | 4.9         |
| PFOA                               | 11          |
| PFOS                               | 5           |
| PFPeA                              | 11.4        |
| 62987601                           | <b>55</b>   |
| PFBA                               | 8           |
| PFBS                               | 3           |
| PFHpA                              | 4.7         |
| PFHxA                              | 7.3         |
| PFHxS                              | 5.2         |
| PFOA                               | 10.9        |
| PFOS                               | 5.3         |
| PFPeA                              | 10.6        |
| 66804901                           | <b>43.7</b> |
| PFBA                               | 6.4         |
| PFHpA                              | 3           |
| PFHxA                              | 6.6         |
| PFHxS                              | 3           |
| PFOA                               | 9.5         |
| PFOS                               | 7.9         |
| PFPeA                              | 7.3         |
| 68171901                           | <b>21.3</b> |
| PFHxA                              | 4.4         |
| PFOA                               | 7           |
| PFOS                               | 4.9         |



|  |             |
|--|-------------|
| PFPeA                                    | 5           |
| 68171801                                 | <b>5.7</b>  |
| PFOA                                     | 5.7         |
| 62987701                                 | <b>5.5</b>  |
| PFOA                                     | 5.5         |
| <b>NJ AMERICAN WATER - COASTAL NORTH</b> |             |
| 63479701                                 | <b>25.9</b> |
| PFBS                                     | 9.2         |
| PFHxA                                    | 4.6         |
| PFOA                                     | 7.3         |
| PFPeA                                    | 4.8         |
| 61950601                                 | <b>18.7</b> |
| 6:2 FTS                                  | 6.8         |
| PFHxA                                    | 4           |
| PFOA                                     | 4.7         |
| PFPeA                                    | 3.2         |
| 67267701                                 | <b>15.2</b> |
| PFHxA                                    | 4.6         |
| PFOA                                     | 6.5         |
| PFPeA                                    | 4.1         |
| 67267901                                 | <b>13.9</b> |
| PFHxA                                    | 4.1         |
| PFOA                                     | 5.9         |
| PFPeA                                    | 3.9         |
| 68445401                                 | <b>13.3</b> |
| PFHxA                                    | 4.4         |
| PFOA                                     | 5           |
| PFPeA                                    | 3.9         |
| 63479101                                 | <b>12</b>   |
| PFHxA                                    | 3.6         |
| PFOA                                     | 5.4         |
| PFPeA                                    | 3           |
| 68445701                                 | <b>11.7</b> |
| PFHxA                                    | 3.6         |
| PFOA                                     | 4.8         |
| PFPeA                                    | 3.3         |
| 61950801                                 | <b>11.7</b> |
| PFHxA                                    | 3.8         |
| PFOA                                     | 4.8         |

|                           |              |
|---------------------------|--------------|
| PFPeA                     | 3.1          |
| 68445601                  | <b>11.1</b>  |
| PFHxA                     | 3.3          |
| PFOA                      | 4.5          |
| PFPeA                     | 3.3          |
| 63479401                  | <b>8.9</b>   |
| PFHxA                     | 3.4          |
| PFOA                      | 5.5          |
| 67267801                  | <b>7.4</b>   |
| PFHxA                     | 3.2          |
| PFOA                      | 4.2          |
| 67267601                  | <b>5.1</b>   |
| PFOA                      | 5.1          |
| 63479001                  | <b>4.5</b>   |
| PFOA                      | 4.5          |
| 68445301                  | <b>4.4</b>   |
| PFOA                      | 4.4          |
| 63479301                  | <b>4.1</b>   |
| PFOA                      | 4.1          |
| 61950501                  | <b>4</b>     |
| PFOA                      | 4            |
| <b>BEAR TAVERN SCHOOL</b> |              |
| 105969P                   | <b>106.8</b> |
| PFBA                      | 14.2         |
| PFHpA                     | 6            |
| PFHxA                     | 10.3         |
| PFHxS                     | 3.2          |
| PFNA                      | 6.5          |
| PFOA                      | 14.7         |
| PFOS                      | 38.1         |
| PFPeA                     | 13.8         |
| 100445P                   | <b>31.8</b>  |
| PFBA                      | 15           |
| PFHxA                     | 3.2          |
| PFOS                      | 9.5          |
| PFPeA                     | 4.1          |
| <b>WINSLOW TWP DMU</b>    |              |
| 810-83568-1               | <b>35.8</b>  |
| PFHxA                     | 4.9          |

|                              |             |
|------------------------------|-------------|
| PFHxS                        | 3.8         |
| PFOA                         | 10.4        |
| PFOS                         | 10.8        |
| PFPeA                        | 5.9         |
| <b>810-61533-1</b>           | <b>23.8</b> |
| PFHxA                        | 8.3         |
| PFOA                         | 4.9         |
| PFPeA                        | 10.6        |
| <b>810-72178-1</b>           | <b>22</b>   |
| PFBA                         | 10.2        |
| PFHxA                        | 4           |
| PFOA                         | 4           |
| PFPeA                        | 3.8         |
| <b>810-83571-1</b>           | <b>21.3</b> |
| PFHxA                        | 7.2         |
| PFOA                         | 5.3         |
| PFPeA                        | 8.8         |
| <b>810-61662-1</b>           | <b>13.2</b> |
| PFBA                         | 5.7         |
| PFHxA                        | 4.1         |
| PFPeA                        | 3.4         |
| <b>810-83552-1</b>           | <b>6.7</b>  |
| PFHxA                        | 3.4         |
| PFPeA                        | 3.3         |
| <b>810-61961-1</b>           | <b>5.1</b>  |
| PFOA                         | 5.1         |
| <b>810-83548-1</b>           | <b>4.8</b>  |
| PFOA                         | 4.8         |
| <b>BURLINGTON TWP W DEPT</b> |             |
| <b>810-73826-1</b>           | <b>51.2</b> |
| PFBS                         | 7.4         |
| PFHpA                        | 4           |
| PFHxA                        | 5.6         |
| PFHxS                        | 4           |
| PFOA                         | 18.5        |
| PFOS                         | 6.7         |
| PFPeA                        | 5           |
| <b>810-55057-1</b>           | <b>43.7</b> |
| PFBS                         | 6           |

|                                      |             |
|--------------------------------------|-------------|
| PFHpA                                | 3.4         |
| PFHxA                                | 5.1         |
| PFHxS                                | 3.9         |
| PFOA                                 | 13.3        |
| PFOS                                 | 7.2         |
| PFPeA                                | 4.8         |
| 810-73825-1                          | <b>18.5</b> |
| PFHxA                                | 3.4         |
| PFOA                                 | 11.3        |
| PFPeA                                | 3.8         |
| 810-55060-1                          | <b>18.2</b> |
| PFHxA                                | 3.7         |
| PFOA                                 | 10.7        |
| PFPeA                                | 3.8         |
| <b>MONROE TWP UTILITY DEPARTMENT</b> |             |
| 810-57133-1                          | <b>77.6</b> |
| PFBA                                 | 11.3        |
| PFHpA                                | 6.9         |
| PFHxA                                | 11.2        |
| PFHxS                                | 13.6        |
| PFOA                                 | 11.2        |
| PFOS                                 | 11.5        |
| PFPeA                                | 11.9        |
| 810-57043-1                          | <b>44.7</b> |
| PFBA                                 | 7.3         |
| PFHpA                                | 4.1         |
| PFHxA                                | 6           |
| PFHxS                                | 3.9         |
| PFOA                                 | 10.5        |
| PFOS                                 | 6.7         |
| PFPeA                                | 6.2         |
| 810-57045-1                          | <b>3.3</b>  |
| PFHxS                                | 3.3         |
| <b>LAKWOOD TWP MUA</b>               |             |
| 810-69662-1                          | <b>28</b>   |
| PFBS                                 | 10.1        |
| PFHxA                                | 4.8         |
| PFOA                                 | 8.2         |
| PFPeA                                | 4.9         |

|                        |             |
|------------------------|-------------|
| 810-80299-1            | <b>27.6</b> |
| PFBS                   | 9.7         |
| PFHxA                  | 4.5         |
| PFOA                   | 8.6         |
| PFPeA                  | 4.8         |
| 810-69680-1            | <b>14.4</b> |
| PFBS                   | 3           |
| PFHxA                  | 5.2         |
| PFPeA                  | 6.2         |
| 810-65786-1            | <b>13.6</b> |
| PFHxA                  | 3.5         |
| PFOA                   | 6           |
| PFPeA                  | 4.1         |
| 810-69673-1            | <b>13</b>   |
| PFHxA                  | 3.1         |
| PFOA                   | 6.3         |
| PFPeA                  | 3.6         |
| 810-84450-1            | <b>8</b>    |
| PFHxA                  | 3           |
| PFOA                   | 5           |
| 810-69666-1            | <b>4.8</b>  |
| PFOA                   | 4.8         |
| <b>WANAQUE W DEPT.</b> |             |
| 810-76729-1            | <b>50.1</b> |
| PFBS                   | 12.7        |
| PFHpA                  | 3.2         |
| PFHxA                  | 3.6         |
| PFOA                   | 14.8        |
| PFOS                   | 12.2        |
| PFPeA                  | 3.6         |
| 810-76704-1            | <b>32.3</b> |
| PFBS                   | 5.7         |
| PFHxA                  | 3.8         |
| PFOA                   | 12          |
| PFOS                   | 6.7         |
| PFPeA                  | 4.1         |
| 810-76738-1            | <b>15.8</b> |
| PFHxS                  | 3.2         |
| PFOA                   | 5.2         |

|                                 |             |
|---------------------------------|-------------|
| PFOS                            | 7.4         |
| 810-76583-1                     | <b>5</b>    |
| PFOA                            | 5           |
| <b>SOUTH BRUNSWICK TWP W DI</b> |             |
| 35826807001SE1                  | <b>47.4</b> |
| PFBA                            | 10          |
| PFBS                            | 3.8         |
| PFHpA                           | 5.1         |
| PFHxA                           | 6.8         |
| PFOA                            | 14          |
| PFPeA                           | 7.7         |
| 35799006001SE1                  | <b>40.1</b> |
| PFBA                            | 12          |
| PFHpA                           | 6.3         |
| PFHxA                           | 7.9         |
| PFOA                            | 5.2         |
| PFPeA                           | 8.7         |
| <b>CLINTON W DEPT</b>           |             |
| 3H06464-19                      | <b>26.8</b> |
| PFHxA                           | 6           |
| PFOA                            | 5.9         |
| PFOS                            | 7.2         |
| PFPeA                           | 7.7         |
| 3H06464-01                      | <b>21.3</b> |
| PFBS                            | 3.3         |
| PFHxA                           | 3.3         |
| PFOA                            | 6           |
| PFOS                            | 4.8         |
| PFPeA                           | 3.9         |
| 3H06464-09                      | <b>20</b>   |
| PFHxA                           | 3.1         |
| PFOA                            | 7.7         |
| PFOS                            | 5.4         |
| PFPeA                           | 3.8         |
| 3H06464-11                      | <b>18.4</b> |
| PFHxA                           | 3.2         |
| PFOA                            | 6.8         |
| PFOS                            | 5.1         |
| PFPeA                           | 3.3         |

|                                 |             |
|---------------------------------|-------------|
| <b>BOONTON WATER DEPT</b>       |             |
| 107967P                         | <b>35.9</b> |
| PFBA                            | 5.1         |
| PFBS                            | 3           |
| PFHpA                           | 3.1         |
| PFHxA                           | 4.7         |
| PFOA                            | 11.1        |
| PFOS                            | 4.5         |
| PFPeA                           | 4.4         |
| 102318P                         | <b>18.5</b> |
| PFHxA                           | 3.1         |
| PFOA                            | 8           |
| PFOS                            | 4.1         |
| PFPeA                           | 3.3         |
| 105160P                         | <b>16.6</b> |
| PFHxA                           | 4           |
| PFOA                            | 8.7         |
| PFPeA                           | 3.9         |
| 107966P                         | <b>9.7</b>  |
| PFOA                            | 5.7         |
| PFOS                            | 4           |
| 102319P                         | <b>5.5</b>  |
| PFOA                            | 5.5         |
| <b>MATAWAN BOROUGH WATER DE</b> |             |
| 103164P                         | <b>68.4</b> |
| PFBA                            | 65          |
| PFHxA                           | 3.4         |
| 100447P                         | <b>12.7</b> |
| PFHxA                           | 4.2         |
| PFOA                            | 5.4         |
| PFPeA                           | 3.1         |
| <b>SADDLE BROOK WATER DEPT</b>  |             |
| 810-71666-1                     | <b>45.1</b> |
| PFBA                            | 10.3        |
| PFBS                            | 3.5         |
| PFHpA                           | 3.8         |
| PFHxA                           | 6.1         |
| PFOA                            | 10.7        |
| PFOS                            | 4.1         |

|                                 |             |
|---------------------------------|-------------|
| PFPeA                           | 6.6         |
| <b>810-80719-1</b>              | <b>31.3</b> |
| PFBA                            | 5           |
| PFBS                            | 3.2         |
| PFHpA                           | 3.3         |
| PFHxA                           | 5.4         |
| PFOA                            | 8.9         |
| PFPeA                           | 5.5         |
| <b>WASHINGTON TWP MUA-SCHOO</b> |             |
| <b>105167P</b>                  | <b>29.9</b> |
| PFBS                            | 3           |
| PFHxA                           | 4.3         |
| PFOA                            | 9.1         |
| PFOS                            | 9.3         |
| PFPeA                           | 4.2         |
| <b>107352R</b>                  | <b>12.4</b> |
| PFBA                            | 7.1         |
| PFOA                            | 5.3         |
| <b>107351R</b>                  | <b>11.3</b> |
| PFOA                            | 7.3         |
| PFOS                            | 4           |
| <b>105164P</b>                  | <b>5.8</b>  |
| PFOA                            | 5.8         |
| <b>105161P</b>                  | <b>5.5</b>  |
| PFOA                            | 5.5         |
| <b>105168P</b>                  | <b>4.5</b>  |
| PFOA                            | 4.5         |
| <b>NETCONG WATER DEPT</b>       |             |
| <b>103175P</b>                  | <b>28.5</b> |
| PFHxA                           | 4.8         |
| PFHxS                           | 6.1         |
| PFOA                            | 7.6         |
| PFOS                            | 5.2         |
| PFPeA                           | 4.8         |
| <b>103174P</b>                  | <b>28.2</b> |
| PFHpA                           | 3.3         |
| PFHxA                           | 4.5         |
| PFOA                            | 8.6         |
| PFOS                            | 5.9         |



|                                       |             |
|---------------------------------------|-------------|
| PFPeA                                 | 5.9         |
| 103173P                               | <b>9.9</b>  |
| PFHxA                                 | 3.2         |
| PFOA                                  | 6.7         |
| <b>GARFIELD WATER DEPARTMENT</b>      |             |
| 810-81252-1                           | <b>24.6</b> |
| PFHxA                                 | 5.3         |
| PFOA                                  | 8.4         |
| PFOS                                  | 5.6         |
| PFPeA                                 | 5.3         |
| 810-81247-1                           | <b>14.1</b> |
| PFBA                                  | 14.1        |
| 810-81256-1                           | <b>13.6</b> |
| PFBA                                  | 13.6        |
| 810-81242-1                           | <b>11.6</b> |
| PFBA                                  | 11.6        |
| <b>WEST CALDWELL WATER DEPARTMENT</b> |             |
| 810-78570-1                           | <b>31.7</b> |
| PFBA                                  | 5           |
| PFHxA                                 | 6.2         |
| PFOA                                  | 8.3         |
| PFOS                                  | 5.5         |
| PFPeA                                 | 6.7         |
| 810-70274-1                           | <b>27.7</b> |
| PFBA                                  | 5.1         |
| PFHxA                                 | 4.7         |
| PFOA                                  | 7.7         |
| PFOS                                  | 5.4         |
| PFPeA                                 | 4.8         |
| <b>MOUNT OLIVE TWP W D MAIN</b>       |             |
| 103170P                               | <b>20.4</b> |
| PFHxA                                 | 3.8         |
| PFOA                                  | 6.4         |
| PFOS                                  | 5           |
| PFPeA                                 | 5.2         |
| 103171P                               | <b>19.6</b> |
| PFHxA                                 | 3.7         |
| PFOA                                  | 6           |
| PFOS                                  | 4.8         |

|  |             |
|--|-------------|
| PFPeA  | 5.1         |
| 103172P                                      | <b>19.4</b> |
| PFHxA  | 3.4         |
| PFOA   | 6.1         |
| PFOS   | 4.9         |
| PFPeA  | 5           |
| <b>NJ AMERICAN WATER - WASHINGTON/OXFORD</b> |             |
| 68083801                                     | <b>11.7</b> |
| PFOA   | 4.7         |
| PFOS   | 7           |
| 61938901                                     | <b>11.4</b> |
| PFOA   | 5.1         |
| PFOS   | 6.3         |
| 68084101                                     | <b>10.7</b> |
| PFOA   | 4.7         |
| PFOS   | 6           |
| 68083901                                     | <b>9.7</b>  |
| PFOA   | 4.7         |
| PFOS   | 5           |
| 61938601                                     | <b>7.1</b>  |
| PFOS   | 7.1         |
| 61938801                                     | <b>4.3</b>  |
| PFOS   | 4.3         |
| 68084001                                     | <b>3</b>    |
| PFHxS  | 3           |
| <b>JERSEY CITY MUA</b>                       |             |
| 35835106001SE3                               | <b>26.7</b> |
| PFHxA  | 3.5         |
| PFHxS  | 4.9         |
| PFOA   | 7.6         |
| PFOS   | 6.7         |
| PFPeA  | 4           |
| 35839749001SE4                               | <b>24.7</b> |
| PFHxA  | 3.1         |
| PFHxS  | 4.9         |
| PFOA   | 6.9         |
| PFOS   | 6.2         |
| PFPeA  | 3.6         |
| <b>MONTVILLE TWP MUA</b>                     |             |

|  |             |
|--|-------------|
| 810-73447-1                            | <b>32.6</b> |
| PFHxA                                  | 4.5         |
| PFHxS                                  | 5.3         |
| PFOA                                   | 7.4         |
| PFOS                                   | 9.3         |
| PFPeA                                  | 6.1         |
| 810-73453-1                            | <b>8.6</b>  |
| PFBS                                   | 3.1         |
| PFOA                                   | 5.5         |
| 810-73451-1                            | <b>4.5</b>  |
| PFOA                                   | 4.5         |
| 810-73448-1                            | <b>4.5</b>  |
| PFOA                                   | 4.5         |
| <b>NJ AMERICAN WATER - UNION BEACH</b> |             |
| 103166P                                | <b>25.3</b> |
| PFBA                                   | 11.9        |
| PFHxA                                  | 4.4         |
| PFOA                                   | 5.6         |
| PFPeA                                  | 3.4         |
| 101781R                                | <b>20.9</b> |
| PFBA                                   | 7.5         |
| PFHxA                                  | 4.5         |
| PFOA                                   | 5.4         |
| PFPeA                                  | 3.5         |
| <b>WALL TWP WATER DEPT</b>             |             |
| CB11414-01                             | <b>18.4</b> |
| PFHxA                                  | 3.9         |
| PFOA                                   | 6.1         |
| PFOS                                   | 4.6         |
| PFPeA                                  | 3.8         |
| CB11414-07                             | <b>17</b>   |
| PFHxA                                  | 3.6         |
| PFOA                                   | 6           |
| PFOS                                   | 4.2         |
| PFPeA                                  | 3.2         |
| CB11414-11                             | <b>8.3</b>  |
| PFHxA                                  | 3.1         |
| PFOA                                   | 5.2         |
| <b>WALLINGTON WATER DEPT</b>           |             |

|                                   |             |
|-----------------------------------|-------------|
| 810-70270-1                       | <b>20.1</b> |
| PFHxA                             | 4           |
| PFOA                              | 7.1         |
| PFOS                              | 5           |
| PFPeA                             | 4           |
| 810-81377-1                       | <b>19.2</b> |
| PFHxA                             | 3.6         |
| PFOA                              | 6.9         |
| PFOS                              | 4.7         |
| PFPeA                             | 4           |
| <b>PENNINGTON SHOP-RITE</b>       |             |
| 100446P                           | <b>37.2</b> |
| PFHxA                             | 15.8        |
| PFOA                              | 7.9         |
| PFPeA                             | 13.5        |
| <b>SUEZ WATER TOMS RIVER</b>      |             |
| 35836173003SE1                    | <b>22.1</b> |
| PFBS                              | 7.9         |
| PFOA                              | 9.8         |
| PFOS                              | 4.4         |
| 35836173001SE1                    | <b>8</b>    |
| PFBS                              | 8           |
| GH01842-01                        | <b>4.9</b>  |
| PFOS                              | 4.9         |
| <b>MT OLIVE VILLAGES WATER</b>    |             |
| 103167P                           | <b>11.7</b> |
| PFOA                              | 5.5         |
| PFOS                              | 6.2         |
| 103169P                           | <b>11.2</b> |
| PFOA                              | 5.3         |
| PFOS                              | 5.9         |
| 103168P                           | <b>10.8</b> |
| PFOA                              | 5.1         |
| PFOS                              | 5.7         |
| <b>WESTVILLE WATER DEPARTMENT</b> |             |
| 103159P                           | <b>32.6</b> |
| PFNA                              | 16.7        |
| PFOA                              | 7.8         |
| PFOS                              | 4.7         |

|                                       |             |
|---------------------------------------|-------------|
| PFPeA                                 | 3.4         |
| <b>HARRISON W DEPT</b>                |             |
| 810-73814-1                           | <b>30.8</b> |
| PFHxA                                 | 7.2         |
| PFOA                                  | 8.8         |
| PFOS                                  | 6.2         |
| PFPeA                                 | 8.6         |
| <b>NJ AMERICAN WATER - SHORELANDS</b> |             |
| 67736501                              | <b>14.7</b> |
| PFHxA                                 | 4.3         |
| PFOA                                  | 6.1         |
| PFPeA                                 | 4.3         |
| 63811601                              | <b>14.2</b> |
| PFHxA                                 | 4.1         |
| PFOA                                  | 6.5         |
| PFPeA                                 | 3.6         |
| <b>SUEZ WATER MANALAPAN KNOB HILL</b> |             |
| 107964P                               | <b>28.6</b> |
| PFBA                                  | 7.6         |
| PFHxA                                 | 8.5         |
| PFOA                                  | 6.6         |
| PFPeA                                 | 5.9         |
| <b>ELMWOOD PARK WATER DEPT</b>        |             |
| GG02037-01                            | <b>27.1</b> |
| PFBA                                  | 9.3         |
| PFHxA                                 | 4           |
| PFOA                                  | 5.8         |
| PFOS                                  | 4.2         |
| PFPeA                                 | 3.8         |
| <b>BUTLER WATER DEPT</b>              |             |
| 104085P                               | <b>11.9</b> |
| PFBA                                  | 6.4         |
| PFOA                                  | 5.5         |
| 106935P                               | <b>9</b>    |
| PFOA                                  | 9           |
| 101118P                               | <b>5.9</b>  |
| PFOA                                  | 5.9         |
| <b>LYNDHURST WATER DEPARTMENT</b>     |             |
| 810-74038-1                           | <b>26.5</b> |

|  |             |
|--|-------------|
| PFHxA                                      | 6.3         |
| PFOA                                       | 8           |
| PFOS                                       | 5.6         |
| PFPeA                                      | 6.6         |
| <b>NJ AMERICAN WATER - LITTLE FALLS</b>    |             |
| 61622201                                   | <b>4.5</b>  |
| PFOA                                       | 4.5         |
| 61622101                                   | <b>4.4</b>  |
| PFOA                                       | 4.4         |
| 68009401                                   | <b>4.3</b>  |
| PFOA                                       | 4.3         |
| 66834301                                   | <b>4.2</b>  |
| PFOA                                       | 4.2         |
| 62873201                                   | <b>4.2</b>  |
| PFOA                                       | 4.2         |
| 62873101                                   | <b>4.1</b>  |
| PFOA                                       | 4.1         |
| <b>EAST ORANGE WATER COMMISSION</b>        |             |
| 35838412001SE2                             | <b>13</b>   |
| PFOA                                       | 13          |
| 35781825001SE1                             | <b>11.8</b> |
| PFHxS                                      | 3.2         |
| PFOA                                       | 8.6         |
| <b>SUEZ WATER NEW JERSEY VERNON VALLEY</b> |             |
| 104087P                                    | <b>22.7</b> |
| PFBS                                       | 5.1         |
| PFHxA                                      | 6.7         |
| PFPeA                                      | 10.9        |
| <b>CLAYTON WATER DEPARTMENT, NJ</b>        |             |
| 105966P                                    | <b>15.2</b> |
| PFHxA                                      | 4.7         |
| PFOA                                       | 7.3         |
| PFPeA                                      | 3.2         |
| 100442P                                    | <b>7.2</b>  |
| PFHxA                                      | 3           |
| PFOA                                       | 4.2         |
| <b>SUEZ WATER NEW JERSEY RAHWAY</b>        |             |
| 35799968001SE1                             | <b>22.3</b> |
| PFBA                                       | 5.9         |

|                                      |             |
|--------------------------------------|-------------|
| PFHxA                                | 4.1         |
| PFOA                                 | 6.9         |
| PFPeA                                | 5.4         |
| <b>BOROUGH OF SPRINGLAKE HEIGHTS</b> |             |
| 105972P                              | <b>12.7</b> |
| PFHxA                                | 3.5         |
| PFOA                                 | 5.8         |
| PFPeA                                | 3.4         |
| 103165P                              | <b>4.4</b>  |
| PFOA                                 | 4.4         |
| 100848P                              | <b>4</b>    |
| PFOA                                 | 4           |
| <b>EAST BRUNSWICK WATER UTILITY</b>  |             |
| 35832194001SE3                       | <b>15</b>   |
| PFOA                                 | 7.7         |
| PFOS                                 | 4.3         |
| PFPeA                                | 3           |
| 35798522001SE2                       | <b>6</b>    |
| PFOA                                 | 6           |
| <b>PASSAIC VALLEY WC LODI WD</b>     |             |
| 810-80997-1                          | <b>20.8</b> |
| PFHxA                                | 4.2         |
| PFOA                                 | 7.3         |
| PFOS                                 | 4.9         |
| PFPeA                                | 4.4         |
| <b>FLORENCE TWP W DEPT</b>           |             |
| 232387-07-181-01-01                  | <b>18.4</b> |
| PFOA                                 | 9.7         |
| PFOS                                 | 5.5         |
| PFPeA                                | 3.2         |
| <b>OLD BRIDGE MUA</b>                |             |
| 810-74902-1                          | <b>14.9</b> |
| PFHxA                                | 3.2         |
| PFOA                                 | 4.6         |
| PFOS                                 | 4           |
| PFPeA                                | 3.1         |
| <b>EDISON WATER CO</b>               |             |
| GH02638-03                           | <b>14.4</b> |
| PFHxA                                | 4.1         |

|  |             |
|--|-------------|
| PFOA   | 5.1         |
| PFPeA  | 5.2         |
| <b>LINCOLN PARK WATER DEPT</b>               |             |
| 810-70770-1                                  | <b>9.4</b>  |
| PFOA   | 5.4         |
| PFOS   | 4           |
| 810-80998-1                                  | <b>5</b>    |
| PFOA   | 5           |
| <b>NEWARK WATER DEPARTMENT, NJ</b>           |             |
| 810-74255-1                                  | <b>5.3</b>  |
| PFOA   | 5.3         |
| 810-54091-1                                  | <b>4.7</b>  |
| PFOA   | 4.7         |
| 810-63687-1                                  | <b>4.3</b>  |
| PFOA   | 4.3         |
| <b>BRICK TOWNSHIP MUA</b>                    |             |
| CB02592-01                                   | <b>13.2</b> |
| PFBS   | 3.2         |
| PFOA   | 10          |
| <b>HIGH BRIDGE W DEPT</b>                    |             |
| 103160P                                      | <b>12.7</b> |
| PFBS   | 3           |
| PFOA   | 4.9         |
| PFOS   | 4.8         |
| <b>CEDAR GROVE WATER DEPT</b>                |             |
| 35835082003SE3                               | <b>4.5</b>  |
| PFOA   | 4.5         |
| 35835082001SE3                               | <b>4.4</b>  |
| PFOA   | 4.4         |
| GG04447-03                                   | <b>3</b>    |
| PFPeA  | 3           |
| <b>POINT PLEASANT BEACH WATER DEPARTMENT</b> |             |
| 35786719001SE1                               | <b>10.4</b> |
| PFBS   | 3.1         |
| PFOA   | 7.3         |
| <b>CITYOF BAYONNE</b>                        |             |
| GG04741-01                                   | <b>4.3</b>  |
| PFOA   | 4.3         |
| GJ01471-01                                   | 4.2         |



|   |             |
|---|-------------|
| PFOA  | 4.2         |
| <b>NJ AMERICAN WATER - LIBERTY</b>            |             |
| 68031001                                      | <b>8</b>    |
| PFOA  | 4.3         |
| PFPeA   | 3.7         |
| <b>BURLINGTON CITY WATER DE</b>               |             |
| 106934P                                       | <b>6.9</b>  |
| PFHxA   | 3.5         |
| PFPeA   | 3.4         |
| <b>SAYREVILLE W DEPT</b>                      |             |
| 35840900001SE1                                | <b>6.3</b>  |
| PFOA  | 6.3         |
| <b>MANCHESTER TWP WATER UTILITY - EASTERN</b> |             |
| 810-64896-1                                   | <b>4.5</b>  |
| PFPeA   | 4.5         |
| <b>KEARNY WATER DEPARTMENT</b>                |             |
| 35777798001SE1                                | <b>4.2</b>  |
| PFOA  | 4.2         |
| <b>ROXBURY TWP W DEPT-SKY V</b>               |             |
| 102321P                                       | <b>4.1</b>  |
| PFOS  | 4.1         |
| <b>NM</b>                                     |             |
| <b>CANNON AIR FORCE BASE WATER SYSTEM</b>     |             |
| 100465P                                       | <b>98.9</b> |
| PFBA  | 12          |
| PFBS  | 11          |
| PFHpA   | 4.7         |
| PFHxA   | 22.1        |
| PFHxS   | 17.7        |
| PFPeA   | 25.3        |
| PFPeS   | 6.1         |
| 105989P                                       | <b>36.8</b> |
| PFBA  | 8.8         |
| PFBS  | 6.1         |
| PFHxA   | 5.4         |
| PFPeA   | 16.5        |
| 105988P                                       | <b>22.4</b> |
| PFBS  | 4.2         |
| PFHxA   | 4.3         |

|  |             |
|--|-------------|
| PFHxS                                  | 3.2         |
| PFPeA                                  | 10.7        |
| 105987P                                | <b>18.7</b> |
| PFBS                                   | 4.2         |
| PFHxA                                  | 4.3         |
| PFPeA                                  | 10.2        |
| 100464P                                | <b>14.5</b> |
| PFBA                                   | 5.6         |
| PFPeA                                  | 8.9         |
| <b>HOBBS MUNICIPAL WATER SUPPLY</b>    |             |
| 810-52783-1                            | <b>42.5</b> |
| PFBA                                   | 6.4         |
| PFHpA                                  | 5.1         |
| PFHxA                                  | 9.5         |
| PFOA                                   | 5.3         |
| PFPeA                                  | 16.2        |
| 2023033845                             | <b>29.9</b> |
| PFBA                                   | 5.1         |
| PFHpA                                  | 4.5         |
| PFHxA                                  | 7.2         |
| PFPeA                                  | 13.1        |
| 810-52779-1                            | <b>3.2</b>  |
| PFPeA                                  | 3.2         |
| <b>DONA ANA MDWCA</b>                  |             |
| 2023034688                             | <b>7.4</b>  |
| PFBS                                   | 3.2         |
| PFOS                                   | 4.2         |
| <b>NN</b>                              |             |
| <b>Kayenta NTUA</b>                    |             |
| 102328P                                | <b>5.1</b>  |
| 6:2 FTS                                | 5.1         |
| <b>NV</b>                              |             |
| <b>TRUCKEE MEADOWS WATER AUTHORITY</b> |             |
| AGE1757-01                             | <b>76.9</b> |
| PFBA                                   | 6.8         |
| PFBS                                   | 4.5         |
| PFHpA                                  | 3.9         |
| PFHxA                                  | 12          |
| PFHxS                                  | 15          |

|   |             |
|---|-------------|
| PFOA                                      | 4.7         |
| PFOS                                      | 20          |
| PFPeA                                     | 10          |
| <b>AGH4302-03</b>                         | <b>32.7</b> |
| PFBS                                      | 5.7         |
| PFHxA                                     | 9.1         |
| PFHxS                                     | 4.9         |
| PFPeA                                     | 13          |
| <b>AGA3204-01</b>                         | <b>25.4</b> |
| PFBS                                      | 3.3         |
| PFHxA                                     | 5.6         |
| PFHxS                                     | 11          |
| PFOA                                      | 5.5         |
| <b>AGG2917-05</b>                         | <b>24.3</b> |
| PFBS                                      | 3.1         |
| PFHxA                                     | 5.3         |
| PFHxS                                     | 11          |
| PFOA                                      | 4.9         |
| <b>AGK2264-01</b>                         | <b>20.6</b> |
| PFHxA                                     | 4.3         |
| PFHxS                                     | 6.9         |
| PFOS                                      | 6           |
| PFPeA                                     | 3.4         |
| <b>AGG2917-01</b>                         | <b>5.1</b>  |
| PFHxS                                     | 5.1         |
| <b>AGG0704-01</b>                         | <b>3.8</b>  |
| PFHxS                                     | 3.8         |
| <b>AGD2702-07</b>                         | <b>3.7</b>  |
| PFHxS                                     | 3.7         |
| <b>AGA2343-09</b>                         | <b>3.4</b>  |
| PFHxS                                     | 3.4         |
| <b>AGJ2812-03</b>                         | <b>3.2</b>  |
| PFHxS                                     | 3.2         |
| <b>AGG2918-03</b>                         | <b>3.1</b>  |
| PFHxS                                     | 3.1         |
| <b>NEW YORK NEW YORK HOTEL AND CASINO</b> |             |
| 104519R                                   | <b>6.3</b>  |
| PFBA                                      | 6.3         |
| <b>POLO TOWERS</b>                        |             |

|                                       |              |
|---------------------------------------|--------------|
| 103629R                               | 6.2          |
| PFBA                                  | 6.2          |
| <b>NY</b>                             |              |
| <b>YESHIVA FARM SETTLEMENT</b>        |              |
| 100496P                               | <b>427.6</b> |
| PFBA                                  | 28.8         |
| PFBS                                  | 6.1          |
| PFHpA                                 | 43.1         |
| PFHxA                                 | 65           |
| PFHxS                                 | 51           |
| PFNA                                  | 4.3          |
| PFOA                                  | 24.8         |
| PFOS                                  | 95           |
| PFPeA                                 | 102.5        |
| PFPeS                                 | 7            |
| 107465P                               | <b>408.4</b> |
| PFBA                                  | 27.4         |
| PFBS                                  | 5.5          |
| PFHpA                                 | 41.2         |
| PFHxA                                 | 67.9         |
| PFHxS                                 | 44.8         |
| PFNA                                  | 4.4          |
| PFOA                                  | 25.5         |
| PFOS                                  | 91           |
| PFPeA                                 | 94.6         |
| PFPeS                                 | 6.1          |
| 106020P                               | <b>365.2</b> |
| PFBA                                  | 23.6         |
| PFBS                                  | 4.9          |
| PFHpA                                 | 35.6         |
| PFHxA                                 | 63.1         |
| PFHxS                                 | 41.3         |
| PFOA                                  | 21.7         |
| PFOS                                  | 85.8         |
| PFPeA                                 | 83.3         |
| PFPeS                                 | 5.9          |
| <b>SUFFOLK COUNTY WATER AUTHORITY</b> |              |
| 200913561                             | <b>92.8</b>  |
| PFBA                                  | 9.9          |

|           |             |
|-----------|-------------|
| PFHxA     | 43.5        |
| PFPeA     | 39.4        |
| 200971559 | <b>66.2</b> |
| 6:2 FTS   | 23.6        |
| PFBA      | 5.8         |
| PFHxA     | 12.9        |
| PFPeA     | 23.9        |
| 200955463 | <b>63.3</b> |
| PFBA      | 7           |
| PFHpA     | 9.6         |
| PFHxA     | 18.2        |
| PFHxS     | 4.1         |
| PFPeA     | 24.4        |
| 201041305 | <b>52.9</b> |
| PFHxA     | 30.5        |
| PFPeA     | 22.4        |
| 201090679 | <b>40.5</b> |
| PFBA      | 12.6        |
| PFHxA     | 11.3        |
| PFPeA     | 16.6        |
| 200966998 | <b>37.6</b> |
| PFBS      | 3.7         |
| PFHpA     | 4.6         |
| PFHxA     | 10.1        |
| PFHxS     | 4           |
| PFOA      | 6.5         |
| PFPeA     | 8.7         |
| 201041403 | <b>37.5</b> |
| 6:2 FTS   | 12.8        |
| PFHxA     | 7.1         |
| PFHxS     | 3.2         |
| PFPeA     | 14.4        |
| 201139555 | <b>36.5</b> |
| PFHxA     | 3.6         |
| PFHxS     | 6.4         |
| PFOA      | 5.3         |
| PFOS      | 17.4        |
| PFPeA     | 3.8         |
| 201069306 | <b>32.2</b> |

|                  |             |
|------------------|-------------|
| PFBS             | 3.3         |
| PFHpA            | 3.9         |
| PFHxA            | 8.3         |
| PFHxS            | 3.6         |
| PFOA             | 5.6         |
| PFPeA            | 7.5         |
| <b>201090616</b> | <b>29.6</b> |
| PFHpA            | 5           |
| PFHxA            | 9.4         |
| PFPeA            | 15.2        |
| <b>201113085</b> | <b>26</b>   |
| PFBA             | 5.5         |
| PFHxA            | 6.6         |
| PFOA             | 5.2         |
| PFPeA            | 8.7         |
| <b>201112952</b> | <b>25.6</b> |
| PFBA             | 7           |
| PFHxA            | 5.4         |
| PFPeA            | 13.2        |
| <b>201134950</b> | <b>24.8</b> |
| PFBS             | 3.7         |
| PFHxA            | 4.7         |
| PFOA             | 6.2         |
| PFOS             | 4.8         |
| PFPeA            | 5.4         |
| <b>201041410</b> | <b>24.1</b> |
| PFHxA            | 7.3         |
| PFHxS            | 4.6         |
| PFOA             | 5.8         |
| PFPeA            | 6.4         |
| <b>200946375</b> | <b>22.5</b> |
| PFHxA            | 6.3         |
| PFHxS            | 5.7         |
| PFOA             | 5           |
| PFPeA            | 5.5         |
| <b>200938059</b> | <b>21.3</b> |
| PFHxA            | 5.4         |
| PFHxS            | 10.8        |
| PFPeA            | 5.1         |

|           |             |
|-----------|-------------|
| 200973025 | <b>20.9</b> |
| PFBA      | 9           |
| PFHxA     | 4           |
| PFPeA     | 7.9         |
| 200999550 | <b>17.6</b> |
| PFHxS     | 3.2         |
| PFOA      | 4.6         |
| PFOS      | 6.8         |
| PFPeA     | 3           |
| 201112945 | <b>16.2</b> |
| PFHxA     | 4.7         |
| PFHxS     | 6.5         |
| PFPeA     | 5           |
| 201112987 | <b>15.9</b> |
| PFHxS     | 6.5         |
| PFOS      | 9.4         |
| 201086925 | <b>15.3</b> |
| PFHxA     | 4.9         |
| PFHxS     | 7.4         |
| PFPeA     | 3           |
| 201139527 | <b>12.2</b> |
| PFHxA     | 3.6         |
| PFOA      | 5           |
| PFPeA     | 3.6         |
| 201094588 | <b>10.8</b> |
| PFHxA     | 4.5         |
| PFHxS     | 6.3         |
| 200972927 | <b>10.5</b> |
| PFHxA     | 4.2         |
| PFPeA     | 6.3         |
| 201041354 | <b>10.4</b> |
| PFNA      | 5.7         |
| PFOS      | 4.7         |
| 201139611 | <b>9.8</b>  |
| PFOS      | 6.5         |
| PFPeA     | 3.3         |
| 201113001 | <b>9.7</b>  |
| PFHxA     | 4.1         |
| PFPeA     | 5.6         |

|           |            |
|-----------|------------|
| 200972871 | <b>9.1</b> |
| PFHxA     | 3          |
| PFHxS     | 3          |
| PFPeA     | 3.1        |
| 201139471 | <b>8.2</b> |
| PFHxA     | 3.9        |
| PFPeA     | 4.3        |
| 201139520 | <b>7.4</b> |
| PFHxA     | 3.5        |
| PFPeA     | 3.9        |
| 200971446 | <b>6.5</b> |
| PFHxA     | 3          |
| PFPeA     | 3.5        |
| 200955470 | <b>6.4</b> |
| PFPeA     | 6.4        |
| 200999585 | <b>4.6</b> |
| PFOS      | 4.6        |
| 201113050 | <b>4.3</b> |
| PFOS      | 4.3        |
| 200913610 | <b>4.2</b> |
| PFNA      | 4.2        |
| 201112917 | <b>4.1</b> |
| PFBS      | 4.1        |
| 200913554 | <b>3.3</b> |
| PFHxS     | 3.3        |
| 201090567 | <b>3.3</b> |
| PFHxA     | 3.3        |
| 200938052 | <b>3.2</b> |
| PFPeA     | 3.2        |
| 201041298 | <b>3.2</b> |
| PFHxS     | 3.2        |
| 200972892 | <b>3.2</b> |
| PFPeA     | 3.2        |
| 200999515 | <b>3.1</b> |
| PFHxA     | 3.1        |
| 201074476 | <b>3.1</b> |
| PFPeA     | 3.1        |
| 201112966 | <b>3</b>   |
| PFPeA     | 3          |



|                  |              |
|------------------|--------------|
| 200955414        | <b>3</b>     |
| PFPeA            | 3            |
| <b>JERICO WD</b> |              |
| 35835085001SE2   | <b>115.6</b> |
| PFBA             | 56           |
| PFHpA            | 4.6          |
| PFHxA            | 18           |
| PFPeA            | 37           |
| GI00129-03       | <b>104.8</b> |
| PFBA             | 56           |
| PFHpA            | 3.8          |
| PFHxA            | 14           |
| PFPeA            | 31           |
| 35835085005SE2   | <b>95.3</b>  |
| PFBA             | 67           |
| PFHxA            | 6.3          |
| PFPeA            | 22           |
| 35836180005SE2   | <b>24.4</b>  |
| PFBA             | 20           |
| PFPeA            | 4.4          |
| GI00129-05       | <b>20.9</b>  |
| PFBA             | 17           |
| PFPeA            | 3.9          |
| 35836180003SE2   | <b>16.3</b>  |
| PFBA             | 6.4          |
| PFHxA            | 4.5          |
| PFPeA            | 5.4          |
| 35796043001SE1   | <b>9.9</b>   |
| 6:2 FTS          | 9.9          |
| 35835085003SE2   | <b>9.6</b>   |
| PFHxA            | 3.9          |
| PFPeA            | 5.7          |
| 35835119007SE2   | <b>8.8</b>   |
| PFBA             | 8.8          |
| GI00129-07       | <b>8.7</b>   |
| PFHxA            | 3.4          |
| PFPeA            | 5.3          |
| GI00129-01       | <b>7.6</b>   |
| PFBA             | 7.6          |

|                        |             |
|------------------------|-------------|
| 35835119005SE2         | <b>5.9</b>  |
| PFBA                   | 5.9         |
| 35835149003SE2         | <b>5.9</b>  |
| PFBA                   | 5.9         |
| <b>Veolia Water NY</b> |             |
| 35798264005SE1         | <b>60.3</b> |
| PFBA                   | 5.6         |
| PFBS                   | 4.5         |
| PFHpA                  | 5.6         |
| PFHxA                  | 7.6         |
| PFHxS                  | 6.2         |
| PFOA                   | 14          |
| PFOS                   | 6.8         |
| PFPeA                  | 10          |
| 35840617001SE2         | <b>40.5</b> |
| PFBA                   | 5.1         |
| PFBS                   | 5           |
| PFHxA                  | 5.1         |
| PFOA                   | 13          |
| PFOS                   | 5.7         |
| PFPeA                  | 6.6         |
| 35799078003SE1         | <b>34.9</b> |
| PFBS                   | 4.1         |
| PFHpA                  | 3.3         |
| PFHxA                  | 5.5         |
| PFOA                   | 11          |
| PFOS                   | 4.5         |
| PFPeA                  | 6.5         |
| 35799054001SE1         | <b>30.7</b> |
| PFBS                   | 5           |
| PFHxA                  | 4.3         |
| PFOA                   | 10          |
| PFOS                   | 6.1         |
| PFPeA                  | 5.3         |
| 35798225003SE1         | <b>28.5</b> |
| PFBS                   | 4.7         |
| PFHxA                  | 3.8         |
| PFOA                   | 11          |
| PFOS                   | 4.7         |

|                |             |
|----------------|-------------|
| PFPeA          | 4.3         |
| 35812363001SE1 | <b>25.4</b> |
| PFHpA          | 3.1         |
| PFHxA          | 4.2         |
| PFOA           | 13          |
| PFPeA          | 5.1         |
| 35799078005SE1 | <b>20.7</b> |
| PFHpA          | 3           |
| PFHxA          | 6.8         |
| PFOA           | 5.7         |
| PFPeA          | 5.2         |
| 35799078001SE1 | <b>18.3</b> |
| PFHxA          | 3.9         |
| PFOA           | 9.8         |
| PFPeA          | 4.6         |
| 35798225001SE1 | <b>17.7</b> |
| PFBS           | 3.7         |
| PFHxA          | 3.2         |
| PFOA           | 6.7         |
| PFPeA          | 4.1         |
| 35799077001SE1 | <b>17.5</b> |
| PFHxA          | 4.1         |
| PFOA           | 8.1         |
| PFPeA          | 5.3         |
| 35799079001SE1 | <b>16.3</b> |
| 6:2 FTS        | 9.9         |
| PFOA           | 6.4         |
| 35809494001SE1 | <b>15.2</b> |
| PFHxA          | 4.2         |
| PFOA           | 7.7         |
| PFPeA          | 3.3         |
| 35798264003SE1 | <b>13.9</b> |
| PFBA           | 6.8         |
| PFPeA          | 7.1         |
| 35801903005SE1 | <b>11.5</b> |
| PFNA           | 4.6         |
| PFOA           | 6.9         |
| 35840218001SE2 | <b>9.3</b>  |
| PFOA           | 9.3         |

|                             |             |
|-----------------------------|-------------|
| 35840618001SE2              | <b>7.8</b>  |
| PFOA                        | 7.8         |
| 35799077005SE1              | <b>7.6</b>  |
| PFOA                        | 7.6         |
| 35798270001SE1              | <b>7.3</b>  |
| PFOA                        | 7.3         |
| 35801951003SE1              | <b>7.1</b>  |
| 6:2 FTS                     | 7.1         |
| 35801903001SE1              | <b>5.7</b>  |
| PFOA                        | 5.7         |
| 35799079005SE1              | <b>5.5</b>  |
| PFOA                        | 5.5         |
| 35798223001SE1              | <b>5.4</b>  |
| PFOA                        | 5.4         |
| GF04945-01                  | <b>5</b>    |
| PFOA                        | 5           |
| 35840618003SE2              | <b>5</b>    |
| PFOA                        | 5           |
| 35840569001SE2              | <b>4.9</b>  |
| PFOA                        | 4.9         |
| <b>WA OF WESTERN NASSAU</b> |             |
| GF03179-03                  | <b>38.5</b> |
| PFBA                        | 5           |
| PFHpA                       | 3.4         |
| PFHxA                       | 5           |
| PFHxS                       | 4.5         |
| PFOA                        | 10          |
| PFOS                        | 5.8         |
| PFPeA                       | 4.8         |
| GF03179-07                  | <b>33.3</b> |
| PFBA                        | 5.6         |
| PFBS                        | 3.4         |
| PFHpA                       | 3.2         |
| PFHxA                       | 7.4         |
| PFOA                        | 4.6         |
| PFPeA                       | 9.1         |
| GF02756-11                  | <b>29.7</b> |
| PFBS                        | 3.6         |
| PFHpA                       | 3.3         |

|                                   |             |
|-----------------------------------|-------------|
| PFHxA                             | 7.3         |
| PFOA                              | 6           |
| PFPeA                             | 9.5         |
| <b>GF02756-13</b>                 | <b>29.1</b> |
| PFBS                              | 3.5         |
| PFHpA                             | 3.4         |
| PFHxA                             | 7.3         |
| PFOA                              | 6.3         |
| PFPeA                             | 8.6         |
| <b>GF02756-07</b>                 | <b>18.7</b> |
| PFBA                              | 5.8         |
| PFHxA                             | 4.9         |
| PFPeA                             | 8           |
| <b>GF03179-05</b>                 | <b>7.1</b>  |
| PFBA                              | 7.1         |
| <b>MONROE VILLAGE</b>             |             |
| <b>106017P</b>                    | <b>46.7</b> |
| PFBA                              | 6.4         |
| PFHpA                             | 4.6         |
| PFHxA                             | 8.2         |
| PFOA                              | 10.5        |
| PFOS                              | 5.7         |
| PFPeA                             | 11.3        |
| <b>103211P</b>                    | <b>16.9</b> |
| PFHxA                             | 4.6         |
| PFOA                              | 5.4         |
| PFPeA                             | 6.9         |
| <b>100493P</b>                    | <b>16.2</b> |
| PFHxA                             | 4.5         |
| PFOA                              | 5.1         |
| PFPeA                             | 6.6         |
| <b>106016P</b>                    | <b>4</b>    |
| PFOA                              | 4           |
| <b>BRINKERHOFF WATER DISTRICT</b> |             |
| <b>106963P</b>                    | <b>41.3</b> |
| PFBA                              | 6.9         |
| PFBS                              | 8.1         |
| PFHxA                             | 5.5         |
| PFOA                              | 8.6         |

|                                   |             |
|-----------------------------------|-------------|
| PFOS                              | 6.2         |
| PFPeA                             | 6           |
| 101146P                           | <b>41.3</b> |
| PFBA                              | 7.6         |
| PFBS                              | 9           |
| PFHxA                             | 5.4         |
| PFOA                              | 7.3         |
| PFOS                              | 5.6         |
| PFPeA                             | 6.4         |
| <b>BATAVIA CITY</b>               |             |
| 35840567001SE4                    | <b>70</b>   |
| 6:2 FTS                           | 70          |
| <b>SCOTIA VILLAGE WATER WORKS</b> |             |
| M3B0321-05                        | <b>28.7</b> |
| PFBA                              | 7.5         |
| PFHxA                             | 4.7         |
| PFHxS                             | 6.4         |
| PFOA                              | 5           |
| PFPeA                             | 5.1         |
| M3F1213-01                        | <b>8</b>    |
| PFHxS                             | 8           |
| M3B0321-01                        | <b>7.2</b>  |
| PFHxS                             | 7.2         |
| M3F1213-03                        | <b>4.9</b>  |
| PFHxS                             | 4.9         |
| M3B0321-03                        | <b>4.7</b>  |
| PFHxS                             | 4.7         |
| M3F1213-05                        | <b>4.3</b>  |
| PFHxS                             | 4.3         |
| <b>CHESTER VILLAGE</b>            |             |
| 104114P                           | <b>30.5</b> |
| PFBA                              | 18.9        |
| PFHxA                             | 3.1         |
| PFOA                              | 4.1         |
| PFPeA                             | 4.4         |
| 106969P                           | <b>13</b>   |
| PFHxA                             | 3.5         |
| PFOA                              | 5.1         |
| PFPeA                             | 4.4         |

|                                 |             |
|---------------------------------|-------------|
| 101152P                         | <b>12.9</b> |
| PFHxA                           | 3.6         |
| PFOA                            | 4.4         |
| PFPeA                           | 4.9         |
| <b>PORT WASHINGTON WD</b>       |             |
| 35779826007SE1                  | <b>20.7</b> |
| 6:2 FTS                         | 6.5         |
| PFNA                            | 4.2         |
| PFOA                            | 5.3         |
| PFOS                            | 4.7         |
| 35837634005SE2                  | <b>10.5</b> |
| PFHxA                           | 3.6         |
| PFPeA                           | 6.9         |
| 35779826005SE1                  | <b>6.9</b>  |
| PFHxA                           | 3           |
| PFPeA                           | 3.9         |
| 35806685005SE1                  | <b>6.2</b>  |
| PFPeA                           | 6.2         |
| 35838066001SE2                  | <b>5.3</b>  |
| PFOA                            | 5.3         |
| GI03055-01                      | <b>4.1</b>  |
| PFOA                            | 4.1         |
| <b>WILLISTON PARK (V)</b>       |             |
| 108419R                         | <b>24.2</b> |
| PFHpA                           | 3           |
| PFHxA                           | 3.6         |
| PFNA                            | 7.7         |
| PFOA                            | 5.6         |
| PFPeA                           | 4.3         |
| 100490P                         | <b>20.4</b> |
| PFHxA                           | 3.5         |
| PFNA                            | 7.8         |
| PFOA                            | 4.8         |
| PFPeA                           | 4.3         |
| <b>JOHNSON CITY WATER WORKS</b> |             |
| CB12043-01                      | <b>19.8</b> |
| PFBA                            | 5.9         |
| PFHxA                           | 4.8         |
| PFPeA                           | 9.1         |

|                                  |             |
|----------------------------------|-------------|
| CB11405-05                       | <b>19.6</b> |
| PFBA                             | 5.4         |
| PFHxA                            | 4.8         |
| PFPeA                            | 9.4         |
| CB11405-01                       | <b>4</b>    |
| PFPeA                            | 4           |
| <b>CLARENDON TOWN WDS</b>        |             |
| 103212P                          | <b>19.1</b> |
| PFBA                             | 19.1        |
| 100494P                          | <b>5.7</b>  |
| PFBA                             | 5.7         |
| <b>SARATOGA SPRINGS CITY, NY</b> |             |
| L2340951-01                      | <b>10</b>   |
| PFBA                             | 7           |
| PFPeA                            | 3           |
| L2321944-01                      | <b>8</b>    |
| PFBA                             | 8           |
| L2361238-01                      | <b>6</b>    |
| PFBA                             | 6           |
| <b>BETHPAGE WD</b>               |             |
| GG04482-09                       | <b>23.8</b> |
| PFBA                             | 9.3         |
| PFBS                             | 3.5         |
| PFHxA                            | 4.8         |
| PFPeA                            | 6.2         |
| <b>GLENS FALLS CITY</b>          |             |
| GG02061-01                       | <b>18.5</b> |
| PFBA                             | 5.5         |
| PFHxA                            | 3.8         |
| PFOA                             | 4.7         |
| PFPeA                            | 4.5         |
| <b>RIVERHEAD WD</b>              |             |
| GF03813-13                       | <b>15.7</b> |
| PFHxA                            | 3.3         |
| PFOA                             | 4           |
| PFOS                             | 5.2         |
| PFPeA                            | 3.2         |
| <b>PENN YAN VILLAGE</b>          |             |
| 109312R                          | <b>6.7</b>  |



|   |            |
|---|------------|
| PFBA  | 6.7        |
| 104126P   | <b>6.4</b> |
| PFBA  | 6.4        |
| <b>CORTLANDVILLE TOWN WATER</b>                 |            |
| 100483P   | <b>6.7</b> |
| PFNA  | 6.7        |
| 106006P   | <b>5.8</b> |
| PFNA  | 5.8        |
| <b>EAST AURORA VILLAGE</b>                      |            |
| 104105P   | <b>6.7</b> |
| PFBA  | 6.7        |
| 101148P   | <b>5.5</b> |
| PFBA  | 5.5        |
| <b>LERAY TOWN WD 2 &amp; 4</b>                  |            |
| 104107P   | <b>8.7</b> |
| PFBS  | 8.7        |
| <b>NEWFANE WD NO1,2,3 CONSOL</b>                |            |
| 107999P   | <b>8.6</b> |
| PFBA  | 8.6        |
| <b>UNITED WAPPINGER WATER IMPROVEMENT DIST.</b> |            |
| M3F1191-03                                      | <b>8.3</b> |
| PFBA  | 5.3        |
| PFBS  | 3          |
| <b>COLONIE VILLAGE</b>                          |            |
| 103196P   | <b>8.3</b> |
| PFOA  | 8.3        |
| <b>CATSKILL VILLAGE</b>                         |            |
| 107997P   | <b>7.5</b> |
| PFBA  | 7.5        |
| <b>CLIFTON PARK WATER AUTHORITY</b>             |            |
| 810-60475-1                                     | <b>5.8</b> |
| PFBA  | 5.8        |
| <b>FORT EDWARD VILLAGE</b>                      |            |
| 104122P   | <b>5.6</b> |
| PFBA  | 5.6        |
| <b>OCWA</b>                                     |            |
| 810-78398-1                                     | <b>5.6</b> |
| PFBA  | 5.6        |
| <b>TICONDEROGA WD</b>                           |            |

|  |      |
|--|------|
| 105184P                                  | 5.5  |
| PFBA                                     | 5.5  |
| <b>WELLSVILLE VILLAGE PUBLIC WATER</b>   |      |
| 103198P                                  | 5.2  |
| PFBA                                     | 5.2  |
| <b>RAVENA VILLAGE</b>                    |      |
| 103197P                                  | 5.1  |
| PFBA                                     | 5.1  |
| <b>CORNING CITY</b>                      |      |
| M3D0670-01                               | 5.1  |
| PFBS                                     | 5.1  |
| <b>BINGHAMTON, CITY OF</b>               |      |
| 35798675003SE1                           | 5    |
| PFOS                                     | 5    |
| <b>NORTH POINT CREEK APARTMENTS LTD.</b> |      |
| 103206P                                  | 4.2  |
| PFOS                                     | 4.2  |
| <b>GLENVILLE WD #11</b>                  |      |
| 35836646001SE2                           | 4.2  |
| PFOA                                     | 4.2  |
| <b>GREENLAWN WD</b>                      |      |
| 35837642001SE1                           | 3.3  |
| PFPeA                                    | 3.3  |
| <b>PLATTSBURGH CITY</b>                  |      |
| GH02629-01                               | 3.1  |
| PFHpA                                    | 3.1  |
| <b>OH</b>                                |      |
| <b>MCDONALD VILLAGE PWS</b>              |      |
| 100508P                                  | 38.3 |
| PFBS                                     | 3.1  |
| PFHxA                                    | 3.8  |
| PFHxS                                    | 10.2 |
| PFOS                                     | 21.2 |
| 109004P                                  | 28.3 |
| PFHxA                                    | 3.2  |
| PFHxS                                    | 7.1  |
| PFOS                                     | 18   |
| 106032P                                  | 23.3 |
| PFHxS                                    | 6.3  |

|                                     |             |
|-------------------------------------|-------------|
| PFOS                                | 17          |
| 103227P                             | <b>20</b>   |
| PFHxS                               | 6.3         |
| PFOS                                | 13.7        |
| <b>DAYTON PUBLIC WATER SYSTEM</b>   |             |
| 810-76751-1                         | <b>28.8</b> |
| PFHxA                               | 4.4         |
| PFHxS                               | 9.8         |
| PFOS                                | 10          |
| PFPeA                               | 4.6         |
| 810-66678-1                         | <b>22.4</b> |
| PFHxA                               | 3.6         |
| PFHxS                               | 9.1         |
| PFOS                                | 6.5         |
| PFPeA                               | 3.2         |
| 810-57844-2                         | <b>20.3</b> |
| PFHxA                               | 3.2         |
| PFHxS                               | 7.9         |
| PFOS                                | 6.2         |
| PFPeA                               | 3           |
| 810-76762-1                         | <b>3</b>    |
| PFBS                                | 3           |
| <b>GRANDVIEW MEDICAL CENTER PWS</b> |             |
| 108021P                             | <b>31.8</b> |
| PFBS                                | 3.6         |
| PFHxA                               | 5.4         |
| PFHxS                               | 10.5        |
| PFOS                                | 7.1         |
| PFPeA                               | 5.2         |
| 102378P                             | <b>22.7</b> |
| PFHxA                               | 4.1         |
| PFHxS                               | 8.5         |
| PFOS                                | 6.2         |
| PFPeA                               | 3.9         |
| 105209P                             | <b>18.4</b> |
| PFHxA                               | 3           |
| PFHxS                               | 9           |
| PFOS                                | 6.4         |
| <b>NEWARK CITY PWS</b>              |             |

|                                   |             |
|-----------------------------------|-------------|
| 810-61948-1                       | <b>22.8</b> |
| PFBA                              | 22.8        |
| 810-61946-1                       | <b>19.5</b> |
| PFBA                              | 19.5        |
| 810-61945-1                       | <b>12</b>   |
| PFBA                              | 12          |
| 810-61956-1                       | <b>9.5</b>  |
| PFBA                              | 9.5         |
| <b>DEL-CO WATER COMPANY, INC.</b> |             |
| 810-69247-1                       | <b>31.6</b> |
| PFBA                              | 8.9         |
| PFBS                              | 3.5         |
| PFHxA                             | 8.7         |
| PFOA                              | 4.2         |
| PFPeA                             | 6.3         |
| 810-80771-1                       | <b>23.3</b> |
| PFBA                              | 9           |
| PFBS                              | 3.1         |
| PFHxA                             | 6.3         |
| PFPeA                             | 4.9         |
| <b>WHITEHOUSE VILLAGE</b>         |             |
| 102376P                           | <b>11</b>   |
| PFBA                              | 11          |
| 105205P                           | <b>10.2</b> |
| PFBA                              | 10.2        |
| 105206P                           | <b>9.8</b>  |
| PFBA                              | 9.8         |
| 102377P                           | <b>8.5</b>  |
| PFBA                              | 8.5         |
| 108019P                           | <b>7.6</b>  |
| PFBA                              | 7.6         |
| 108020P                           | <b>7.3</b>  |
| PFBA                              | 7.3         |
| <b>INDIAN HILL CITY PWS</b>       |             |
| 810-82844-1                       | <b>28.4</b> |
| PFBA                              | 5.7         |
| PFBS                              | 4           |
| PFHxA                             | 3           |
| PFOS                              | 10.9        |

|                                   |             |
|-----------------------------------|-------------|
| PFPeA                             | 4.8         |
| 810-58622-1                       | <b>19.1</b> |
| PFBS                              | 3.6         |
| PFOS                              | 12.4        |
| PFPeA                             | 3.1         |
| <b>WILMINGTON CITY PWS</b>        |             |
| 23051432-01                       | <b>43.1</b> |
| PFBA                              | 5.8         |
| PFHpA                             | 5           |
| PFHxA                             | 8.2         |
| PFHxS                             | 7           |
| PFOS                              | 7.3         |
| PFPeA                             | 9.8         |
| <b>BEXLEY CITY PWS</b>            |             |
| 810-75587-1                       | <b>27.8</b> |
| PFBA                              | 8.1         |
| PFBS                              | 4           |
| PFHxA                             | 5.8         |
| PFOA                              | 4.1         |
| PFPeA                             | 5.8         |
| 810-63481-1                       | <b>7.2</b>  |
| PFBA                              | 7.2         |
| 810-53429-1                       | <b>7</b>    |
| PFBA                              | 7           |
| <b>OBERLIN WATER DEPARTMENT</b>   |             |
| 101614P                           | <b>19.3</b> |
| PFBA                              | 6           |
| PFBS                              | 3           |
| PFHxA                             | 5           |
| PFPeA                             | 5.3         |
| 104132P                           | <b>16.8</b> |
| PFBA                              | 8.2         |
| PFHxA                             | 4.2         |
| PFPeA                             | 4.4         |
| <b>WARREN COMM W AND S ASSN 2</b> |             |
| 109007P                           | <b>26.2</b> |
| PFBS                              | 6.2         |
| PFOA                              | 20          |
| 106378R                           | <b>6.3</b>  |

|   |             |
|---|-------------|
| PFBS  | 6.3         |
| <b>WESTERN WATER COMPANY</b>                  |             |
| 23090534-01                                   | <b>14.1</b> |
| PFOS  | 14.1        |
| 23090702-01                                   | <b>12.5</b> |
| PFOS  | 12.5        |
| 23030697-01                                   | <b>5.5</b>  |
| PFOS  | 5.5         |
| <b>MONTGOMERY COUNTY WATER SERVICES 1 PWS</b> |             |
| 23071745-01                                   | <b>31.8</b> |
| PFBS  | 3           |
| PFHxA   | 5           |
| PFHxS   | 9.1         |
| PFOS  | 9.5         |
| PFPeA   | 5.2         |
| <b>JEFFERSON REGIONAL WATER AUTHORITY</b>     |             |
| 106030P                                       | <b>16.9</b> |
| PFBA  | 6.2         |
| PFHxA   | 3.8         |
| PFPeA   | 6.9         |
| 100506P                                       | <b>14</b>   |
| PFBA  | 5.3         |
| PFHxA   | 3           |
| PFPeA   | 5.7         |
| <b>CINCINNATI PUBLIC WATER SYSTEM</b>         |             |
| 810-84534-1                                   | <b>15.3</b> |
| PFBA  | 5.1         |
| PFBS  | 4.1         |
| PFOS  | 6.1         |
| 810-67394-1                                   | <b>13.1</b> |
| PFBA  | 5.2         |
| PFBS  | 3.7         |
| PFOS  | 4.2         |
| <b>DEFIANCE CITY</b>                          |             |
| 23051533-01                                   | <b>14</b>   |
| PFBA  | 5           |
| PFHxA   | 3.7         |
| PFPeA   | 5.3         |
| 23082097-01                                   | <b>13.1</b> |

|   |             |
|---|-------------|
| PFBA  | 5.1         |
| PFHxA   | 3.2         |
| PFPeA   | 4.8         |
| <b>ZANESVILLE PWS</b>                         |             |
| M3B1294-01                                    | <b>20.1</b> |
| 6:2 FTS                                       | 20.1        |
| M3H0585-01                                    | <b>3.1</b>  |
| PFBS  | 3.1         |
| <b>NORW - SOUTH DISTRICT</b>                  |             |
| 105202P                                       | <b>15.6</b> |
| PFBA  | 15.6        |
| 102372P                                       | <b>6.5</b>  |
| PFBA  | 6.5         |
| <b>NORWALK CITY</b>                           |             |
| 810-60456-1                                   | <b>10.2</b> |
| PFBA  | 10.2        |
| 810-51416-1                                   | <b>6</b>    |
| PFBA  | 6           |
| 810-80307-1                                   | <b>5.4</b>  |
| PFBA  | 5.4         |
| <b>LOVELAND CITY PWS</b>                      |             |
| 810-67381-1                                   | <b>19</b>   |
| PFBS  | 3           |
| PFOS  | 16          |
| <b>FAIRFIELD CITY PWS</b>                     |             |
| 810-56537-1                                   | <b>18.7</b> |
| HFPO-DA                                       | 5.7         |
| PFBA  | 5.7         |
| PFHxA   | 3           |
| PFPeA   | 4.3         |
| <b>BARNESVILLE, OH</b>                        |             |
| 106987P                                       | <b>6.9</b>  |
| PFOA  | 6.9         |
| 101170P                                       | <b>5.5</b>  |
| PFOA  | 5.5         |
| 104127P                                       | <b>5.4</b>  |
| PFOA  | 5.4         |
| <b>PUTNAM COMMUNITY WATER ASSOCIATION PWS</b> |             |
| 104142P                                       | <b>17.1</b> |

|  |             |
|--|-------------|
| PFHxS  | 3.5         |
| PFOA   | 13.6        |
| <b>JACKSON, CITY OF</b>                      |             |
| 108016P                                      | <b>9.3</b>  |
| PFBA   | 9.3         |
| 102373P                                      | <b>5.3</b>  |
| PFBA   | 5.3         |
| <b>AKRON CITY PWS</b>                        |             |
| M3G1404-01                                   | <b>7.3</b>  |
| PFOA   | 7.3         |
| M3H0491-01                                   | <b>5</b>    |
| PFBA   | 5           |
| <b>OTTAWA COUNTY REGIONAL WATER DISTRICT</b> |             |
| 810-53397-1                                  | <b>12.1</b> |
| PFBA   | 7.3         |
| PFHxA  | 4.8         |
| <b>BUTLER CO. WATER DISTRICT 2 PWS</b>       |             |
| Q2340526001                                  | <b>8.2</b>  |
| PFBS   | 3.5         |
| PFHxS  | 4.7         |
| Q2333674001                                  | <b>3</b>    |
| PFBS   | 3           |
| <b>HECLA WATER ASSOCIATION-PLANT PWS</b>     |             |
| 23010895-01                                  | <b>6.8</b>  |
| PFOA   | 6.8         |
| 23071322-01                                  | <b>4.3</b>  |
| PFOA   | 4.3         |
| <b>NEW CARLISLE CITY PWS</b>                 |             |
| 108013P                                      | <b>5.5</b>  |
| PFBS   | 5.5         |
| 102370P                                      | <b>4.3</b>  |
| PFBS   | 4.3         |
| <b>URBANA CITY PWS</b>                       |             |
| 35775583001SE1                               | <b>9.8</b>  |
| 6:2 FTS                                      | 9.8         |
| <b>BLANCHESTER VILLAGE PWS</b>               |             |
| 103218P                                      | <b>9.5</b>  |
| PFBA   | 9.5         |
| <b>YELLOW SPRINGS VILLAGE PWS</b>            |             |



|                                       |     |
|---------------------------------------|-----|
| 103220P                               | 9.2 |
| PFOS                                  | 9.2 |
| <b>AQUA OHIO - STRUTHERS</b>          |     |
| 810-61944-1                           | 8.9 |
| PFBA                                  | 8.9 |
| <b>SHELBY CITY</b>                    |     |
| 108025P                               | 8.1 |
| PFBA                                  | 8.1 |
| <b>RAVENNA CITY PWS</b>               |     |
| GG02086-01                            | 7.1 |
| PFBA                                  | 7.1 |
| <b>LIMA CITY</b>                      |     |
| CB09258-01                            | 3.4 |
| PFPeA                                 | 3.4 |
| CB04594-01                            | 3.3 |
| PFPeA                                 | 3.3 |
| <b>DELTA VILLAGE</b>                  |     |
| 105200P                               | 6.6 |
| PFBA                                  | 6.6 |
| <b>NORTHWESTERN W AND SD- PORTAGE</b> |     |
| 101624P                               | 6.2 |
| PFHxA                                 | 3   |
| PFPeA                                 | 3.2 |
| <b>AQUA OHIO - MASSILLON PWS</b>      |     |
| 810-55553-1                           | 6.1 |
| PFHxA                                 | 3.1 |
| PFPeA                                 | 3   |
| <b>OREGON CITY, OH</b>                |     |
| 810-70302-1                           | 3.1 |
| PFHxA                                 | 3.1 |
| 810-81400-1                           | 3   |
| PFHxA                                 | 3   |
| <b>HUBBARD CITY PWS</b>               |     |
| 103226P                               | 5.5 |
| PFBA                                  | 5.5 |
| <b>PORTSMOUTH PUBLIC WATER SYSTEM</b> |     |
| M3H0562-01                            | 5.4 |
| PFOA                                  | 5.4 |
| <b>PAULDING VILLAGE</b>               |     |

|  |      |
|--|------|
| 108023P                                  | 5.2  |
| PFBA                                     | 5.2  |
| <b>RURAL LORAIN CO. WATER A</b>          |      |
| Q2329599003                              | 5.2  |
| PFBA                                     | 5.2  |
| <b>MUSKINGUM COUNTY WATER - SE</b>       |      |
| M3J0157-01                               | 4.4  |
| PFBS                                     | 4.4  |
| <b>AQUA OHIO - LAWRENCE COUNTY</b>       |      |
| 106028P                                  | 4.2  |
| PFOA                                     | 4.2  |
| <b>FRANKLIN PUBLIC WATER SYSTEM</b>      |      |
| M3H0553-01                               | 4.1  |
| PFOS                                     | 4.1  |
| <b>WATERFORD WATER/SEWER ASSOCIATION</b> |      |
| 103229P                                  | 3.6  |
| PFBS                                     | 3.6  |
| <b>TROTWOOD CITY PWS</b>                 |      |
| 106996P                                  | 3.2  |
| PFBS                                     | 3.2  |
| <b>NORTHWESTERN W AND SD - WTLN 200</b>  |      |
| 108030P                                  | 3.1  |
| PFHxA                                    | 3.1  |
| <b>CHILLICOTHE CITY PWS</b>              |      |
| M3K0710-01                               | 3    |
| PFBS                                     | 3    |
| <b>OK</b>                                |      |
| <b>WAGONER CO. RWD #5</b>                |      |
| 105225P                                  | 66.2 |
| PFBS                                     | 3.2  |
| PFHxA                                    | 8.3  |
| PFHxS                                    | 15   |
| PFOS                                     | 34   |
| PFPeA                                    | 5.7  |
| 104504R                                  | 7.9  |
| PFBA                                     | 7.9  |
| <b>WAGONER CO. RWD #4</b>                |      |
| FJ17019-01A                              | 45.3 |
| PFBS                                     | 3.4  |

|   |             |
|---|-------------|
| PFHxA                                   | 5           |
| PFHxS                                   | 10.8        |
| PFOS                                    | 20.5        |
| PFPeA                                   | 5.6         |
| <b>BROKEN ARROW MUNICIPAL AUTHORITY</b> |             |
| FB06046-01B                             | <b>19.9</b> |
| PFBA                                    | 6.4         |
| PFHxA                                   | 5.2         |
| PFOS                                    | 4           |
| PFPeA                                   | 4.3         |
| FH08099-01B                             | <b>11</b>   |
| PFOS                                    | 8           |
| PFPeA                                   | 3           |
| FE01067-01B                             | <b>4.6</b>  |
| PFOS                                    | 4.6         |
| <b>NOWATA MUNICIPAL AUTHORITY</b>       |             |
| 101726R                                 | <b>22.7</b> |
| PFHxA                                   | 4.4         |
| PFHxS                                   | 4.8         |
| PFOS                                    | 9.4         |
| PFPeA                                   | 4.1         |
| 108498R                                 | <b>5.9</b>  |
| PFOS                                    | 5.9         |
| <b>PIEDMONT MUNICIPAL AUTHORITY</b>     |             |
| 100516P                                 | <b>12.8</b> |
| PFBA                                    | 5.9         |
| PFHxA                                   | 3.3         |
| PFPeA                                   | 3.6         |
| 109017P                                 | <b>8</b>    |
| PFBA                                    | 5           |
| PFPeA                                   | 3           |
| 107397R                                 | <b>3.1</b>  |
| PFPeA                                   | 3.1         |
| 103240P                                 | <b>3</b>    |
| PFPeA                                   | 3           |
| <b>DEWEY PUBLIC WORKS AUTHORITY</b>     |             |
| 109448R                                 | <b>8.6</b>  |
| PFBA                                    | 8.6         |
| 104157P                                 | <b>6.4</b>  |

|  |             |
|--|-------------|
| PFBA                                     | 6.4         |
| 107019P                                  | <b>5.9</b>  |
| PFBA                                     | 5.9         |
| <b>TAHLEQUAH PWA</b>                     |             |
| FI20024-01E                              | <b>8.7</b>  |
| PFBS                                     | 5.7         |
| PFPeA                                    | 3           |
| FJ18022-01A                              | <b>6.1</b>  |
| PFBS                                     | 3.1         |
| PFPeA                                    | 3           |
| FF07036-01C                              | <b>3.5</b>  |
| PFBS                                     | 3.5         |
| <b>SHAWNEE MUNICIPAL AUTHORITY</b>       |             |
| FG13102-01B                              | <b>11.1</b> |
| PFBA                                     | 7.9         |
| PFPeA                                    | 3.2         |
| FK02087-01A                              | <b>6.3</b>  |
| PFBA                                     | 6.3         |
| <b>EUFAULA PWA</b>                       |             |
| 101626P                                  | <b>8.5</b>  |
| PFBA                                     | 8.5         |
| 107006P                                  | <b>6.1</b>  |
| PFBA                                     | 6.1         |
| <b>DUNCAN PUBLIC UTILITIES AUTHORITY</b> |             |
| FJ04209-03B                              | <b>9</b>    |
| PFBA                                     | 5.8         |
| PFPeA                                    | 3.2         |
| FJ04209-01B                              | <b>5.6</b>  |
| PFBA                                     | 5.6         |
| <b>ROGERS CO RWD # 8</b>                 |             |
| 102410P                                  | <b>14</b>   |
| PFBA                                     | 14          |
| <b>NOBLE</b>                             |             |
| 108045P                                  | <b>7.1</b>  |
| PFHxS                                    | 7.1         |
| 102403P                                  | <b>5.8</b>  |
| PFHxS                                    | 5.8         |
| <b>FREDERICK</b>                         |             |
| 107437R                                  | <b>12.5</b> |

|                                      |            |
|--------------------------------------|------------|
| PFBA                                 | 9.5        |
| PFHxS                                | 3          |
| <b>HOBART</b>                        |            |
| 100511P                              | <b>6.3</b> |
| PFBA                                 | 6.3        |
| 109011P                              | <b>5.7</b> |
| PFBA                                 | 5.7        |
| <b>NORMAN</b>                        |            |
| 810-81839-1                          | <b>6.1</b> |
| PFBA                                 | 6.1        |
| 810-80986-1                          | <b>5.5</b> |
| PFBA                                 | 5.5        |
| <b>MCINTOSH CO. RWD #8 (TEXANNA)</b> |            |
| 101627P                              | <b>6.4</b> |
| PFBA                                 | 6.4        |
| 107007P                              | <b>3</b>   |
| PFPeA                                | 3          |
| <b>PERRY WATER &amp; LIGHT DEPT</b>  |            |
| 106036P                              | <b>8.4</b> |
| PFBA                                 | 8.4        |
| <b>SKIATOOK PWA</b>                  |            |
| 104506R                              | <b>7.9</b> |
| PFBA                                 | 7.9        |
| <b>PITTSBURG CO. RWD #16</b>         |            |
| 101638P                              | <b>6</b>   |
| PFBA                                 | 6          |
| <b>BARTLESVILLE</b>                  |            |
| FE04061-01B                          | 5.6        |
| PFBA                                 | 5.6        |
| <b>OKFUSKEE CO. RWD #3</b>           |            |
| 100524P                              | <b>5.5</b> |
| PFBA                                 | 5.5        |
| <b>HEAVENER UTILITY AUTH - PSG</b>   |            |
| 104508R                              | <b>5.5</b> |
| PFBA                                 | 5.5        |
| <b>LEFLORE CO. RWD #2</b>            |            |
| 109018P                              | <b>5.3</b> |
| PFBA                                 | 5.3        |
| <b>TINKER AFB BIO-ENV ENG</b>        |            |

|                                  |      |
|----------------------------------|------|
| FE08039-19B                      | 5.2  |
| PFHxS                            | 5.2  |
| <b>COWETA</b>                    |      |
| 107446R                          | 3.1  |
| PFHxA                            | 3.1  |
| <b>OR</b>                        |      |
| <b>HERMISTON, CITY OF</b>        |      |
| 3F21082-07                       | 34.3 |
| PFBS                             | 10   |
| PFHxA                            | 3.9  |
| PFHxS                            | 8.4  |
| PFOS                             | 7.8  |
| PFPeA                            | 4.2  |
| 3F21062-01                       | 17.4 |
| PFBS                             | 3.4  |
| PFHxS                            | 8    |
| PFOS                             | 6    |
| <b>BEND WATER DEPARTMENT</b>     |      |
| 380-47232-7                      | 25.5 |
| PFHpA                            | 4.2  |
| PFHxA                            | 4.7  |
| PFOA                             | 7.9  |
| PFPeA                            | 8.7  |
| <b>MOLALLA, CITY OF</b>          |      |
| 100527P                          | 11.3 |
| 6:2 FTS                          | 11.3 |
| <b>MARCOLA WATER DISTRICT</b>    |      |
| 104165P                          | 9.7  |
| PFHxS                            | 4    |
| PFOS                             | 5.7  |
| <b>DUNDEE, CITY OF</b>           |      |
| 103246P                          | 5.4  |
| PFOS                             | 5.4  |
| 109023P                          | 4.2  |
| PFOS                             | 4.2  |
| <b>INDEPENDENCE WATER SYSTEM</b> |      |
| 104162P                          | 3.2  |
| PFBS                             | 3.2  |
| 104161P                          | 3.2  |

|                                      |             |
|--------------------------------------|-------------|
| PFBS                                 | 3.2         |
| <b>PA</b>                            |             |
| <b>COLLEGEVILLE TRAPPE JOINT PWD</b> |             |
| 102422P                              | <b>289</b>  |
| PFBA                                 | 6.6         |
| PFBS                                 | 4.8         |
| PFHpA                                | 6.2         |
| PFHxA                                | 10.9        |
| PFHxS                                | 3.1         |
| PFOA                                 | 235         |
| PFOS                                 | 15          |
| PFPeA                                | 7.4         |
| 108061P                              | <b>54.7</b> |
| PFBA                                 | 6.3         |
| PFBS                                 | 14          |
| PFHpA                                | 3.9         |
| PFHxA                                | 7           |
| PFOA                                 | 9.3         |
| PFOS                                 | 8.3         |
| PFPeA                                | 5.9         |
| 102421P                              | <b>51.2</b> |
| PFBA                                 | 5           |
| PFBS                                 | 13.8        |
| PFHpA                                | 3.7         |
| PFHxA                                | 5.3         |
| PFOA                                 | 8.6         |
| PFOS                                 | 9           |
| PFPeA                                | 5.8         |
| 108065P                              | <b>50.4</b> |
| PFBS                                 | 5.6         |
| PFHpA                                | 5           |
| PFHxA                                | 7.4         |
| PFOA                                 | 13          |
| PFOS                                 | 11          |
| PFPeA                                | 8.4         |
| 102424P                              | <b>50.3</b> |
| PFBA                                 | 5.2         |
| PFBS                                 | 4.1         |
| PFHpA                                | 3           |

|                |             |
|----------------|-------------|
| PFHxA          | 4.8         |
| PFHxS          | 4.2         |
| PFOA           | 14.9        |
| PFOS           | 9.3         |
| PFPeA          | 4.8         |
| <b>102423P</b> | <b>49.3</b> |
| PFBA           | 5           |
| PFBS           | 7           |
| PFHpA          | 4.1         |
| PFHxA          | 6.3         |
| PFOA           | 10.7        |
| PFOS           | 9.7         |
| PFPeA          | 6.5         |
| <b>108066P</b> | <b>48.1</b> |
| PFBS           | 4           |
| PFHpA          | 3.3         |
| PFHxA          | 5           |
| PFHxS          | 4.1         |
| PFOA           | 16          |
| PFOS           | 10          |
| PFPeA          | 5.7         |
| <b>108063P</b> | <b>44.9</b> |
| PFBS           | 12          |
| PFHpA          | 3.5         |
| PFHxA          | 5.5         |
| PFOA           | 7.9         |
| PFOS           | 9.3         |
| PFPeA          | 6.7         |
| <b>108062P</b> | <b>41.1</b> |
| PFBS           | 3.9         |
| PFHpA          | 3.6         |
| PFHxA          | 5.1         |
| PFOA           | 11          |
| PFOS           | 12          |
| PFPeA          | 5.5         |
| <b>102419P</b> | <b>35.2</b> |
| PFBS           | 15.3        |
| PFHxA          | 3.3         |
| PFOA           | 6.5         |



|                                       |             |
|---------------------------------------|-------------|
| PFOS                                  | 6.8         |
| PFPeA                                 | 3.3         |
| <b>108060P</b>                        | <b>34.5</b> |
| PFBS                                  | 5.3         |
| PFHpA                                 | 3.2         |
| PFHxA                                 | 4.8         |
| PFOA                                  | 8.2         |
| PFOS                                  | 7.1         |
| PFPeA                                 | 5.9         |
| <b>102418P</b>                        | <b>29.9</b> |
| PFBS                                  | 6.1         |
| PFHxA                                 | 3.6         |
| PFOA                                  | 7.2         |
| PFOS                                  | 9.3         |
| PFPeA                                 | 3.7         |
| <b>102420P</b>                        | <b>27.2</b> |
| PFBS                                  | 3.6         |
| PFHxA                                 | 3.2         |
| PFOA                                  | 7.7         |
| PFOS                                  | 9.6         |
| PFPeA                                 | 3.1         |
| <b>KENNETT SQUARE MUN WATER WORKS</b> |             |
| <b>106061P</b>                        | <b>89.6</b> |
| PFBA                                  | 18.9        |
| PFBS                                  | 4.5         |
| PFHpA                                 | 7.8         |
| PFHxA                                 | 11.4        |
| PFHxS                                 | 4.2         |
| PFOA                                  | 17.7        |
| PFOS                                  | 12.5        |
| PFPeA                                 | 12.6        |
| <b>100539P</b>                        | <b>82.8</b> |
| PFBA                                  | 17.8        |
| PFBS                                  | 4.1         |
| PFHpA                                 | 7.3         |
| PFHxA                                 | 10.1        |
| PFHxS                                 | 3.5         |
| PFOA                                  | 14.4        |
| PFOS                                  | 14.4        |

|                                   |             |
|-----------------------------------|-------------|
| PFPeA                             | 11.2        |
| <b>106373R</b>                    | <b>75.3</b> |
| PFBA                              | 16.9        |
| PFBS                              | 4.1         |
| PFHpA                             | 6.6         |
| PFHxA                             | 9.5         |
| PFHxS                             | 3.3         |
| PFOA                              | 14.9        |
| PFOS                              | 9.2         |
| PFPeA                             | 10.8        |
| <b>106377R</b>                    | <b>7.4</b>  |
| PFHxA                             | 3.5         |
| PFPeA                             | 3.9         |
| <b>106059P</b>                    | <b>3.2</b>  |
| PFPeA                             | 3.2         |
| <b>UPPER SOUTHAMPTON MUN AUTH</b> |             |
| <b>810-70835-1</b>                | <b>70.1</b> |
| PFBA                              | 6.4         |
| PFBS                              | 7.4         |
| PFHpA                             | 5.1         |
| PFHxA                             | 7.6         |
| PFHxS                             | 4.7         |
| PFOA                              | 14.2        |
| PFOS                              | 16.4        |
| PFPeA                             | 8.3         |
| <b>810-70833-1</b>                | <b>54.2</b> |
| PFBS                              | 7.5         |
| PFHpA                             | 4           |
| PFHxA                             | 5.1         |
| PFHxS                             | 5           |
| PFOA                              | 12.8        |
| PFOS                              | 14.8        |
| PFPeA                             | 5           |
| <b>810-51222-2</b>                | <b>53.3</b> |
| PFBS                              | 6.2         |
| PFHpA                             | 4.4         |
| PFHxA                             | 6.5         |
| PFHxS                             | 3.7         |
| PFOA                              | 12.1        |

|                            |             |
|----------------------------|-------------|
| PFOS                       | 13.4        |
| PFPeA                      | 7           |
| 810-61264-1                | <b>19.3</b> |
| PFBA                       | 19.3        |
| 810-59865-1                | <b>10.5</b> |
| PFBA                       | 10.5        |
| 810-70832-1                | <b>10.4</b> |
| PFBA                       | 10.4        |
| <b>NEW HOLLAND BOROUGH</b> |             |
| 102455P                    | <b>39.5</b> |
| PFBS                       | 4.8         |
| PFHpA                      | 3.7         |
| PFHxA                      | 6.8         |
| PFHxS                      | 3.4         |
| PFOA                       | 4.7         |
| PFOS                       | 8.3         |
| PFPeA                      | 7.8         |
| 108097P                    | <b>36.6</b> |
| PFBS                       | 4.5         |
| PFHpA                      | 3.6         |
| PFHxA                      | 7.9         |
| PFHxS                      | 4           |
| PFOS                       | 8.1         |
| PFPeA                      | 8.5         |
| 102457P                    | <b>29</b>   |
| PFBS                       | 4.5         |
| PFHxA                      | 4.2         |
| PFHxS                      | 7.2         |
| PFOS                       | 8           |
| PFPeA                      | 5.1         |
| 102456P                    | <b>25.7</b> |
| PFHxA                      | 4.5         |
| PFHxS                      | 4.6         |
| PFOA                       | 5.1         |
| PFOS                       | 5.5         |
| PFPeA                      | 6           |
| 108099P                    | <b>24.6</b> |
| PFBS                       | 4.2         |
| PFHxA                      | 3.4         |

|                           |             |
|---------------------------|-------------|
| PFHxS                     | 5.9         |
| PFOS                      | 6.7         |
| PFPeA                     | 4.4         |
| <b>108098P</b>            | <b>18.1</b> |
| PFHxA                     | 3.8         |
| PFHxS                     | 4.3         |
| PFOA                      | 4.9         |
| PFPeA                     | 5.1         |
| <b>102458P</b>            | <b>7.8</b>  |
| PFBS                      | 3.7         |
| PFOS                      | 4.1         |
| <b>108100P</b>            | <b>3</b>    |
| PFBS                      | 3           |
| <b>SHREWSBURY BOROUGH</b> |             |
| <b>104195P</b>            | <b>66.1</b> |
| PFBS                      | 39.3        |
| PFHxA                     | 4.2         |
| PFOA                      | 5.9         |
| PFOS                      | 11.2        |
| PFPeA                     | 5.5         |
| <b>103940P</b>            | <b>40.2</b> |
| PFBS                      | 5.2         |
| PFHpA                     | 4.5         |
| PFHxA                     | 10.8        |
| PFHxS                     | 4           |
| PFOA                      | 4.5         |
| PFPeA                     | 11.2        |
| <b>104197P</b>            | <b>26.7</b> |
| PFBS                      | 10.6        |
| PFHxA                     | 5.7         |
| PFOA                      | 4.7         |
| PFPeA                     | 5.7         |
| <b>103941P</b>            | <b>15.5</b> |
| PFBS                      | 3.4         |
| PFHxA                     | 3.7         |
| PFOA                      | 4.8         |
| PFPeA                     | 3.6         |
| <b>104196P</b>            | <b>3.4</b>  |
| PFPeA                     | 3.4         |

|  |             |
|--|-------------|
| <b>CORAOPOLIS WATER &amp; SEWER AUTH</b> |             |
| 102436P                                  | <b>45.1</b> |
| PFBA                                     | 6           |
| PFBS                                     | 14.6        |
| PFHxS                                    | 12.6        |
| PFOA                                     | 4.1         |
| PFOS                                     | 7.8         |
| 102437P                                  | <b>31.2</b> |
| PFHxA                                    | 3.1         |
| PFHxS                                    | 9.3         |
| PFOS                                     | 18.8        |
| 107339R                                  | <b>14.2</b> |
| PFHxA                                    | 3.2         |
| PFHxS                                    | 3.4         |
| PFOS                                     | 7.6         |
| 108079P                                  | <b>5.2</b>  |
| PFOS                                     | 5.2         |
| <b>NEW OXFORD MUNCI AUTH</b>             |             |
| 103305P                                  | <b>34.7</b> |
| PFBA                                     | 28.1        |
| PFHxA                                    | 3.4         |
| PFPeA                                    | 3.2         |
| 106085P                                  | <b>24.4</b> |
| PFBS                                     | 4.5         |
| PFHxA                                    | 6           |
| PFOA                                     | 4.3         |
| PFPeA                                    | 9.6         |
| 109081P                                  | <b>23.7</b> |
| PFBA                                     | 6.1         |
| PFBS                                     | 5.3         |
| PFHxA                                    | 4.9         |
| PFPeA                                    | 7.4         |
| 100565P                                  | <b>4.8</b>  |
| PFOS                                     | 4.8         |
| 106086P                                  | <b>4.5</b>  |
| PFOS                                     | 4.5         |
| <b>AKRON BOROUGH</b>                     |             |
| 109083P                                  | <b>30.1</b> |
| PFBA                                     | 5.4         |

|                                     |             |
|-------------------------------------|-------------|
| PFHpA                               | 5.5         |
| PFHxA                               | 7.2         |
| PFPeA                               | 12          |
| <b>103308P</b>                      | <b>23.5</b> |
| PFBS                                | 4.8         |
| PFHxA                               | 4.4         |
| PFOA                                | 5           |
| PFOS                                | 4.4         |
| PFPeA                               | 4.9         |
| <b>106462R</b>                      | <b>21.6</b> |
| PFHpA                               | 4.6         |
| PFHxA                               | 6.2         |
| PFPeA                               | 10.8        |
| <b>109084P</b>                      | <b>6.3</b>  |
| PFBS                                | 3.2         |
| PFPeA                               | 3.1         |
| <b>STEWARTSTOWN BORO WATER AUTH</b> |             |
| <b>101198P</b>                      | <b>18.9</b> |
| PFBS                                | 5.1         |
| PFHxA                               | 4.5         |
| PFOA                                | 4.6         |
| PFPeA                               | 4.7         |
| <b>108103P</b>                      | <b>14.7</b> |
| PFBS                                | 6.7         |
| PFHxA                               | 3.7         |
| PFPeA                               | 4.3         |
| <b>101197P</b>                      | <b>13.8</b> |
| PFBS                                | 3           |
| PFHxA                               | 3.1         |
| PFOS                                | 4.1         |
| PFPeA                               | 3.6         |
| <b>103591R</b>                      | <b>12.7</b> |
| PFBS                                | 6.2         |
| PFHxA                               | 3.2         |
| PFPeA                               | 3.3         |
| <b>108101P</b>                      | <b>11.2</b> |
| PFBS                                | 3.5         |
| PFHxA                               | 3.2         |
| PFPeA                               | 4.5         |

|                                    |             |
|------------------------------------|-------------|
| 104684P                            | <b>3.2</b>  |
| PFPeA                              | 3.2         |
| 101195P                            | <b>3</b>    |
| PFPeA                              | 3           |
| <b>SUEZ WATER PA DALLAS</b>        |             |
| 109043P                            | <b>21.5</b> |
| PFHxA                              | 3.4         |
| PFHxS                              | 3.5         |
| PFOA                               | 4.1         |
| PFOS                               | 7.3         |
| PFPeA                              | 3.2         |
| 106350R                            | <b>18</b>   |
| PFHxA                              | 3.5         |
| PFHxS                              | 3.4         |
| PFOS                               | 7.9         |
| PFPeA                              | 3.2         |
| 106391R                            | <b>13.5</b> |
| PFHxA                              | 3.2         |
| PFOS                               | 6           |
| PFPeA                              | 4.3         |
| 109044P                            | <b>9.4</b>  |
| PFOS                               | 5.4         |
| PFPeA                              | 4           |
| 106383R                            | <b>5.7</b>  |
| PFOS                               | 5.7         |
| 109045P                            | <b>4.8</b>  |
| PFOS                               | 4.8         |
| 109046P                            | <b>4.3</b>  |
| PFOS                               | 4.3         |
| <b>NEW FREEDOM BORO WATER AUTH</b> |             |
| 102462P                            | <b>32.5</b> |
| PFBS                               | 12.5        |
| PFHpA                              | 3           |
| PFHxA                              | 4.6         |
| PFNA                               | 6.2         |
| PFPeA                              | 6.2         |
| 108109P                            | <b>13.7</b> |
| PFBS                               | 10          |
| PFPeA                              | 3.7         |

|                                     |             |
|-------------------------------------|-------------|
| 108106P                             | <b>12.2</b> |
| PFBS                                | 3.4         |
| PFHxA                               | 4.2         |
| PFPeA                               | 4.6         |
| 102461P                             | <b>5</b>    |
| PFBS                                | 5           |
| 108108P                             | <b>4</b>    |
| PFBS                                | 4           |
| 108107P                             | <b>3.9</b>  |
| PFBS                                | 3.9         |
| 102460P                             | <b>3.7</b>  |
| PFBS                                | 3.7         |
| <b>SUEZ MECHANICSBURG</b>           |             |
| 3B01487-03                          | <b>37.4</b> |
| PFBS                                | 5.7         |
| PFHxA                               | 6.9         |
| PFOA                                | 5.3         |
| PFOS                                | 11.4        |
| PFPeA                               | 8.1         |
| 3B01488-01                          | <b>25.2</b> |
| PFBS                                | 3.8         |
| PFHpA                               | 3.6         |
| PFHxA                               | 5.6         |
| PFOA                                | 7.1         |
| PFPeA                               | 5.1         |
| 3D05563-03                          | <b>8.3</b>  |
| PFOS                                | 5           |
| PFPeA                               | 3.3         |
| <b>WYOMISSING BORO WATER SYSTEM</b> |             |
| 107338R                             | <b>38.7</b> |
| PFBA                                | 20.8        |
| PFBS                                | 4.9         |
| PFHxA                               | 3.7         |
| PFOA                                | 4.7         |
| PFPeA                               | 4.6         |
| 108072P                             | <b>17</b>   |
| PFBS                                | 4.8         |
| PFHxA                               | 3.5         |
| PFOA                                | 4.5         |



|                                       |             |
|---------------------------------------|-------------|
| PFPeA                                 | 4.2         |
| 102430P                               | <b>3.4</b>  |
| PFBS                                  | 3.4         |
| <b>BEAVER FALLS MUNI AUTH</b>         |             |
| 810-81011-1                           | <b>54.5</b> |
| PFBA                                  | 8.3         |
| PFBS                                  | 21.3        |
| PFHxA                                 | 7.7         |
| PFOA                                  | 5.4         |
| PFOS                                  | 4           |
| PFPeA                                 | 7.8         |
| <b>WARMINSTER MUNICIPAL AUTHORITY</b> |             |
| 810-63827-1                           | <b>30.4</b> |
| PFBA                                  | 8.7         |
| PFPeA                                 | 21.7        |
| 810-63825-1                           | <b>16.6</b> |
| PFBA                                  | 12.9        |
| PFPeA                                 | 3.7         |
| <b>LCA WLSA CENTRAL DIVISION</b>      |             |
| 3D02842-03                            | <b>8.2</b>  |
| PFBS                                  | 3.8         |
| PFOA                                  | 4.4         |
| 3H06460-09                            | <b>7.8</b>  |
| PFBS                                  | 3.6         |
| PFOA                                  | 4.2         |
| 3B04389-05                            | <b>7.5</b>  |
| PFHxS                                 | 3.1         |
| PFOA                                  | 4.4         |
| 3H06459-01                            | <b>7.5</b>  |
| PFHxA                                 | 3.3         |
| PFPeA                                 | 4.2         |
| 3H06460-05                            | <b>4.3</b>  |
| PFOA                                  | 4.3         |
| 3H06460-03                            | <b>3.5</b>  |
| PFPeA                                 | 3.5         |
| 3B04391-05                            | <b>3.4</b>  |
| PFPeA                                 | 3.4         |
| 3D02842-01                            | <b>3.3</b>  |
| PFBS                                  | 3.3         |

|                                    |             |
|------------------------------------|-------------|
| <b>SCHWENKSVILLE BOROUGH AUTH</b>  |             |
| 103263P                            | <b>16.5</b> |
| PFBS                               | 3.9         |
| PFOA                               | 5           |
| PFOS                               | 7.6         |
| 109041P                            | <b>12.3</b> |
| PFBS                               | 3.1         |
| PFOA                               | 4           |
| PFOS                               | 5.2         |
| 103262P                            | <b>7.2</b>  |
| PFBS                               | 3.2         |
| PFOS                               | 4           |
| 103264P                            | <b>5.6</b>  |
| PFOS                               | 5.6         |
| <b>NEW SEWICKLEY TWP MUNI AUTH</b> |             |
| 108083P                            | <b>24.8</b> |
| PFBS                               | 16          |
| PFHxA                              | 4.6         |
| PFPeA                              | 4.2         |
| 102441P                            | <b>5.4</b>  |
| PFBA                               | 5.4         |
| 102443P                            | <b>5.1</b>  |
| PFBA                               | 5.1         |
| 102442P                            | <b>5.1</b>  |
| PFBA                               | 5.1         |
| <b>TUNKHANNOCK BORO MUNIC AUTH</b> |             |
| 109061P                            | <b>20.7</b> |
| PFHxA                              | 4.3         |
| PFOA                               | 4.8         |
| PFOS                               | 6.6         |
| PFPeA                              | 5           |
| 106381R                            | <b>15.5</b> |
| PFHxA                              | 4.4         |
| PFOS                               | 5.6         |
| PFPeA                              | 5.5         |
| <b>SEWICKLEY BORO WATER AUTH</b>   |             |
| 104668P                            | <b>35.4</b> |
| PFBA                               | 6.6         |
| PFBS                               | 5.7         |

|                                      |             |
|--------------------------------------|-------------|
| PFHxA                                | 7.8         |
| PFHxS                                | 3.3         |
| PFPeA                                | 12          |
| <b>MILLERSBURG WATER AUTH</b>        |             |
| 107064P                              | <b>17.7</b> |
| PFBS                                 | 3.2         |
| PFOA                                 | 4.5         |
| PFOS                                 | 10          |
| 107063P                              | <b>9.1</b>  |
| PFHxS                                | 3.5         |
| PFOS                                 | 5.6         |
| 101192P                              | <b>8.3</b>  |
| PFOS                                 | 8.3         |
| <b>FAWN FRAZER JT WATER AUTH</b>     |             |
| 103299P                              | <b>21.4</b> |
| PFBA                                 | 21.4        |
| 103298P                              | <b>13.4</b> |
| PFBA                                 | 13.4        |
| <b>BLUE MTN COOP TILDEN IND PARK</b> |             |
| 106069P                              | <b>16.2</b> |
| PFBS                                 | 13.2        |
| PFPeA                                | 3           |
| 100547P                              | <b>14.8</b> |
| PFBS                                 | 14.8        |
| <b>SHILLINGTON MUNI AUTH</b>         |             |
| 3A03053-01                           | <b>4.2</b>  |
| PFBS                                 | 4.2         |
| 3A03053-07                           | <b>4.2</b>  |
| PFBS                                 | 4.2         |
| 3A03053-05                           | <b>3.9</b>  |
| PFBS                                 | 3.9         |
| 3C05411-07                           | <b>3.7</b>  |
| PFBS                                 | 3.7         |
| 3C05411-01                           | <b>3.7</b>  |
| PFBS                                 | 3.7         |
| 3C05411-03                           | <b>3.6</b>  |
| PFBS                                 | 3.6         |
| 3C05411-05                           | <b>3.6</b>  |
| PFBS                                 | 3.6         |

|                                 |             |
|---------------------------------|-------------|
| 3A03053-03                      | <b>3.5</b>  |
| PFBS                            | 3.5         |
| <b>MANHEIM AUTO AUCTION</b>     |             |
| 100567P                         | <b>12.7</b> |
| PFHxS                           | 4.6         |
| PFOS                            | 8.1         |
| 106088P                         | <b>11.7</b> |
| PFHxS                           | 4.2         |
| PFOS                            | 7.5         |
| <b>DILLSBURG AREA AUTHORITY</b> |             |
| 106092P                         | <b>16.1</b> |
| PFBS                            | 3.3         |
| PFHxS                           | 3.3         |
| PFOA                            | 4.8         |
| PFOS                            | 4.7         |
| 100571P                         | <b>7.3</b>  |
| PFBS                            | 3.2         |
| PFOS                            | 4.1         |
| <b>LCA ALLENTOWN DIVISION</b>   |             |
| 3D05451-01                      | <b>7.7</b>  |
| PFHxA                           | 3.1         |
| PFPeA                           | 4.6         |
| 3B01836-01                      | <b>7.6</b>  |
| PFHxA                           | 3.1         |
| PFPeA                           | 4.5         |
| 3B01836-03                      | <b>3.3</b>  |
| PFPeA                           | 3.3         |
| 3D05451-03                      | <b>3.1</b>  |
| PFPeA                           | 3.1         |
| <b>DERRY BORO MUNI AUTH</b>     |             |
| 107058P                         | <b>10.2</b> |
| PFBS                            | 10.2        |
| 104188P                         | <b>5.7</b>  |
| PFBS                            | 5.7         |
| 101186P                         | <b>5.1</b>  |
| PFBS                            | 5.1         |
| <b>NANTY GLO WATER AUTH</b>     |             |
| 108074P                         | <b>20.9</b> |
| PFBA                            | 20.9        |

|                                       |             |
|---------------------------------------|-------------|
| <b>RADISSON VALLEY FORGE HOTEL</b>    |             |
| 104172P                               | <b>20.6</b> |
| PFBS                                  | 3           |
| PFHxA                                 | 3.9         |
| PFOA                                  | 5.4         |
| PFOS                                  | 4           |
| PFPeA                                 | 4.3         |
| <b>CONEMAUGH TWP MUNI AUTH</b>        |             |
| 103295P                               | <b>13.2</b> |
| PFBA                                  | 13.2        |
| 103297P                               | <b>6</b>    |
| PFBA                                  | 6           |
| <b>EI MEADOWS COMPLEX</b>             |             |
| 107032P                               | <b>9.8</b>  |
| PFBS                                  | 3.9         |
| PFOS                                  | 5.9         |
| 101652P                               | <b>8</b>    |
| PFBS                                  | 3.1         |
| PFOS                                  | 4.9         |
| <b>CARLISLE WATER TRMT PLT</b>        |             |
| 3B01492-01                            | <b>11.3</b> |
| PFOS                                  | 11.3        |
| 3D05448-01                            | <b>5.2</b>  |
| PFOS                                  | 5.2         |
| <b>SPRING TWP WATER AUTHORITY</b>     |             |
| 108077P                               | <b>4.2</b>  |
| PFHxS                                 | 4.2         |
| 102435P                               | <b>4.1</b>  |
| PFHxS                                 | 4.1         |
| 108076P                               | <b>3.9</b>  |
| PFHxS                                 | 3.9         |
| 102434P                               | <b>3.8</b>  |
| PFHxS                                 | 3.8         |
| <b>BUCKS COUNTY COMMUNITY COLLEGE</b> |             |
| 108059P                               | <b>7.1</b>  |
| PFOA                                  | 7.1         |
| 102417P                               | <b>5.7</b>  |
| PFOA                                  | 5.7         |
| <b>EAST DONEGAL TWP MUNICIPAL AUT</b> |             |

|                                       |             |
|---------------------------------------|-------------|
| 107065P                               | <b>8.3</b>  |
| PFBS                                  | 5.3         |
| PFPeA                                 | 3           |
| 101193P                               | <b>4.4</b>  |
| PFBS                                  | 4.4         |
| <b>PAW CRYSTAL LAKE</b>               |             |
| 103274P                               | <b>12.6</b> |
| PFBA                                  | 12.6        |
| <b>UPMC MAGEE WOMENS HOSPITAL</b>     |             |
| 103300P                               | <b>11.8</b> |
| PFBA                                  | 11.8        |
| <b>LITITZ BORO</b>                    |             |
| 100566P                               | <b>4</b>    |
| PFBS                                  | 4           |
| 106087P                               | <b>3.7</b>  |
| PFBS                                  | 3.7         |
| 106375R                               | <b>3.5</b>  |
| PFBS                                  | 3.5         |
| <b>BROOKVILLE MUNICIPAL AUTH</b>      |             |
| 106084P                               | <b>11</b>   |
| PFBA                                  | 11          |
| <b>COLLEGE TWP. WATER AUTHORITY</b>   |             |
| 100552P                               | <b>7.7</b>  |
| PFHxA                                 | 3.8         |
| PFPeA                                 | 3.9         |
| 106074P                               | <b>3.2</b>  |
| PFPeA                                 | 3.2         |
| <b>SHENANDOAH MUN WATER AUTHORITY</b> |             |
| 103290P                               | <b>7.4</b>  |
| PFBA                                  | 7.4         |
| <b>UPPER SAUCON TWP WATER SUPPLY</b>  |             |
| 104181P                               | <b>6.7</b>  |
| PFBA                                  | 6.7         |
| <b>HANOVER MUNI WATER WORKS</b>       |             |
| 3H06458-01                            | <b>4.6</b>  |
| PFPeA                                 | 4.6         |
| <b>CATASAUQUA MUN WATER WORKS</b>     |             |
| 104659P                               | <b>3.5</b>  |
| PFHxS                                 | 3.5         |

|                                      |             |
|--------------------------------------|-------------|
| <b>SUEZ WATER PA</b>                 |             |
| 3B01433-03                           | <b>3.4</b>  |
| PFBS                                 | 3.4         |
| <b>LCA NORTH WHITEHALL DIVISION</b>  |             |
| 107045P                              | <b>3</b>    |
| PFBS                                 | 3           |
| <b>BANGOR AREA SCHOOL COMPLEX</b>    |             |
| 106070P                              | <b>3</b>    |
| PFPeA                                | 3           |
| <b>GENERAL AUTHORITY OF FRANKLIN</b> |             |
| 107061P                              | <b>3</b>    |
| PFBS                                 | 3           |
| <b>PR</b>                            |             |
| <b>PONCE URBANO</b>                  |             |
| 3901083                              | <b>48.1</b> |
| PFBS                                 | 6.4         |
| PFHxS                                | 16.7        |
| PFOS                                 | 25          |
| 3854605                              | <b>34.9</b> |
| PFBA                                 | 5.3         |
| PFBS                                 | 9           |
| PFOA                                 | 5.1         |
| PFOS                                 | 12.5        |
| PFPeA                                | 3           |
| 3854607                              | <b>21.8</b> |
| PFBS                                 | 5.3         |
| PFHxS                                | 4.4         |
| PFOS                                 | 12.1        |
| 3856605                              | <b>20.4</b> |
| PFBS                                 | 3.5         |
| PFOA                                 | 4.4         |
| PFOS                                 | 9.2         |
| PFPeA                                | 3.3         |
| 3852893                              | <b>19.4</b> |
| PFBS                                 | 6.5         |
| PFOS                                 | 12.9        |
| 3852178                              | <b>19.3</b> |
| PFBS                                 | 6.6         |
| PFOS                                 | 12.7        |

|                          |             |
|--------------------------|-------------|
| 3856582                  | <b>17.5</b> |
| PFBS                     | 9.2         |
| PFOS                     | 8.3         |
| 3904067                  | <b>17</b>   |
| PFBS                     | 6.3         |
| PFOS                     | 10.7        |
| 3856591                  | <b>16.7</b> |
| PFBS                     | 3.4         |
| PFOS                     | 10.2        |
| PFPeA                    | 3.1         |
| 3856585                  | <b>15.9</b> |
| PFBS                     | 4.5         |
| PFOS                     | 11.4        |
| 3852895                  | <b>15.7</b> |
| PFBS                     | 4.4         |
| PFOS                     | 11.3        |
| 3852176                  | <b>15.2</b> |
| PFBS                     | 4.2         |
| PFOS                     | 11          |
| 3852891                  | <b>12.5</b> |
| PFBS                     | 3.4         |
| PFOS                     | 9.1         |
| 3850637                  | <b>9.6</b>  |
| PFOS                     | 9.6         |
| 3852165                  | <b>9.5</b>  |
| PFDoA                    | 3.2         |
| PFOS                     | 6.3         |
| 3852172                  | <b>9.2</b>  |
| PFBS                     | 3           |
| PFOS                     | 6.2         |
| 3852889                  | <b>6.6</b>  |
| PFOS                     | 6.6         |
| 3852174                  | <b>5.6</b>  |
| PFOS                     | 5.6         |
| 3897017                  | <b>5.6</b>  |
| PFBA                     | 5.6         |
| 3897026                  | <b>5.3</b>  |
| PFBA                     | 5.3         |
| <b>AIBONITO LA PLATA</b> |             |



|                  |             |
|------------------|-------------|
| 3902016          | <b>46.7</b> |
| PFOS             | 46.7        |
| 3853700          | <b>29.7</b> |
| PFBA             | 5.1         |
| PFHxA            | 6.7         |
| PFOS             | 5.3         |
| PFPeA            | 12.6        |
| 3801942          | <b>23.6</b> |
| PFBA             | 5.9         |
| PFBS             | 3.2         |
| PFHxA            | 3.1         |
| PFOS             | 5           |
| PFPeA            | 6.4         |
| 3902020          | <b>21.3</b> |
| PFHxA            | 5.4         |
| PFHxS            | 4.8         |
| PFOS             | 5.7         |
| PFPeA            | 5.4         |
| 3801946          | <b>8.9</b>  |
| PFHxS            | 4.1         |
| PFOS             | 4.8         |
| 3801932          | <b>4.5</b>  |
| PFOS             | 4.5         |
| 3902022          | <b>3.4</b>  |
| PFHxS            | 3.4         |
| <b>AGUADILLA</b> |             |
| 3861575          | <b>27.1</b> |
| PFBA             | 5.7         |
| PFBS             | 5.2         |
| PFHxA            | 4.7         |
| PFOS             | 4.8         |
| PFPeA            | 6.7         |
| 3861566          | <b>13.8</b> |
| PFBS             | 4.5         |
| PFOS             | 5.2         |
| PFPeA            | 4.1         |
| 3861568          | <b>11.9</b> |
| PFBS             | 3.7         |
| PFHxA            | 3.3         |

|                       |             |
|-----------------------|-------------|
| PFPeA                 | 4.9         |
| 3770688               | <b>9.7</b>  |
| PFBS                  | 4.4         |
| PFOS                  | 5.3         |
| 3769442               | <b>8</b>    |
| PFBS                  | 3.1         |
| PFOS                  | 4.9         |
| 3769444               | <b>4.1</b>  |
| PFOS                  | 4.1         |
| 3862386               | <b>3.4</b>  |
| PFBS                  | 3.4         |
| 3769446               | <b>3.4</b>  |
| PFBS                  | 3.4         |
| <b>SALINAS URBANO</b> |             |
| 103314P               | <b>29.4</b> |
| PFBS                  | 4.4         |
| PFHxA                 | 3           |
| PFHxS                 | 8.2         |
| PFOS                  | 9.6         |
| PFPeA                 | 4.2         |
| 103315P               | <b>27.8</b> |
| PFBS                  | 5.9         |
| PFHxA                 | 3           |
| PFHxS                 | 8.2         |
| PFOS                  | 5.9         |
| PFPeA                 | 4.8         |
| 103317P               | <b>11.2</b> |
| PFHxS                 | 5.6         |
| PFOS                  | 5.6         |
| 103316P               | <b>4.5</b>  |
| PFBS                  | 4.5         |
| <b>JACAGUAS</b>       |             |
| 101201P               | <b>26.3</b> |
| PFBS                  | 5           |
| PFHxS                 | 8.9         |
| PFOS                  | 12.4        |
| 107068P               | <b>15.6</b> |
| PFHxS                 | 4           |
| PFOS                  | 11.6        |

|                            |             |
|----------------------------|-------------|
| 101200P                    | <b>7.6</b>  |
| PFBS                       | 3.1         |
| PFOS                       | 4.5         |
| 107067P                    | <b>4.8</b>  |
| PFOS                       | 4.8         |
| <b>GURABO URBANO</b>       |             |
| 3869030                    | <b>19.1</b> |
| PFBA                       | 7.2         |
| PFHxA                      | 3.2         |
| PFOS                       | 4.3         |
| PFPeA                      | 4.4         |
| 3869043                    | <b>15.6</b> |
| PFBA                       | 7.4         |
| PFHxA                      | 3.4         |
| PFPeA                      | 4.8         |
| 3816314                    | <b>11.6</b> |
| PFHxA                      | 3.8         |
| PFOS                       | 4.4         |
| PFPeA                      | 3.4         |
| 3816320                    | <b>3.7</b>  |
| PFHxA                      | 3.7         |
| <b>CIDRA URBANO</b>        |             |
| 3866642                    | <b>26.1</b> |
| PFBA                       | 8.7         |
| PFHxA                      | 3.1         |
| PFHxS                      | 4.5         |
| PFOS                       | 9.8         |
| 3915418                    | <b>15.8</b> |
| PFHxS                      | 4.5         |
| PFOS                       | 8.2         |
| PFPeA                      | 3.1         |
| <b>UPR CAYEY</b>           |             |
| 104688P                    | <b>26.6</b> |
| PFBS                       | 5.2         |
| PFHxA                      | 3           |
| PFOS                       | 13.2        |
| PFPeA                      | 5.2         |
| <b>SANTA ISABEL URBANO</b> |             |
| 3905128                    | <b>21.4</b> |

|                                 |             |
|---------------------------------|-------------|
| PFBS                            | 6.4         |
| PFHxS                           | 4.7         |
| PFOS                            | 10.3        |
| 3897751                         | <b>3.2</b>  |
| PFBS                            | 3.2         |
| <b>EXPERIMENTAL</b>             |             |
| 103310P                         | <b>10.2</b> |
| PFBS                            | 4.9         |
| PFOS                            | 5.3         |
| 103313P                         | <b>8</b>    |
| PFBA                            | 8           |
| 104512R                         | <b>3.5</b>  |
| PFBS                            | 3.5         |
| <b>JUNCOS - CEIBA SUR</b>       |             |
| 3887069                         | <b>14.6</b> |
| PFBA                            | 9.8         |
| PFOA                            | 4.8         |
| 3838204                         | <b>5.9</b>  |
| PFBA                            | 5.9         |
| <b>COMERIO URBANO</b>           |             |
| 3853686                         | <b>9</b>    |
| PFHxA                           | 3.4         |
| PFPeA                           | 5.6         |
| 3853696                         | <b>8.3</b>  |
| PFHxA                           | 3.1         |
| PFPeA                           | 5.2         |
| <b>AIBONITO URBANO</b>          |             |
| 102466P                         | <b>7.3</b>  |
| PFBS                            | 3           |
| PFOS                            | 4.3         |
| 108113P                         | <b>4.3</b>  |
| PFOS                            | 4.3         |
| <b>U.S. ARMY, FORT BUCHANAN</b> |             |
| 107077P                         | <b>7.5</b>  |
| PFHxS                           | 3.5         |
| PFOS                            | 4           |
| <b>MAGUAYO</b>                  |             |
| 3870621                         | <b>6.7</b>  |
| PFBA                            | 6.7         |

|                                    |             |
|------------------------------------|-------------|
| <b>MANATI EAST</b>                 |             |
| 3900174                            | <b>6.3</b>  |
| PFOS                               | 6.3         |
| <b>YABUCOA URBANO</b>              |             |
| 3916428                            | <b>4.7</b>  |
| PFDoA                              | 4.7         |
| <b>COROZAL URBANO</b>              |             |
| 105450R                            | <b>3.4</b>  |
| PFPeA                              | 3.4         |
| <b>RI</b>                          |             |
| <b>SOUTH KINGSTOWN-SOUTH SHORE</b> |             |
| 101206P                            | <b>32.6</b> |
| PFHpA                              | 5.3         |
| PFHxA                              | 8.9         |
| PFOA                               | 6.1         |
| PFPeA                              | 12.3        |
| 107079P                            | <b>31.1</b> |
| PFHpA                              | 5.5         |
| PFHxA                              | 8.1         |
| PFOA                               | 6.1         |
| PFPeA                              | 11.4        |
| <b>NORTH KINGSTOWN TOWN OF</b>     |             |
| 810-78582-1                        | <b>25.9</b> |
| PFBS                               | 3.2         |
| PFHxA                              | 6.2         |
| PFHxS                              | 3.2         |
| PFOA                               | 7.2         |
| PFPeA                              | 6.1         |
| 810-78586-1                        | <b>15.8</b> |
| PFBS                               | 7.6         |
| PFHxA                              | 4.9         |
| PFPeA                              | 3.3         |
| 810-78579-1                        | <b>15.8</b> |
| PFBS                               | 3.8         |
| PFHxA                              | 3.3         |
| PFOA                               | 4.4         |
| PFOS                               | 4.3         |
| <b>UNIVERSITY OF RHODE ISLAND</b>  |             |
| L2348052-01                        | <b>57</b>   |

|  |             |
|--|-------------|
| PFBS                                     | 9           |
| PFHpA                                    | 6           |
| PFHxA                                    | 8           |
| PFHxS                                    | 3           |
| PFNA                                     | 4           |
| PFOA                                     | 16          |
| PFOS                                     | 4           |
| PFPeA                                    | 7           |
| <b>WOONSOCKET WATER DIVISION</b>         |             |
| M3F1250-01                               | <b>28.7</b> |
| PFBA                                     | 6.7         |
| PFHpA                                    | 3.7         |
| PFHxA                                    | 5           |
| PFOA                                     | 5.8         |
| PFPeA                                    | 7.5         |
| M3C1324-01                               | <b>8.8</b>  |
| PFHxA                                    | 3.9         |
| PFPeA                                    | 4.9         |
| M3L0208-01                               | <b>3.7</b>  |
| PFPeA                                    | 3.7         |
| <b>NARRAGANSETT WATER DEPT-NORTH END</b> |             |
| 106097P                                  | <b>15.8</b> |
| PFBS                                     | 4.2         |
| PFHxA                                    | 3.3         |
| PFOA                                     | 4.3         |
| PFOS                                     | 4           |
| 100582P                                  | <b>8.9</b>  |
| PFBS                                     | 5.4         |
| PFHxA                                    | 3.5         |
| <b>NEWPORT-CITY OF</b>                   |             |
| J2301899001                              | <b>17.1</b> |
| PFBA                                     | 5.9         |
| PFHxA                                    | 5.1         |
| PFPeA                                    | 6.1         |
| J2312381001                              | <b>3.7</b>  |
| PFPeA                                    | 3.7         |
| <b>JAMESTOWN WATER DEPARTMENT</b>        |             |
| 103318P                                  | <b>12</b>   |
| PFBA                                     | 12          |

|                               |             |
|-------------------------------|-------------|
| <b>PAWTUCKET-CITY OF</b>      |             |
| L2356893-01                   | <b>6</b>    |
| 6:2 FTS                       | 6           |
| <b>SC</b>                     |             |
| <b>GSW&amp;SA (SC2620004)</b> |             |
| 810-80092-1                   | <b>58.2</b> |
| PFBA                          | 7.2         |
| PFBS                          | 5.6         |
| PFHpA                         | 4.8         |
| PFHxA                         | 7.2         |
| PFOA                          | 11.4        |
| PFOS                          | 10.2        |
| PFPeA                         | 11.8        |
| 810-80099-1                   | <b>54.4</b> |
| PFBA                          | 6.9         |
| PFBS                          | 5.3         |
| PFHpA                         | 4.6         |
| PFHxA                         | 6.8         |
| PFOA                          | 10.7        |
| PFOS                          | 9.9         |
| PFPeA                         | 10.2        |
| 810-70014-1                   | <b>50.2</b> |
| PFBA                          | 6.9         |
| PFBS                          | 3.7         |
| PFHpA                         | 3.9         |
| PFHxA                         | 6           |
| PFOA                          | 9.3         |
| PFOS                          | 11.5        |
| PFPeA                         | 8.9         |
| 810-80098-1                   | <b>49.1</b> |
| PFBA                          | 6.1         |
| PFBS                          | 4.9         |
| PFHpA                         | 4.1         |
| PFHxA                         | 6.2         |
| PFOA                          | 9.7         |
| PFOS                          | 8.9         |
| PFPeA                         | 9.2         |
| 810-80100-1                   | <b>47.3</b> |
| PFBA                          | 5.5         |

|  |             |
|--|-------------|
| PFBS                                     | 4.6         |
| PFHpA                                    | 3.9         |
| PFHxA                                    | 6           |
| PFOA                                     | 9.5         |
| PFOS                                     | 8.7         |
| PFPeA                                    | 9.1         |
| <b>DRAYTONVILLE WATER DIST (1120003)</b> |             |
| 106385R                                  | <b>57</b>   |
| PFBS                                     | 3.2         |
| PFHpA                                    | 5           |
| PFHxA                                    | 4.3         |
| PFHxS                                    | 5.5         |
| PFOA                                     | 15.4        |
| PFOS                                     | 19.4        |
| PFPeA                                    | 4.2         |
| 106115P                                  | <b>54.4</b> |
| PFBS                                     | 3.1         |
| PFHpA                                    | 4.7         |
| PFHxA                                    | 4.3         |
| PFHxS                                    | 5.2         |
| PFOA                                     | 16.2        |
| PFOS                                     | 16.4        |
| PFPeA                                    | 4.5         |
| 100600P                                  | <b>30.4</b> |
| PFHpA                                    | 3.5         |
| PFHxA                                    | 3.5         |
| PFHxS                                    | 3.5         |
| PFOA                                     | 9.2         |
| PFOS                                     | 10.7        |
| <b>BLACKSBURG TOWN OF (1110002)</b>      |             |
| 109485R                                  | <b>42.4</b> |
| PFHpA                                    | 5.9         |
| PFHxA                                    | 4.1         |
| PFHxS                                    | 4.1         |
| PFOA                                     | 12.4        |
| PFOS                                     | 12.1        |
| PFPeA                                    | 3.8         |
| 103955P                                  | <b>37.1</b> |
| PFBA                                     | 5.5         |



|  |             |
|--|-------------|
| PFHpA                                    | 3.3         |
| PFHxS                                    | 3.5         |
| PFOA                                     | 8.6         |
| PFOS                                     | 13          |
| PFPeA                                    | 3.2         |
| 101209P                                  | <b>26</b>   |
| PFBS                                     | 3.1         |
| PFHpA                                    | 3           |
| PFHxS                                    | 3.5         |
| PFOA                                     | 7.9         |
| PFOS                                     | 8.5         |
| <b>KIAWAH ISLAND UTILITY (SC1010008)</b> |             |
| 106387R                                  | <b>37.3</b> |
| PFBA                                     | 8.7         |
| PFBS                                     | 3.7         |
| PFHxA                                    | 4.9         |
| PFOA                                     | 4.5         |
| PFOS                                     | 7.9         |
| PFPeA                                    | 7.6         |
| 106114P                                  | <b>26.5</b> |
| PFBA                                     | 5           |
| PFBS                                     | 3.6         |
| PFHxA                                    | 3.7         |
| PFOA                                     | 4           |
| PFOS                                     | 6.1         |
| PFPeA                                    | 4.1         |
| 109097P                                  | <b>23.6</b> |
| PFBS                                     | 3.7         |
| PFHxA                                    | 4.6         |
| PFOA                                     | 4.3         |
| PFOS                                     | 6.3         |
| PFPeA                                    | 4.7         |
| 102726R                                  | <b>17.4</b> |
| PFBS                                     | 3.1         |
| PFHxA                                    | 4.3         |
| PFOS                                     | 5           |
| PFPeA                                    | 5           |
| <b>NEWBERRY CITY OF (3610001)</b>        |             |
| 107388R                                  | <b>43.9</b> |

|  |             |
|--|-------------|
| HFPO-DA                                  | 10.2        |
| PFBS                                     | 3.8         |
| PFHxA                                    | 5.9         |
| PFOA                                     | 6.3         |
| PFOS                                     | 11.3        |
| PFPeA                                    | 6.4         |
| <b>108124P</b>                           | <b>32.9</b> |
| HFPO-DA                                  | 8.4         |
| PFHxA                                    | 4.3         |
| PFOA                                     | 4.2         |
| PFOS                                     | 11          |
| PFPeA                                    | 5           |
| <b>102476P</b>                           | <b>26.7</b> |
| HFPO-DA                                  | 7.4         |
| PFBA                                     | 6.5         |
| PFHxA                                    | 3.6         |
| PFOS                                     | 5.8         |
| PFPeA                                    | 3.4         |
| <b>MONCKS CORNER CITY OF (SC0810001)</b> |             |
| <b>107340R</b>                           | <b>41.9</b> |
| HFPO-DA                                  | 7.2         |
| PFBS                                     | 4.3         |
| PFHpA                                    | 3           |
| PFHxA                                    | 6           |
| PFOA                                     | 5.8         |
| PFOS                                     | 8           |
| PFPeA                                    | 7.6         |
| <b>108118P</b>                           | <b>35.9</b> |
| HFPO-DA                                  | 6.7         |
| PFBS                                     | 4.6         |
| PFHxA                                    | 5.9         |
| PFOA                                     | 5           |
| PFOS                                     | 7.1         |
| PFPeA                                    | 6.6         |
| <b>102470P</b>                           | <b>25</b>   |
| PFBS                                     | 3.8         |
| PFHxA                                    | 5           |
| PFOA                                     | 4.3         |
| PFOS                                     | 5.6         |

|  |             |
|--|-------------|
| PFPeA  | 6.3         |
| <b>BCWSA EAST COOPER (0820009)</b>           |             |
| 810-76811-1                                  | <b>37.6</b> |
| HFPO-DA                                      | 7.4         |
| PFBS   | 4.1         |
| PFHxA  | 6           |
| PFOA   | 5.9         |
| PFOS   | 7.1         |
| PFPeA  | 7.1         |
| 810-66453-1                                  | <b>28.7</b> |
| PFBS   | 4.2         |
| PFHxA  | 5.5         |
| PFOA   | 5.7         |
| PFOS   | 7.1         |
| PFPeA  | 6.2         |
| 810-56372-1                                  | <b>23.9</b> |
| PFBS   | 3.6         |
| PFHxA  | 4.7         |
| PFOA   | 4.2         |
| PFOS   | 5.3         |
| PFPeA  | 6.1         |
| <b>SALUDA CO W&amp;S AUTHORITY (4120001)</b> |             |
| 108125P                                      | <b>33.2</b> |
| HFPO-DA                                      | 8           |
| PFHxA  | 5           |
| PFOA   | 5.2         |
| PFOS   | 9.7         |
| PFPeA  | 5.3         |
| 104698P                                      | <b>30.7</b> |
| HFPO-DA                                      | 6.7         |
| PFBS   | 3           |
| PFHxA  | 4.3         |
| PFOA   | 4.7         |
| PFOS   | 7.8         |
| PFPeA  | 4.2         |
| 102477P                                      | <b>20</b>   |
| HFPO-DA                                      | 6.5         |
| PFHxA  | 3.7         |
| PFOS   | 5.8         |

|                                      |             |
|--------------------------------------|-------------|
| PFPeA                                | 4           |
| <b>DCWA CALOMET VALLEY (1850009)</b> |             |
| 109383R                              | <b>31.7</b> |
| HFPO-DA                              | 6.2         |
| PFBS                                 | 3.8         |
| PFHxA                                | 5.5         |
| PFOA                                 | 4.8         |
| PFOS                                 | 5.4         |
| PFPeA                                | 6           |
| 103962P                              | <b>28.9</b> |
| PFBA                                 | 7           |
| PFBS                                 | 4.6         |
| PFHxA                                | 4.2         |
| PFOA                                 | 4           |
| PFOS                                 | 4.2         |
| PFPeA                                | 4.9         |
| 101214P                              | <b>22.2</b> |
| PFBA                                 | 5           |
| PFBS                                 | 4.3         |
| PFHxA                                | 4.2         |
| PFOS                                 | 4.4         |
| PFPeA                                | 4.3         |
| <b>CONWAY CITY OF (SC2610008)</b>    |             |
| 810-78169-1                          | <b>45</b>   |
| PFBA                                 | 6.8         |
| PFBS                                 | 3           |
| PFHpA                                | 3.8         |
| PFHxA                                | 5.8         |
| PFOA                                 | 8.5         |
| PFOS                                 | 8.3         |
| PFPeA                                | 8.8         |
| 810-59152-1                          | <b>36.6</b> |
| PFBA                                 | 5           |
| PFBS                                 | 3           |
| PFHpA                                | 3           |
| PFHxA                                | 4.3         |
| PFOA                                 | 6.8         |
| PFOS                                 | 7.9         |
| PFPeA                                | 6.6         |

|                                       |             |
|---------------------------------------|-------------|
| <b>FOLLY BEACH CITY OF (1010005)</b>  |             |
| 106113P                               | <b>28.2</b> |
| PFBA                                  | 5.3         |
| PFBS                                  | 3.7         |
| PFHxA                                 | 4           |
| PFOA                                  | 4.3         |
| PFOS                                  | 6.6         |
| PFPeA                                 | 4.3         |
| 100598P                               | <b>27</b>   |
| PFBS                                  | 3.7         |
| PFHxA                                 | 6.1         |
| PFOA                                  | 4.4         |
| PFOS                                  | 5.5         |
| PFPeA                                 | 7.3         |
| 103320P                               | <b>23.6</b> |
| PFBS                                  | 3.4         |
| PFHxA                                 | 5           |
| PFOA                                  | 4.2         |
| PFOS                                  | 6           |
| PFPeA                                 | 5           |
| <b>GRASSY POND WATER CO (1120002)</b> |             |
| 103957P                               | <b>41.8</b> |
| PFHpA                                 | 3.3         |
| PFHxA                                 | 3.3         |
| PFHxS                                 | 4.3         |
| PFOA                                  | 8.5         |
| PFOS                                  | 19          |
| PFPeA                                 | 3.4         |
| 101211P                               | <b>35.4</b> |
| PFBS                                  | 3.1         |
| PFHpA                                 | 3.1         |
| PFHxA                                 | 3           |
| PFHxS                                 | 5.7         |
| PFOA                                  | 8.5         |
| PFOS                                  | 12          |
| <b>GOUCHER WD (1120004)</b>           |             |
| 103958P                               | <b>45.2</b> |
| PFBA                                  | 5.5         |
| PFHpA                                 | 3.4         |

|  |             |
|--|-------------|
| PFHxA                                    | 3.3         |
| PFHxS                                    | 4.7         |
| PFOA                                     | 9.5         |
| PFOS                                     | 15          |
| PFPeA                                    | 3.8         |
| 101212P                                  | <b>21.7</b> |
| PFHpA                                    | 3           |
| PFOA                                     | 8.8         |
| PFOS                                     | 9.9         |
| <b>CONWAY RURAL (2620001)</b>            |             |
| 810-79054-1                              | <b>56.5</b> |
| PFBA                                     | 7.7         |
| PFBS                                     | 4.7         |
| PFHpA                                    | 4.7         |
| PFHxA                                    | 7.2         |
| PFOA                                     | 10.9        |
| PFOS                                     | 10.8        |
| PFPeA                                    | 10.5        |
| <b>MCCORMICK CO W&amp;SA (SC3520002)</b> |             |
| 109103P                                  | <b>18.3</b> |
| HFPO-DA                                  | 6.6         |
| PFBS                                     | 4.9         |
| PFHxA                                    | 3.4         |
| PFPeA                                    | 3.4         |
| 109102P                                  | <b>8.8</b>  |
| PFOS                                     | 8.8         |
| 103326P                                  | <b>8.4</b>  |
| PFOS                                     | 8.4         |
| 106124P                                  | <b>7.2</b>  |
| PFOS                                     | 7.2         |
| 102733R                                  | <b>7.1</b>  |
| PFOS                                     | 7.1         |
| 106125P                                  | <b>3.4</b>  |
| PFBS                                     | 3.4         |
| <b>AMICKS FERRY WTR SYSTEM (3250077)</b> |             |
| 100601P                                  | <b>34</b>   |
| HFPO-DA                                  | 6.6         |
| PFHxA                                    | 5.1         |
| PFOA                                     | 4.6         |

|                                      |             |
|--------------------------------------|-------------|
| PFOS                                 | 7.6         |
| PFPeA                                | 10.1        |
| 106116P                              | <b>13.2</b> |
| HFPO-DA                              | 5.8         |
| PFHxA                                | 3.3         |
| PFPeA                                | 4.1         |
| <b>FORT JACKSON (4010501)</b>        |             |
| 810-72189-1                          | <b>47.2</b> |
| HFPO-DA                              | 8.1         |
| PFBS                                 | 5.1         |
| PFHpA                                | 3.4         |
| PFHxA                                | 7.3         |
| PFOA                                 | 6.9         |
| PFOS                                 | 6.9         |
| PFPeA                                | 9.5         |
| <b>UNION CITY OF (4410001)</b>       |             |
| 810-81023-1                          | <b>33.8</b> |
| PFHpA                                | 3.6         |
| PFHxA                                | 8.2         |
| PFOA                                 | 5.6         |
| PFOS                                 | 4.5         |
| PFPeA                                | 11.9        |
| <b>BREEZY HILL W/D (0220006)</b>     |             |
| 810-61105-1                          | <b>13.8</b> |
| PFBA                                 | 9.7         |
| PFBS                                 | 4.1         |
| 810-70303-1                          | <b>8.3</b>  |
| PFBS                                 | 3.5         |
| PFOA                                 | 4.8         |
| 810-61107-1                          | <b>3.2</b>  |
| PFBS                                 | 3.2         |
| <b>LANCASTER CITY OF (SC2910001)</b> |             |
| 810-74318-1                          | <b>24.8</b> |
| PFBA                                 | 5.6         |
| PFHxA                                | 7.2         |
| PFOA                                 | 4           |
| PFPeA                                | 8           |
| <b>LEXINGTON TOWN OF (3210001)</b>   |             |
| 810-70300-1                          | <b>24.5</b> |

|   |             |
|---|-------------|
| HFPO-DA                                     | 6.4         |
| PFHxA                                       | 4.1         |
| PFOA  | 4.3         |
| PFOS  | 5.5         |
| PFPeA                                       | 4.2         |
| <b>CAMDEN CITY OF (2810001)</b>             |             |
| 810-74068-1                                 | <b>23.7</b> |
| PFHxA                                       | 6.9         |
| PFOA  | 5           |
| PFOS  | 4           |
| PFPeA                                       | 7.8         |
| <b>YORK COUNTY WEST WD (SC4620003)</b>      |             |
| 106128P                                     | <b>8.4</b>  |
| PFHxA                                       | 3.8         |
| PFPeA                                       | 4.6         |
| 103333P                                     | <b>7.4</b>  |
| PFHxA                                       | 3.7         |
| PFPeA                                       | 3.7         |
| 100613P                                     | <b>3</b>    |
| PFHxA                                       | 3           |
| <b>ROCK HILL CITY OF (SC4610002)</b>        |             |
| 810-81237-1                                 | <b>10.3</b> |
| PFHxA                                       | 4.4         |
| PFPeA                                       | 5.9         |
| <b>STARR-IVA W/D (SC0420005)</b>            |             |
| 100589P                                     | <b>3.3</b>  |
| PFBS  | 3.3         |
| 103319P                                     | <b>3</b>    |
| PFBS  | 3           |
| <b>SD</b>                                   |             |
| <b>NPS-MOUNT RUSHMORE NATIONAL MEMORIAL</b> |             |
| 105414R                                     | <b>33.8</b> |
| PFBS  | 3.2         |
| PFHxS                                       | 20.8        |
| PFOS  | 9.8         |
| <b>ABERDEEN</b>                             |             |
| CB03772-01                                  | <b>8.1</b>  |
| PFBA  | 8.1         |
| CB01211-01                                  | <b>7.5</b>  |



|  |             |
|--|-------------|
| PFBA                                     | 7.5         |
| CB08006-01                               | <b>6.5</b>  |
| PFBA                                     | 6.5         |
| <b>WR/LJ - MNI WICONI</b>                |             |
| 104485R                                  | <b>8.1</b>  |
| PFBA                                     | 8.1         |
| <b>LINCOLN COUNTY RURAL WATER SYSTEM</b> |             |
| 103594R                                  | <b>6.1</b>  |
| PFBA                                     | 6.1         |
| <b>HARRISBURG, SD</b>                    |             |
| 103598R                                  | <b>5.5</b>  |
| PFBA                                     | 5.5         |
| <b>TN</b>                                |             |
| <b>FORT CAMPBELL WATER SYSTEM</b>        |             |
| 810-73355-1                              | <b>87.6</b> |
| PFBS                                     | 3.4         |
| PFHpA                                    | 3.2         |
| PFHxA                                    | 9.7         |
| PFHxS                                    | 29.7        |
| PFOA                                     | 6.4         |
| PFOS                                     | 27.3        |
| PFPeA                                    | 7.9         |
| 810-69983-1                              | <b>73.6</b> |
| PFBS                                     | 3.5         |
| PFHxA                                    | 6.2         |
| PFHxS                                    | 29.7        |
| PFOA                                     | 5.8         |
| PFOS                                     | 23.2        |
| PFPeA                                    | 5.2         |
| 810-81231-1                              | <b>69.9</b> |
| PFBS                                     | 3.6         |
| PFHxA                                    | 6.1         |
| PFHxS                                    | 27.5        |
| PFOA                                     | 5.2         |
| PFOS                                     | 22.2        |
| PFPeA                                    | 5.3         |
| <b>SMYRNA WATER SYSTEM</b>               |             |
| 810-81228-1                              | <b>69.8</b> |
| PFBA                                     | 10          |

|                                    |             |
|------------------------------------|-------------|
| PFBS                               | 23          |
| PFHxA                              | 17          |
| PFOA                               | 5.8         |
| PFPeA                              | 14          |
| <b>810-70589-1</b>                 | <b>63.5</b> |
| PFBA                               | 8.7         |
| PFBS                               | 21          |
| PFHxA                              | 16          |
| PFOA                               | 5.8         |
| PFPeA                              | 12          |
| <b>810-74316-1</b>                 | <b>17.9</b> |
| PFBA                               | 5.1         |
| PFBS                               | 5.3         |
| PFHxA                              | 4           |
| PFPeA                              | 3.5         |
| <b>FIRST U.D. OF HARDIN COUNTY</b> |             |
| <b>104713P</b>                     | <b>74.5</b> |
| PFBA                               | 9           |
| PFBS                               | 5.9         |
| PFHpA                              | 4.2         |
| PFHxA                              | 5.5         |
| PFHxS                              | 3.6         |
| PFOA                               | 17.3        |
| PFOS                               | 25.9        |
| PFPeA                              | 3.1         |
| <b>108143P</b>                     | <b>39.6</b> |
| PFBA                               | 8.5         |
| PFBS                               | 3           |
| PFHxA                              | 3.9         |
| PFOA                               | 8.2         |
| PFOS                               | 16          |
| <b>102495P</b>                     | <b>27.2</b> |
| PFBA                               | 7.4         |
| PFBS                               | 4           |
| PFOA                               | 4.8         |
| PFOS                               | 11          |
| <b>OCOEE UTILITY DISTRICT</b>      |             |
| <b>A16278-003</b>                  | <b>45.2</b> |
| PFBS                               | 26.5        |

|                                    |             |
|------------------------------------|-------------|
| PFHxA                              | 3.9         |
| PFOA                               | 5.9         |
| PFOS                               | 4.5         |
| PFPeA                              | 4.4         |
| <b>A16278-008</b>                  | <b>42.4</b> |
| PFBS                               | 24.9        |
| PFHxA                              | 3.6         |
| PFOA                               | 5.6         |
| PFOS                               | 4.1         |
| PFPeA                              | 4.2         |
| <b>A16278-013</b>                  | <b>41</b>   |
| PFBS                               | 41          |
| <b>CC02</b>                        | <b>12.1</b> |
| PFHxA                              | 3.4         |
| PFOA                               | 4.5         |
| PFPeA                              | 4.2         |
| <b>HILLSVILLE UTILITY DISTRICT</b> |             |
| <b>67621301</b>                    | <b>44.5</b> |
| PFBA                               | 6.2         |
| PFBS                               | 9.7         |
| PFHpA                              | 3.3         |
| PFHxA                              | 5.6         |
| PFOA                               | 8.7         |
| PFOS                               | 6.1         |
| PFPeA                              | 4.9         |
| <b>63613001</b>                    | <b>37.6</b> |
| PFBS                               | 7.5         |
| PFHpA                              | 3.6         |
| PFHxA                              | 6.4         |
| PFOA                               | 9           |
| PFOS                               | 6.1         |
| PFPeA                              | 5           |
| <b>62249601</b>                    | <b>19.9</b> |
| PFBS                               | 3.6         |
| PFHxA                              | 3.8         |
| PFOA                               | 5.3         |
| PFOS                               | 4           |
| PFPeA                              | 3.2         |
| <b>LA VERGNE WATER SYSTEM</b>      |             |

|                                 |             |
|---------------------------------|-------------|
| GH02657-03                      | <b>24.1</b> |
| PFBA                            | 5.4         |
| PFBS                            | 7.4         |
| PFHxA                           | 5.8         |
| PFPeA                           | 5.5         |
| 35835779003SE3                  | <b>15.7</b> |
| PFBS                            | 6.3         |
| PFHxA                           | 4.9         |
| PFPeA                           | 4.5         |
| 35835779001SE3                  | <b>14.8</b> |
| PFBS                            | 6.1         |
| PFHxA                           | 4.6         |
| PFPeA                           | 4.1         |
| GH02657-01                      | <b>13.5</b> |
| PFBS                            | 5.4         |
| PFHxA                           | 4.2         |
| PFPeA                           | 3.9         |
| 35800310003SE1                  | <b>7.3</b>  |
| PFBS                            | 4.1         |
| PFHxA                           | 3.2         |
| 35800310001SE1                  | <b>4.5</b>  |
| PFBS                            | 4.5         |
| <b>TRENTON WATER SYSTEM</b>     |             |
| 102500P                         | <b>36.3</b> |
| PFHxS                           | 9.3         |
| PFOS                            | 27          |
| 108148P                         | <b>27.1</b> |
| PFHxS                           | 6.1         |
| PFOS                            | 21          |
| <b>SHELBYVILLE WATER SYSTEM</b> |             |
| GI03036-01                      | <b>29.8</b> |
| PFBA                            | 5.1         |
| PFBS                            | 5.9         |
| PFHxA                           | 3.8         |
| PFOA                            | 6.2         |
| PFOS                            | 5.5         |
| PFPeA                           | 3.3         |
| GF01468-01                      | <b>24</b>   |
| PFBA                            | 5.8         |

|                                      |             |
|--------------------------------------|-------------|
| PFBS                                 | 5.2         |
| PFHxA                                | 3.1         |
| PFOA                                 | 5.1         |
| PFOS                                 | 4.8         |
| <b>MURFREESBORO WATER DEPARTMENT</b> |             |
| K2313240-001                         | <b>51.2</b> |
| PFBA                                 | 8           |
| PFBS                                 | 13.9        |
| PFHxA                                | 13.1        |
| PFOA                                 | 6           |
| PFPeA                                | 10.2        |
| <b>PARSONS WATER DEPARTMENT</b>      |             |
| 101234P                              | <b>26.8</b> |
| PFBA                                 | 8.9         |
| PFBS                                 | 3.9         |
| PFOA                                 | 4.7         |
| PFOS                                 | 9.3         |
| 103972P                              | <b>16.7</b> |
| PFOA                                 | 6.7         |
| PFOS                                 | 10          |
| <b>SPRING HILL WATER DEPT</b>        |             |
| 68182601                             | <b>30</b>   |
| PFBS                                 | 9.4         |
| PFHpA                                | 3.2         |
| PFHxA                                | 5.4         |
| PFOA                                 | 6.1         |
| PFPeA                                | 5.9         |
| 66821001                             | <b>7.9</b>  |
| PFBS                                 | 4.6         |
| PFHxA                                | 3.3         |
| <b>SAVANNAH UTILITY DEPT</b>         |             |
| M3I0751-01                           | <b>26.2</b> |
| PFBA                                 | 6.3         |
| PFBS                                 | 4.1         |
| PFOS                                 | 15.8        |
| M3D0232-01                           | <b>10.1</b> |
| PFBS                                 | 3.4         |
| PFOS                                 | 6.7         |
| <b>MARSHALL CO BD P.U. #1</b>        |             |

|                                       |             |
|---------------------------------------|-------------|
| GH00029-03                            | <b>24.1</b> |
| PFBA                                  | 5.4         |
| PFBS                                  | 6.9         |
| PFHxA                                 | 6.8         |
| PFPeA                                 | 5           |
| GH00029-01                            | <b>4.8</b>  |
| PFBS                                  | 4.8         |
| <b>WHITE PINE WATER SYSTEM</b>        |             |
| 100630P                               | <b>12.3</b> |
| PFHxS                                 | 8.2         |
| PFOS                                  | 4.1         |
| 100629P                               | <b>5.4</b>  |
| PFBS                                  | 5.4         |
| 106144P                               | <b>3.8</b>  |
| PFHxS                                 | 3.8         |
| 106143P                               | <b>3.7</b>  |
| PFBS                                  | 3.7         |
| <b>CONSOLIDATED U D OF RUTHERFORD</b> |             |
| M3F1189-01                            | <b>21.4</b> |
| PFBA                                  | 5.2         |
| PFBS                                  | 5.8         |
| PFHxA                                 | 5.4         |
| PFPeA                                 | 5           |
| <b>MAURY CO WATER SYSTEM</b>          |             |
| CB11151-03                            | <b>9.4</b>  |
| PFBS                                  | 3.1         |
| PFHxA                                 | 3           |
| PFPeA                                 | 3.3         |
| CB11151-01                            | <b>3.5</b>  |
| PFPeA                                 | 3.5         |
| <b>RICEVILLE UTILITY DISTRICT</b>     |             |
| 101239P                               | <b>6.5</b>  |
| PFBS                                  | 6.5         |
| 101238P                               | <b>6.2</b>  |
| PFBS                                  | 6.2         |
| <b>FIRST UTIL DIST OF KNOX COUNTY</b> |             |
| 35798936001SE2                        | <b>6.9</b>  |
| PFBS                                  | 3.9         |
| PFHxA                                 | 3           |

|   |             |
|---|-------------|
| 35784642001SE1                          | 5.4         |
| PFBS                                    | 5.4         |
| <b>EASTSIDE UTILITY DISTRICT</b>        |             |
| 810-77686-1                             | <b>11.2</b> |
| PFBA                                    | 11.2        |
| <b>SHADY GROVE UTILITY DISTRICT</b>     |             |
| M3F1231-01                              | <b>8.9</b>  |
| PFOS                                    | 4.2         |
| PFPeA                                   | 4.7         |
| <b>FAIRVIEW UTILITY DISTRICT</b>        |             |
| 107107P                                 | <b>4.1</b>  |
| PFOS                                    | 4.1         |
| 104201P                                 | <b>3</b>    |
| PFBS                                    | 3           |
| <b>LEWISBURG WATER SYSTEM</b>           |             |
| 67450401                                | <b>3.6</b>  |
| PFBS                                    | 3.6         |
| 63147001                                | <b>3.3</b>  |
| PFBS                                    | 3.3         |
| <b>KINGSPORT WATER DEPT</b>             |             |
| M3F1171-03                              | <b>5.9</b>  |
| PFOS                                    | 5.9         |
| <b>BLOOMINGDALE UTILITY DISTRICT</b>    |             |
| M3G0526-01                              | <b>4.3</b>  |
| PFOS                                    | 4.3         |
| <b>DEWHITE UTILITY DISTRICT</b>         |             |
| 103347P                                 | <b>4.1</b>  |
| PFOS                                    | 4.1         |
| <b>WARREN COUNTY UTILITY DISTRICT</b>   |             |
| GG02448-01                              | <b>3.4</b>  |
| PFBS                                    | 3.4         |
| <b>COLUMBIA POWER AND WATER SYSTEMS</b> |             |
| GG03591-01                              | <b>3.2</b>  |
| PFHxA                                   | 3.2         |
| <b>TX</b>                               |             |
| <b>CITY OF ANGLETON</b>                 |             |
| Q2336906005                             | <b>233</b>  |
| PFBA                                    | 12.9        |
| PFBS                                    | 4.5         |

|                      |              |
|----------------------|--------------|
| PFHxA                | 7            |
| PFHxS                | 3.6          |
| PFPeA                | 205          |
| <b>Q2336906007</b>   | <b>169.2</b> |
| PFBA                 | 10.1         |
| PFBS                 | 3.3          |
| PFHxA                | 4.8          |
| PFPeA                | 151          |
| <b>Q2336906001</b>   | <b>143.2</b> |
| PFBA                 | 7.8          |
| PFHxA                | 4.4          |
| PFPeA                | 131          |
| <b>Q2306968005</b>   | <b>126.9</b> |
| PFBA                 | 10.1         |
| PFHxA                | 4.8          |
| PFPeA                | 112          |
| <b>Q2320153003</b>   | <b>117.5</b> |
| PFBA                 | 13.2         |
| PFHxA                | 7            |
| PFPeA                | 97.3         |
| <b>Q2306968003</b>   | <b>102.7</b> |
| PFBA                 | 7.6          |
| PFHxA                | 4.1          |
| PFPeA                | 91           |
| <b>Q2306968001</b>   | <b>102.1</b> |
| PFBA                 | 7.3          |
| PFHxA                | 4            |
| PFPeA                | 90.8         |
| <b>Q2320153005</b>   | <b>14.6</b>  |
| PFPeA                | 14.6         |
| <b>CITY OF CLUTE</b> |              |
| <b>Q2315316001</b>   | <b>204.7</b> |
| NFDHA                | 26.9         |
| PFBA                 | 12.3         |
| PFBS                 | 3.9          |
| PFHxA                | 8.9          |
| PFHxS                | 3.7          |
| PFPeA                | 149          |
| <b>Q2337658001</b>   | <b>201.1</b> |



|                           |              |
|---------------------------|--------------|
| PFBA                      | 12.4         |
| PFBS                      | 4.3          |
| PFHxA                     | 6            |
| PFHxS                     | 3.4          |
| PFPeA                     | 175          |
| <b>Q2315316009</b>        | <b>165.9</b> |
| NFDHA                     | 20.4         |
| PFBA                      | 10.1         |
| PFBS                      | 3.4          |
| PFHxA                     | 7.8          |
| PFHxS                     | 3.2          |
| PFPeA                     | 121          |
| <b>Q2315316003</b>        | <b>160.4</b> |
| PFBA                      | 9.8          |
| PFBS                      | 3.6          |
| PFHxA                     | 8.2          |
| PFHxS                     | 3.8          |
| PFPeA                     | 135          |
| <b>Q2329906003</b>        | <b>105.4</b> |
| PFBA                      | 12           |
| PFBS                      | 3.2          |
| PFHxA                     | 6            |
| PFPeA                     | 84.2         |
| <b>CITY OF SUGAR LAND</b> |              |
| <b>0790005GSE3</b>        | <b>204.1</b> |
| PFBA                      | 11.8         |
| PFBS                      | 4.9          |
| PFHxA                     | 5.4          |
| PFPeA                     | 182          |
| <b>0790005FSE3</b>        | <b>193.8</b> |
| PFBA                      | 12.3         |
| PFBS                      | 5.3          |
| PFHxA                     | 6.2          |
| PFPeA                     | 170          |
| <b>0790005ESE3</b>        | <b>46.7</b>  |
| PFPeA                     | 46.7         |
| <b>0790005BSE3</b>        | <b>37.1</b>  |
| PFPeA                     | 37.1         |
| <b>0790005FSE2</b>        | <b>13.9</b>  |

|                           |             |
|---------------------------|-------------|
| PFHxA                     | 3           |
| PFPeA                     | 10.9        |
| 0790005GSE2               | <b>11.1</b> |
| PFPeA                     | 11.1        |
| 0790005F                  | <b>9.9</b>  |
| PFPeA                     | 9.9         |
| 0790005E                  | <b>8.8</b>  |
| PFPeA                     | 8.8         |
| 0790005BSE2               | <b>6.4</b>  |
| PFPeA                     | 6.4         |
| 0790005G                  | <b>6.2</b>  |
| PFPeA                     | 6.2         |
| 0790005B                  | <b>4.9</b>  |
| PFPeA                     | 4.9         |
| 0790005ESE2               | <b>4.2</b>  |
| PFPeA                     | 4.2         |
| <b>CITY OF FORT WORTH</b> |             |
| 810-59217-1               | <b>71.5</b> |
| PFBA                      | 8.7         |
| PFBS                      | 4.9         |
| PFHxA                     | 10.6        |
| PFHxS                     | 25.8        |
| PFOA                      | 8.3         |
| PFOS                      | 7           |
| PFPeA                     | 6.2         |
| 810-59215-1               | <b>69.2</b> |
| PFBA                      | 8.2         |
| PFBS                      | 4.9         |
| PFHxA                     | 10          |
| PFHxS                     | 24.9        |
| PFOA                      | 7.9         |
| PFOS                      | 7.3         |
| PFPeA                     | 6           |
| 810-70953-1               | <b>47.2</b> |
| PFBA                      | 9           |
| PFBS                      | 4           |
| PFHxA                     | 6.8         |
| PFHxS                     | 12.2        |
| PFOA                      | 5           |

|                    |             |
|--------------------|-------------|
| PFOS               | 5.4         |
| PFPeA              | 4.8         |
| <b>810-70955-1</b> | <b>43.2</b> |
| PFBA               | 8.6         |
| PFBS               | 4.9         |
| PFHxA              | 5.7         |
| PFHxS              | 8.5         |
| PFOA               | 4.9         |
| PFOS               | 5.6         |
| PFPeA              | 5           |
| <b>810-80737-1</b> | <b>42.7</b> |
| PFBA               | 10          |
| PFBS               | 4.1         |
| PFHxA              | 6           |
| PFHxS              | 8.1         |
| PFOA               | 4.5         |
| PFOS               | 5           |
| PFPeA              | 5           |
| <b>810-51205-1</b> | <b>42.3</b> |
| PFBA               | 6.8         |
| PFBS               | 3.5         |
| PFHxA              | 6.6         |
| PFHxS              | 12.9        |
| PFOA               | 4.2         |
| PFOS               | 4           |
| PFPeA              | 4.3         |
| <b>810-80736-1</b> | <b>42</b>   |
| PFBA               | 9.7         |
| PFBS               | 4.2         |
| PFHxA              | 5.8         |
| PFHxS              | 7.9         |
| PFOA               | 4.7         |
| PFOS               | 4.6         |
| PFPeA              | 5.1         |
| <b>810-70961-1</b> | <b>17.4</b> |
| PFBA               | 6.6         |
| PFBS               | 3.2         |
| PFHxA              | 3.5         |
| PFPeA              | 4.1         |

|             |             |
|-------------|-------------|
| 810-70957-1 | <b>16.2</b> |
| PFBA        | 6.3         |
| PFBS        | 3.3         |
| PFHxA       | 3.1         |
| PFPeA       | 3.5         |
| 810-80730-1 | <b>15.7</b> |
| PFBA        | 8.3         |
| PFHxA       | 3.5         |
| PFPeA       | 3.9         |
| 810-59220-1 | <b>15.3</b> |
| PFBA        | 7.2         |
| PFHxA       | 3.9         |
| PFPeA       | 4.2         |
| 810-80726-1 | <b>15.2</b> |
| PFBA        | 7.4         |
| PFHxA       | 3.7         |
| PFPeA       | 4.1         |
| 810-70958-1 | <b>14.3</b> |
| PFBA        | 7.5         |
| PFHxA       | 3           |
| PFPeA       | 3.8         |
| 810-80732-1 | <b>14</b>   |
| PFBA        | 6.9         |
| PFHxA       | 3.4         |
| PFPeA       | 3.7         |
| 810-59223-1 | <b>13.6</b> |
| PFBA        | 6.8         |
| PFHxA       | 3.3         |
| PFPeA       | 3.5         |
| 810-59218-1 | <b>11.2</b> |
| PFBA        | 7.6         |
| PFPeA       | 3.6         |
| 810-51207-1 | <b>10.6</b> |
| PFBA        | 7.3         |
| PFPeA       | 3.3         |
| 810-51204-1 | <b>8.7</b>  |
| PFBA        | 5.5         |
| PFPeA       | 3.2         |
| 810-51206-1 | <b>5.5</b>  |

|                                |              |
|--------------------------------|--------------|
| PFBA                           | 5.5          |
| <b>GALVESTON COUNTY WCID 8</b> |              |
| 107148P                        | <b>149.1</b> |
| 6:2 FTS                        | 5.8          |
| PFBA                           | 10.7         |
| PFBS                           | 3.9          |
| PFHxA                          | 4.7          |
| PFPeA                          | 124          |
| 107147P                        | <b>148.7</b> |
| 6:2 FTS                        | 6            |
| PFBA                           | 12.2         |
| PFBS                           | 3.8          |
| PFHxA                          | 4.7          |
| PFPeA                          | 122          |
| 101276P                        | <b>70.7</b>  |
| PFBA                           | 7.7          |
| PFHxA                          | 5            |
| PFPeA                          | 58           |
| 101275P                        | <b>70.5</b>  |
| PFBA                           | 7.3          |
| PFHxA                          | 5.2          |
| PFPeA                          | 58           |
| 104247P                        | <b>35.6</b>  |
| PFPeA                          | 35.6         |
| <b>DALLAS WATER UTILITY</b>    |              |
| 810-81681-1                    | <b>77.4</b>  |
| PFBA                           | 13.2         |
| PFBS                           | 7.6          |
| PFHpA                          | 6            |
| PFHxA                          | 17.9         |
| PFHxS                          | 3.8          |
| PFOA                           | 6.3          |
| PFOS                           | 4.4          |
| PFPeA                          | 18.2         |
| 810-55933-1                    | <b>53.4</b>  |
| PFBA                           | 9.4          |
| PFBS                           | 4.8          |
| PFHpA                          | 3.4          |
| PFHxA                          | 11.4         |

|                        |              |
|------------------------|--------------|
| PFHxS                  | 3.2          |
| PFOA                   | 4.7          |
| PFOS                   | 5.1          |
| PFPeA                  | 11.4         |
| <b>810-77692-3</b>     | <b>42.6</b>  |
| PFBA                   | 9            |
| PFBS                   | 4.5          |
| PFHpA                  | 3.1          |
| PFHxA                  | 12.5         |
| PFPeA                  | 13.5         |
| <b>810-77692-1</b>     | <b>31.1</b>  |
| PFBA                   | 11.9         |
| PFBS                   | 5.2          |
| PFHxA                  | 6.6          |
| PFPeA                  | 7.4          |
| <b>810-81686-1</b>     | <b>29.5</b>  |
| PFBA                   | 10.8         |
| PFBS                   | 4.1          |
| PFHxA                  | 7.1          |
| PFPeA                  | 7.5          |
| <b>810-55927-1</b>     | <b>24.5</b>  |
| PFBA                   | 9.6          |
| PFBS                   | 4.1          |
| PFHxA                  | 5.3          |
| PFPeA                  | 5.5          |
| <b>810-57920-1</b>     | <b>21</b>    |
| PFBA                   | 7.7          |
| PFBS                   | 3            |
| PFHxA                  | 5            |
| PFPeA                  | 5.3          |
| <b>CITY OF ABILENE</b> |              |
| <b>Q2339447001</b>     | <b>136.5</b> |
| PFBA                   | 14.3         |
| PFBS                   | 7.4          |
| PFHpA                  | 10           |
| PFHxA                  | 21.7         |
| PFHxS                  | 27.9         |
| PFOA                   | 7.5          |
| PFOS                   | 30           |

|                            |              |
|----------------------------|--------------|
| PFPeA                      | 17.7         |
| <b>Q2339447003</b>         | <b>111.4</b> |
| PFBA                       | 12.7         |
| PFBS                       | 6.2          |
| PFHpA                      | 8.1          |
| PFHxA                      | 17.6         |
| PFHxS                      | 22.9         |
| PFOA                       | 6.1          |
| PFOS                       | 23.8         |
| PFPeA                      | 14           |
| <b>Q2339447005</b>         | <b>26</b>    |
| PFBA                       | 6.5          |
| PFBS                       | 7.4          |
| PFHxA                      | 3.1          |
| PFHxS                      | 9            |
| <b>CITY OF HOUSTON, TX</b> |              |
| <b>23033252.05</b>         | <b>62.8</b>  |
| 6:2 FTS                    | 42.6         |
| PFBA                       | 8.4          |
| PFHxA                      | 5.1          |
| PFPeA                      | 6.7          |
| <b>23033252.06</b>         | <b>34.8</b>  |
| 6:2 FTS                    | 34.8         |
| <b>23033252.03</b>         | <b>22.8</b>  |
| 6:2 FTS                    | 5.6          |
| PFBA                       | 8.1          |
| PFHxA                      | 4.3          |
| PFPeA                      | 4.8          |
| <b>23033253.11</b>         | <b>16.3</b>  |
| PFBA                       | 9.1          |
| PFHxA                      | 3.6          |
| PFPeA                      | 3.6          |
| <b>23033252.07</b>         | <b>15.6</b>  |
| 6:2 FTS                    | 15.6         |
| <b>23033252.1</b>          | <b>15.2</b>  |
| 6:2 FTS                    | 15.2         |
| <b>23033253.08</b>         | <b>14.3</b>  |
| PFBA                       | 10.6         |
| PFHxA                      | 3.7          |

|  |             |
|--|-------------|
| 23020605.13                            | <b>13.6</b> |
| PFBA                                   | 5.9         |
| PFHxA                                  | 3.9         |
| PFPeA                                  | 3.8         |
| 23020605.08                            | <b>13.2</b> |
| PFBA                                   | 5.6         |
| PFHxA                                  | 3.9         |
| PFPeA                                  | 3.7         |
| 23020605.09                            | <b>11.6</b> |
| 6:2 FTS                                | 11.6        |
| 23020605.1                             | <b>9.2</b>  |
| 6:2 FTS                                | 9.2         |
| 23033253.09                            | <b>8.5</b>  |
| 6:2 FTS                                | 8.5         |
| 23033252.08                            | <b>8.1</b>  |
| 6:2 FTS                                | 8.1         |
| 23033252.11                            | <b>7.8</b>  |
| 6:2 FTS                                | 7.8         |
| 23053252.09                            | <b>6.1</b>  |
| PFHxA                                  | 3           |
| PFPeA                                  | 3.1         |
| 23053252.05                            | <b>3.9</b>  |
| PFPeA                                  | 3.9         |
| 23083263.23                            | <b>3.7</b>  |
| PFHxA                                  | 3.7         |
| 23083263.01                            | <b>3.1</b>  |
| PFHxA                                  | 3.1         |
| 23083263.17                            | <b>3</b>    |
| PFHxA                                  | 3           |
| <b>CLEAR LAKE CITY WATER AUTHORITY</b> |             |
| Q2315073009                            | <b>44</b>   |
| PFBA                                   | 8.4         |
| PFBS                                   | 3.5         |
| PFHpA                                  | 3.3         |
| PFHxA                                  | 9.1         |
| PFHxS                                  | 5.1         |
| PFOS                                   | 6.5         |
| PFPeA                                  | 8.1         |
| Q2315073003                            | <b>42.8</b> |



|                    |             |
|--------------------|-------------|
| PFBA               | 7.9         |
| PFBS               | 3.5         |
| PFHpA              | 3.6         |
| PFHxA              | 8.7         |
| PFHxS              | 5.3         |
| PFOS               | 6           |
| PFPeA              | 7.8         |
| <b>Q2315073007</b> | <b>42.7</b> |
| PFBA               | 8.1         |
| PFBS               | 4.1         |
| PFHpA              | 3           |
| PFHxA              | 8.3         |
| PFHxS              | 5           |
| PFOS               | 6.4         |
| PFPeA              | 7.8         |
| <b>Q2315073001</b> | <b>42.1</b> |
| PFBA               | 7.8         |
| PFBS               | 3.5         |
| PFHpA              | 3.1         |
| PFHxA              | 8.3         |
| PFHxS              | 5.4         |
| PFOS               | 6.2         |
| PFPeA              | 7.8         |
| <b>Q2328486001</b> | <b>35.1</b> |
| PFBA               | 9.7         |
| PFBS               | 3.5         |
| PFHxA              | 6.1         |
| PFHxS              | 3.1         |
| PFOS               | 5.4         |
| PFPeA              | 7.3         |
| <b>Q2328486007</b> | <b>33.6</b> |
| PFBA               | 10          |
| PFBS               | 3.2         |
| PFHxA              | 5.9         |
| PFHxS              | 3           |
| PFOS               | 4.6         |
| PFPeA              | 6.9         |
| <b>Q2328486003</b> | <b>13.1</b> |
| PFBA               | 6.2         |

|                     |             |
|---------------------|-------------|
| PFHxA               | 3.5         |
| PFPeA               | 3.4         |
| Q2328486005         | <b>12</b>   |
| PFBA                | 5           |
| PFHxA               | 3.6         |
| PFPeA               | 3.4         |
| <b>MANVILLE WSC</b> |             |
| Q2307224001         | <b>91.8</b> |
| PFBA                | 7.4         |
| PFBS                | 10          |
| PFHpA               | 4.3         |
| PFHxA               | 8.7         |
| PFHxS               | 7           |
| PFNA                | 24.3        |
| PFOA                | 5.9         |
| PFOS                | 12.4        |
| PFPeA               | 9.1         |
| PFUnA               | 2.7         |
| Q2337540001         | <b>49.9</b> |
| PFBA                | 5.5         |
| PFBS                | 9.2         |
| PFHxA               | 4.2         |
| PFHxS               | 6.7         |
| PFNA                | 8.8         |
| PFOS                | 9.6         |
| PFPeA               | 5.9         |
| Q2307224007         | <b>29.3</b> |
| PFBS                | 5.1         |
| PFHxA               | 3.4         |
| PFHxS               | 3.9         |
| PFNA                | 8           |
| PFOS                | 5.4         |
| PFPeA               | 3.5         |
| Q2307224009         | <b>27.9</b> |
| PFBA                | 5.1         |
| PFBS                | 4.4         |
| PFHxA               | 3.9         |
| PFHxS               | 3.6         |
| PFOS                | 4.1         |

|                    |              |
|--------------------|--------------|
| PFPeA              | 6.8          |
| <b>Q2337540017</b> | <b>18.2</b>  |
| PFBS               | 5.8          |
| PFHxS              | 4.5          |
| PFOS               | 4.9          |
| PFPeA              | 3            |
| <b>Q2337540009</b> | <b>17.7</b>  |
| PFBS               | 5.3          |
| PFHxS              | 4.3          |
| PFOS               | 5.1          |
| PFPeA              | 3            |
| <b>Q2307224015</b> | <b>13.2</b>  |
| PFBS               | 4.7          |
| PFHxS              | 4.5          |
| PFOS               | 4            |
| <b>Q2337540003</b> | <b>6.1</b>   |
| PFPeA              | 6.1          |
| <b>Q2337540005</b> | <b>3</b>     |
| PFBS               | 3            |
| <b>EULA WSC</b>    |              |
| <b>107122P</b>     | <b>110.4</b> |
| PFBA               | 24           |
| PFBS               | 5.9          |
| PFHpA              | 7.3          |
| PFHxA              | 16           |
| PFHxS              | 18           |
| PFOA               | 6.2          |
| PFOS               | 20           |
| PFPeA              | 13           |
| <b>106470R</b>     | <b>97.6</b>  |
| PFBA               | 13.6         |
| PFBS               | 5.7          |
| PFHpA              | 7.5          |
| PFHxA              | 14.3         |
| PFHxS              | 21.3         |
| PFOA               | 5            |
| PFOS               | 19.3         |
| PFPeA              | 10.9         |
| <b>106469R</b>     | <b>3.4</b>   |

|                          |             |
|--------------------------|-------------|
| PFHxS                    | 3.4         |
| <b>CITY OF GRAPEVINE</b> |             |
| Q2333605001              | <b>49.9</b> |
| PFBA                     | 9           |
| PFBS                     | 4.2         |
| PFHpA                    | 3.3         |
| PFHxA                    | 13          |
| PFOA                     | 4           |
| PFOS                     | 4.1         |
| PFPeA                    | 12.3        |
| Q2318330001              | <b>44.3</b> |
| PFBA                     | 9.1         |
| PFBS                     | 3.6         |
| PFHpA                    | 3.5         |
| PFHxA                    | 12.9        |
| PFOA                     | 4           |
| PFPeA                    | 11.2        |
| Q2318330003              | <b>31.5</b> |
| PFBA                     | 7.8         |
| PFBS                     | 6.6         |
| PFHxA                    | 6.4         |
| PFOS                     | 5           |
| PFPeA                    | 5.7         |
| Q2304721001              | <b>30.6</b> |
| PFBA                     | 9           |
| PFHxA                    | 11.5        |
| PFPeA                    | 10.1        |
| Q2333605003              | <b>28.9</b> |
| PFBA                     | 7.3         |
| PFBS                     | 6.2         |
| PFHxA                    | 4.9         |
| PFOS                     | 4.9         |
| PFPeA                    | 5.6         |
| Q2304721003              | <b>16.4</b> |
| PFBA                     | 5.3         |
| PFBS                     | 4.1         |
| PFHxA                    | 3.7         |
| PFPeA                    | 3.3         |
| <b>CITY OF FREEPORT</b>  |             |

|                       |              |
|-----------------------|--------------|
| Q2309307001           | <b>143.8</b> |
| PFBA                  | 8            |
| PFHxA                 | 3.8          |
| PFPeA                 | 132          |
| Q2324661001           | <b>52.7</b>  |
| PFBA                  | 7.4          |
| PFHxA                 | 4.7          |
| PFPeA                 | 40.6         |
| <b>CITY OF IRVING</b> |              |
| 810-69235-1           | <b>44.7</b>  |
| PFBA                  | 8.5          |
| PFBS                  | 5.3          |
| PFHpA                 | 3.2          |
| PFHxA                 | 11.9         |
| PFOA                  | 4.1          |
| PFPeA                 | 11.7         |
| 810-82195-1           | <b>29</b>    |
| PFBA                  | 10           |
| PFBS                  | 4.2          |
| PFHxA                 | 7.4          |
| PFPeA                 | 7.4          |
| 810-69206-1           | <b>28.1</b>  |
| PFBA                  | 7.9          |
| PFBS                  | 5.6          |
| PFHxA                 | 7.4          |
| PFPeA                 | 7.2          |
| 810-82197-1           | <b>27.7</b>  |
| PFBA                  | 10           |
| PFBS                  | 4            |
| PFHxA                 | 6.8          |
| PFPeA                 | 6.9          |
| 810-69238-1           | <b>27.3</b>  |
| PFBA                  | 8.8          |
| PFBS                  | 4.5          |
| PFHxA                 | 7.1          |
| PFPeA                 | 6.9          |
| 810-82194-1           | <b>27.1</b>  |
| PFBA                  | 9.6          |
| PFBS                  | 3.8          |

|                    |             |
|--------------------|-------------|
| PFHxA              | 6.8         |
| PFPeA              | 6.9         |
| <b>CITY OF TYE</b> |             |
| 107440R            | <b>93.6</b> |
| 6:2 FTS            | 7           |
| PFBA               | 5.4         |
| PFBS               | 5.3         |
| PFHpA              | 6.6         |
| PFHxA              | 13.2        |
| PFHxS              | 19          |
| PFOA               | 4.7         |
| PFOS               | 20.4        |
| PFPeA              | 12          |
| 103428P            | <b>76.6</b> |
| PFBA               | 7.8         |
| PFBS               | 5           |
| PFHpA              | 5.7         |
| PFHxA              | 12.3        |
| PFHxS              | 18.9        |
| PFOA               | 4.2         |
| PFOS               | 12.1        |
| PFPeA              | 10.6        |
| <b>ARGYLE WSC</b>  |             |
| 107453R            | <b>91.7</b> |
| PFBA               | 77.2        |
| PFBS               | 3.9         |
| PFHxA              | 4.9         |
| PFPeA              | 5.7         |
| 101264P            | <b>18.4</b> |
| PFBA               | 7.4         |
| PFHxA              | 5.7         |
| PFPeA              | 5.3         |
| 101263P            | <b>18.4</b> |
| PFBA               | 7.3         |
| PFHxA              | 5.5         |
| PFPeA              | 5.6         |
| 107134P            | <b>17.1</b> |
| PFBA               | 5.1         |
| PFBS               | 3.2         |

|                                      |             |
|--------------------------------------|-------------|
| PFHxA                                | 4.6         |
| PFPeA                                | 4.2         |
| <b>102717P</b>                       | <b>14.7</b> |
| PFBA                                 | 6.1         |
| PFHxA                                | 4.3         |
| PFPeA                                | 4.3         |
| <b>107135P</b>                       | <b>8.7</b>  |
| PFHxA                                | 4.6         |
| PFPeA                                | 4.1         |
| <b>CITY OF WEST UNIVERSITY PLACE</b> |             |
| <b>Q2306977003</b>                   | <b>38.1</b> |
| PFBA                                 | 7.4         |
| PFBS                                 | 5.1         |
| PFHxA                                | 8.5         |
| PFHxS                                | 3.9         |
| PFOS                                 | 4.4         |
| PFPeA                                | 8.8         |
| <b>Q2306977001</b>                   | <b>35</b>   |
| PFBA                                 | 6.9         |
| PFBS                                 | 4.5         |
| PFHxA                                | 8.3         |
| PFHxS                                | 3.7         |
| PFOS                                 | 4           |
| PFPeA                                | 7.6         |
| <b>Q2320154003</b>                   | <b>33</b>   |
| PFBA                                 | 10.3        |
| PFBS                                 | 4.5         |
| PFHxA                                | 6.4         |
| PFOS                                 | 5.1         |
| PFPeA                                | 6.7         |
| <b>Q2336919003</b>                   | <b>30.1</b> |
| PFBA                                 | 8.7         |
| PFHxA                                | 6.2         |
| PFHxS                                | 3.4         |
| PFOS                                 | 5.4         |
| PFPeA                                | 6.4         |
| <b>Q2320154001</b>                   | <b>27.5</b> |
| PFBA                                 | 8.8         |
| PFHxA                                | 5.9         |

|                           |             |
|---------------------------|-------------|
| PFHxS                     | 3.3         |
| PFOS                      | 4.8         |
| PFPeA                     | 4.7         |
| <b>CITY OF GEORGETOWN</b> |             |
| Q2340511007               | <b>61.8</b> |
| PFBA                      | 9.1         |
| PFBS                      | 9           |
| PFHxA                     | 10.1        |
| PFHxS                     | 4.3         |
| PFOA                      | 4.9         |
| PFOS                      | 5.7         |
| PFPeA                     | 18.7        |
| Q2322744009               | <b>32.3</b> |
| PFBA                      | 6.1         |
| PFBS                      | 9.6         |
| PFHxA                     | 3.4         |
| PFHxS                     | 3.6         |
| PFOS                      | 4.6         |
| PFPeA                     | 5           |
| Q2322744005               | <b>22.7</b> |
| PFBA                      | 5.1         |
| PFBS                      | 4.5         |
| PFHxA                     | 3.6         |
| PFHxS                     | 4.7         |
| PFPeA                     | 4.8         |
| Q2322744003               | <b>15.8</b> |
| PFBS                      | 4.4         |
| PFHxA                     | 3.1         |
| PFHxS                     | 3.7         |
| PFPeA                     | 4.6         |
| Q2322744007               | <b>15.6</b> |
| PFBS                      | 3.7         |
| PFHxA                     | 3.3         |
| PFHxS                     | 4.3         |
| PFPeA                     | 4.3         |
| Q2322744001               | <b>6.5</b>  |
| PFBS                      | 6.5         |
| <b>CITY OF BAYTOWN</b>    |             |
| Q2314670003               | <b>40.9</b> |



|                             |             |
|-----------------------------|-------------|
| PFBA                        | 7.4         |
| PFBS                        | 3.7         |
| PFHpA                       | 3           |
| PFHxA                       | 8           |
| PFHxS                       | 5           |
| PFOS                        | 5.9         |
| PFPeA                       | 7.9         |
| <b>Q2314670001</b>          | <b>40.7</b> |
| PFBA                        | 7.5         |
| PFBS                        | 5.5         |
| PFHxA                       | 8.6         |
| PFHxS                       | 5.1         |
| PFOS                        | 6           |
| PFPeA                       | 8           |
| <b>Q2328792001</b>          | <b>34</b>   |
| PFBA                        | 13          |
| PFHxA                       | 5.8         |
| PFHxS                       | 3.6         |
| PFOS                        | 4.8         |
| PFPeA                       | 6.8         |
| <b>Q2328792003</b>          | <b>33.8</b> |
| PFBA                        | 11.1        |
| PFBS                        | 3.1         |
| PFHxA                       | 5.3         |
| PFHxS                       | 3.6         |
| PFOS                        | 4.1         |
| PFPeA                       | 6.6         |
| <b>TOWN OF FLOWER MOUND</b> |             |
| <b>Q2315342003</b>          | <b>46.1</b> |
| PFBA                        | 9.1         |
| PFBS                        | 5           |
| PFHpA                       | 3.1         |
| PFHxA                       | 12.9        |
| PFOA                        | 4.4         |
| PFPeA                       | 11.6        |
| <b>Q2327309005</b>          | <b>28.4</b> |
| PFBA                        | 8.8         |
| PFBS                        | 5.3         |
| PFHxA                       | 7.9         |

|                           |             |
|---------------------------|-------------|
| PFPeA                     | 6.4         |
| <b>Q2327309001</b>        | <b>24.4</b> |
| PFBA                      | 7.2         |
| PFBS                      | 4.2         |
| PFHxA                     | 6.7         |
| PFPeA                     | 6.3         |
| <b>Q2327309003</b>        | <b>23.7</b> |
| PFBA                      | 7.5         |
| PFBS                      | 3.3         |
| PFHxA                     | 6.7         |
| PFPeA                     | 6.2         |
| <b>Q2315342001</b>        | <b>22.9</b> |
| PFBA                      | 7.2         |
| PFBS                      | 3.8         |
| PFHxA                     | 6.3         |
| PFPeA                     | 5.6         |
| <b>CITY OF THE COLONY</b> |             |
| <b>810-67563-1</b>        | <b>26.5</b> |
| PFBA                      | 8.2         |
| PFBS                      | 3.7         |
| PFHxA                     | 7.5         |
| PFPeA                     | 7.1         |
| <b>810-50931-1</b>        | <b>25.7</b> |
| PFBA                      | 7.4         |
| PFBS                      | 3.9         |
| PFHxA                     | 6.8         |
| PFPeA                     | 7.6         |
| <b>810-80400-1</b>        | <b>24.4</b> |
| PFBA                      | 7.7         |
| PFBS                      | 3.8         |
| PFHxA                     | 6.2         |
| PFPeA                     | 6.7         |
| <b>810-80398-1</b>        | <b>23.5</b> |
| PFBA                      | 7.8         |
| PFBS                      | 3.7         |
| PFHxA                     | 5.6         |
| PFPeA                     | 6.4         |
| <b>810-74253-1</b>        | <b>23.3</b> |
| PFBA                      | 8.4         |

|                           |             |
|---------------------------|-------------|
| PFBS                      | 3.3         |
| PFHxA                     | 5.7         |
| PFPeA                     | 5.9         |
| <b>810-71176-1</b>        | <b>21.3</b> |
| PFBA                      | 7           |
| PFBS                      | 3.4         |
| PFHxA                     | 5.1         |
| PFPeA                     | 5.8         |
| <b>CITY OF LAKE WORTH</b> |             |
| <b>104317P</b>            | <b>36.6</b> |
| PFBA                      | 6           |
| PFBS                      | 3.3         |
| PFHxA                     | 5.6         |
| PFHxS                     | 13.7        |
| PFOS                      | 4.5         |
| PFPeA                     | 3.5         |
| <b>101704P</b>            | <b>29.1</b> |
| PFBA                      | 6.6         |
| PFBS                      | 3.1         |
| PFHxA                     | 4.8         |
| PFHxS                     | 11          |
| PFPeA                     | 3.6         |
| <b>107230P</b>            | <b>24.6</b> |
| PFBA                      | 6           |
| PFBS                      | 3.8         |
| PFHxA                     | 4.2         |
| PFHxS                     | 6.5         |
| PFPeA                     | 4.1         |
| <b>104318P</b>            | <b>23.2</b> |
| PFBS                      | 3.2         |
| PFHxA                     | 4.9         |
| PFHxS                     | 11.8        |
| PFPeA                     | 3.3         |
| <b>107228P</b>            | <b>19.5</b> |
| PFBS                      | 3.8         |
| PFHxA                     | 4.4         |
| PFHxS                     | 6.8         |
| PFPeA                     | 4.5         |
| <b>101706P</b>            | <b>6.3</b>  |

|                              |              |
|------------------------------|--------------|
| PFBA                         | 6.3          |
| <b>TOWN OF ANTHONY</b>       |              |
| 101796R                      | <b>118.2</b> |
| PFBS                         | 28.7         |
| PFHpA                        | 6.2          |
| PFHxA                        | 7.3          |
| PFHxS                        | 5.7          |
| PFOA                         | 29.1         |
| PFOS                         | 33.1         |
| PFPeA                        | 8.1          |
| <b>CITY OF RICHWOOD</b>      |              |
| 104218P                      | <b>116.9</b> |
| NFDHA                        | 31.3         |
| PFBA                         | 7.5          |
| PFBS                         | 3.4          |
| PFHxA                        | 4.8          |
| PFPeA                        | 69.9         |
| <b>CITY OF WICHITA FALLS</b> |              |
| 810-78172-1                  | <b>24.2</b>  |
| PFBA                         | 14.8         |
| PFHxA                        | 3.5          |
| PFPeA                        | 5.9          |
| 810-78180-1                  | <b>23.7</b>  |
| PFBA                         | 14.7         |
| PFHxA                        | 3.4          |
| PFPeA                        | 5.6          |
| 810-67217-1                  | <b>19.4</b>  |
| PFBA                         | 11.4         |
| PFHxA                        | 3.1          |
| PFPeA                        | 4.9          |
| 810-55521-1                  | <b>17.3</b>  |
| PFBA                         | 12.4         |
| PFPeA                        | 4.9          |
| 810-55528-1                  | <b>16.9</b>  |
| PFBA                         | 12           |
| PFPeA                        | 4.9          |
| 810-65241-1                  | <b>14.9</b>  |
| PFBA                         | 10.6         |
| PFPeA                        | 4.3          |

|                            |             |
|----------------------------|-------------|
| <b>CITY OF HALTOM CITY</b> |             |
| Q2324398003                | <b>51.3</b> |
| PFBA                       | 8.1         |
| PFBS                       | 3.9         |
| PFHxA                      | 7           |
| PFHxS                      | 15.5        |
| PFOA                       | 5.1         |
| PFOS                       | 7.7         |
| PFPeA                      | 4           |
| Q2341024003                | <b>38.5</b> |
| PFBA                       | 9.7         |
| PFBS                       | 3.7         |
| PFHxA                      | 5.7         |
| PFHxS                      | 8.9         |
| PFOS                       | 5.4         |
| PFPeA                      | 5.1         |
| Q2341024001                | <b>16.6</b> |
| PFBA                       | 6.4         |
| PFBS                       | 3.3         |
| PFHxA                      | 3.2         |
| PFPeA                      | 3.7         |
| Q2324398001                | <b>8.9</b>  |
| PFBA                       | 5.5         |
| PFHxA                      | 3.4         |
| <b>CITY OF ENNIS</b>       |             |
| Q2340820001                | <b>44.5</b> |
| PFBA                       | 7.7         |
| PFBS                       | 6.3         |
| PFHxA                      | 13.2        |
| PFPeA                      | 17.3        |
| Q2322709001                | <b>38.5</b> |
| PFBA                       | 7.4         |
| PFBS                       | 6.5         |
| PFHxA                      | 12.3        |
| PFPeA                      | 12.3        |
| Q2310389001                | <b>30.3</b> |
| PFBA                       | 6.1         |
| PFBS                       | 3.4         |
| PFHxA                      | 10.4        |

|                                |             |
|--------------------------------|-------------|
| PFPeA                          | 10.4        |
| <b>SPENCER ROAD PUD</b>        |             |
| 103620R                        | <b>53.9</b> |
| PFBS                           | 4.2         |
| PFHpA                          | 4.8         |
| PFHxA                          | 10.7        |
| PFHxS                          | 15.3        |
| PFOS                           | 9.7         |
| PFPeA                          | 9.2         |
| 108407R                        | <b>36.6</b> |
| PFBA                           | 27.2        |
| PFHxA                          | 3.9         |
| PFPeA                          | 5.5         |
| 103619R                        | <b>18.6</b> |
| PFBS                           | 3.7         |
| PFHxA                          | 5.8         |
| PFHxS                          | 3.1         |
| PFPeA                          | 6           |
| <b>CITY OF COCKRELL HILL</b>   |             |
| 110381R                        | <b>64.6</b> |
| PFBA                           | 9.5         |
| PFBS                           | 6.9         |
| PFHpA                          | 4.4         |
| PFHxA                          | 15.7        |
| PFHxS                          | 3.1         |
| PFOA                           | 5.1         |
| PFOS                           | 4.1         |
| PFPeA                          | 15.8        |
| 104231P                        | <b>37.1</b> |
| PFBA                           | 7.3         |
| PFBS                           | 5.1         |
| PFHpA                          | 3           |
| PFHxA                          | 8.6         |
| PFHxS                          | 4.2         |
| PFPeA                          | 8.9         |
| <b>GALVESTON COUNTY WCID 1</b> |             |
| 0840001SE3                     | <b>57.2</b> |
| PFBA                           | 7.9         |
| PFBS                           | 3.8         |

|                                  |             |
|----------------------------------|-------------|
| PFHxA                            | 4.3         |
| PFPeA                            | 41.2        |
| 0840001SE2                       | <b>35.1</b> |
| PFPeA                            | 35.1        |
| <b>COPEVILLE SUD</b>             |             |
| 100649P                          | <b>23.7</b> |
| PFBA                             | 6.8         |
| PFBS                             | 3.7         |
| PFHxA                            | 6.3         |
| PFPeA                            | 6.9         |
| 101756R                          | <b>23.4</b> |
| PFBA                             | 6.7         |
| PFBS                             | 3.4         |
| PFHxA                            | 6           |
| PFPeA                            | 7.3         |
| 103382P                          | <b>20.5</b> |
| PFBA                             | 6.2         |
| PFBS                             | 3.6         |
| PFHxA                            | 5.2         |
| PFPeA                            | 5.5         |
| 106162P                          | <b>18.9</b> |
| PFBA                             | 6.1         |
| PFBS                             | 3.4         |
| PFHxA                            | 4.5         |
| PFPeA                            | 4.9         |
| 106163P                          | <b>5.1</b>  |
| PFBA                             | 5.1         |
| <b>GOODFELLOW AIR FORCE BASE</b> |             |
| 105299P                          | <b>20.2</b> |
| PFBA                             | 5.1         |
| PFBS                             | 5.9         |
| PFHxS                            | 9.2         |
| 105297P                          | <b>19.6</b> |
| PFBA                             | 5.6         |
| PFBS                             | 6.9         |
| PFHxS                            | 7.1         |
| 102627P                          | <b>17.7</b> |
| PFBA                             | 5.3         |
| PFBS                             | 5.4         |

|                               |             |
|-------------------------------|-------------|
| PFHxS                         | 7           |
| 102628P                       | <b>11</b>   |
| PFBS                          | 4           |
| PFHxS                         | 7           |
| 102626P                       | <b>10.8</b> |
| PFBS                          | 4.7         |
| PFHxS                         | 6.1         |
| 102625P                       | <b>10.2</b> |
| PFBS                          | 4           |
| PFHxS                         | 6.2         |
| <b>COLLEGE MOUND SUD</b>      |             |
| 107199P                       | <b>71.3</b> |
| PFBA                          | 55.7        |
| PFBS                          | 4           |
| PFHxA                         | 5.1         |
| PFPeA                         | 6.5         |
| 107200P                       | <b>9.7</b>  |
| PFBS                          | 4.1         |
| PFHxA                         | 5.6         |
| 104285P                       | <b>6.9</b>  |
| PFHxA                         | 3.6         |
| PFPeA                         | 3.3         |
| <b>CITY OF JERSEY VILLAGE</b> |             |
| 104759P                       | <b>39.1</b> |
| PFBA                          | 30.9        |
| PFHxA                         | 4           |
| PFPeA                         | 4.2         |
| 107363R                       | <b>29.5</b> |
| PFBA                          | 20.1        |
| PFHxA                         | 4.3         |
| PFPeA                         | 5.1         |
| 102548P                       | <b>15.8</b> |
| PFBA                          | 5.2         |
| PFHxA                         | 5.1         |
| PFPeA                         | 5.5         |
| <b>TOWN OF PROSPER</b>        |             |
| Q2319034001                   | <b>34.6</b> |
| PFBA                          | 7           |
| PFBS                          | 5.4         |



|                          |             |
|--------------------------|-------------|
| PFHxA                    | 6.2         |
| PFHxS                    | 5.2         |
| PFOS                     | 4.7         |
| PFPeA                    | 6.1         |
| <b>Q2327801001</b>       | <b>28</b>   |
| PFBA                     | 8.4         |
| PFBS                     | 4.1         |
| PFHxA                    | 7.7         |
| PFPeA                    | 7.8         |
| <b>Q2314158001</b>       | <b>20.5</b> |
| PFBA                     | 6.6         |
| PFBS                     | 3           |
| PFHxA                    | 5.6         |
| PFPeA                    | 5.3         |
| <b>CITY OF ARLINGTON</b> |             |
| <b>Q2340299001</b>       | <b>25.3</b> |
| PFBA                     | 7.3         |
| PFBS                     | 4.5         |
| PFHxA                    | 4.6         |
| PFOS                     | 4           |
| PFPeA                    | 4.9         |
| <b>Q2323839001</b>       | <b>24</b>   |
| PFBA                     | 5.7         |
| PFBS                     | 5.9         |
| PFHxA                    | 4.4         |
| PFOS                     | 4.2         |
| PFPeA                    | 3.8         |
| <b>Q2340299003</b>       | <b>20.7</b> |
| PFBA                     | 7           |
| PFBS                     | 3.1         |
| PFHxA                    | 5           |
| PFPeA                    | 5.6         |
| <b>Q2323839003</b>       | <b>12.8</b> |
| PFBA                     | 5.8         |
| PFHxA                    | 3.6         |
| PFPeA                    | 3.4         |
| <b>CADDO BASIN SUD</b>   |             |
| <b>Q2304517003</b>       | <b>31.2</b> |
| PFBA                     | 12.9        |

|                      |             |
|----------------------|-------------|
| PFBS                 | 3.9         |
| PFHxA                | 7.2         |
| PFPeA                | 7.2         |
| <b>Q2304517001</b>   | <b>30.2</b> |
| PFBA                 | 10.6        |
| PFBS                 | 3.9         |
| PFHxA                | 7.5         |
| PFPeA                | 8.2         |
| <b>Q2314295001</b>   | <b>13.9</b> |
| PFBA                 | 6.1         |
| PFHxA                | 4           |
| PFPeA                | 3.8         |
| <b>Q2314295003</b>   | <b>5.6</b>  |
| PFBA                 | 5.6         |
| <b>CITY OF ALLEN</b> |             |
| <b>Q2335959001</b>   | <b>29.1</b> |
| PFBA                 | 9.3         |
| PFBS                 | 4.6         |
| PFHxA                | 7.2         |
| PFPeA                | 8           |
| <b>Q2307335001</b>   | <b>27.1</b> |
| PFBA                 | 7.6         |
| PFBS                 | 4           |
| PFHxA                | 7.4         |
| PFPeA                | 8.1         |
| <b>Q2316727001</b>   | <b>22.1</b> |
| PFBA                 | 7.3         |
| PFBS                 | 3.7         |
| PFHxA                | 5.8         |
| PFPeA                | 5.3         |
| <b>CITY OF WYLIE</b> |             |
| <b>810-81200-1</b>   | <b>29.9</b> |
| PFBA                 | 8.6         |
| PFBS                 | 4.7         |
| PFHxA                | 7.8         |
| PFPeA                | 8.8         |
| <b>810-59866-1</b>   | <b>24.1</b> |
| PFBA                 | 8.2         |
| PFBS                 | 3.6         |

|                                |             |
|--------------------------------|-------------|
| PFHxA                          | 5.9         |
| PFPeA                          | 6.4         |
| 810-68880-1                    | <b>23.8</b> |
| PFBA                           | 7.4         |
| PFBS                           | 3.7         |
| PFHxA                          | 6.1         |
| PFPeA                          | 6.6         |
| <b>TOWN OF SUNNYVALE</b>       |             |
| 101259P                        | <b>32.9</b> |
| PFBA                           | 12          |
| PFBS                           | 4.8         |
| PFHxA                          | 7.3         |
| PFPeA                          | 8.8         |
| 110383R                        | <b>30.2</b> |
| PFBA                           | 7.6         |
| PFBS                           | 5.3         |
| PFHxA                          | 8           |
| PFPeA                          | 9.3         |
| 104233P                        | <b>14.4</b> |
| PFBS                           | 3.7         |
| PFHxA                          | 5.1         |
| PFPeA                          | 5.6         |
| <b>G M WSC</b>                 |             |
| 106229P                        | <b>39</b>   |
| NFDHA                          | 39          |
| 106227P                        | <b>23.4</b> |
| PFBA                           | 6.9         |
| PFBS                           | 4.2         |
| PFHxA                          | 6           |
| PFPeA                          | 6.3         |
| 100716P                        | <b>15.1</b> |
| PFBS                           | 15.1        |
| <b>FORT BEND COUNTY MUD 41</b> |             |
| 101269P                        | <b>36.8</b> |
| PFBA                           | 8.2         |
| PFBS                           | 3.9         |
| PFHxA                          | 8.2         |
| PFHxS                          | 3.4         |
| PFOS                           | 4           |

|                          |             |
|--------------------------|-------------|
| PFPeA                    | 9.1         |
| 104241P                  | <b>24.9</b> |
| PFBA                     | 7.5         |
| PFBS                     | 3.2         |
| PFHxA                    | 5.3         |
| PFHxS                    | 3.2         |
| PFPeA                    | 5.7         |
| 107141P                  | <b>13.4</b> |
| PFBA                     | 6.3         |
| PFHxA                    | 3.4         |
| PFPeA                    | 3.7         |
| <b>CITY OF HILLSBORO</b> |             |
| 107188P                  | <b>16.5</b> |
| PFBA                     | 9.1         |
| PFBS                     | 3.3         |
| PFPeA                    | 4.1         |
| 107185P                  | <b>15.7</b> |
| 6:2 FTS                  | 5.7         |
| PFBA                     | 6.6         |
| PFPeA                    | 3.4         |
| 107187P                  | <b>14.6</b> |
| PFBA                     | 7.7         |
| PFBS                     | 3.3         |
| PFPeA                    | 3.6         |
| 107189P                  | <b>14.4</b> |
| PFBA                     | 8           |
| PFBS                     | 3.2         |
| PFPeA                    | 3.2         |
| 107186P                  | <b>10.5</b> |
| PFBA                     | 7.3         |
| PFBS                     | 3.2         |
| <b>CITY OF DEER PARK</b> |             |
| 1010007SE4               | <b>40.8</b> |
| PFBA                     | 14.7        |
| PFBS                     | 4.5         |
| PFHxA                    | 8.5         |
| PFOS                     | 4.1         |
| PFPeA                    | 9           |
| 1010007SE3               | <b>30.3</b> |

|                        |             |
|------------------------|-------------|
| PFBA                   | 7.4         |
| PFBS                   | 3.4         |
| PFHxA                  | 5.6         |
| PFHxS                  | 3.6         |
| PFOS                   | 4.7         |
| PFPeA                  | 5.6         |
| <b>KINGSBRIDGE MUD</b> |             |
| 104239P                | <b>18.4</b> |
| PFBA                   | 7.8         |
| PFHxA                  | 4.9         |
| PFPeA                  | 5.7         |
| 101268P                | <b>18.2</b> |
| PFBA                   | 6.2         |
| PFHxA                  | 5.6         |
| PFPeA                  | 6.4         |
| 101267P                | <b>16.7</b> |
| PFBA                   | 6.3         |
| PFHxA                  | 4.8         |
| PFPeA                  | 5.6         |
| 104240P                | <b>16.2</b> |
| PFBA                   | 6.9         |
| PFHxA                  | 4.3         |
| PFPeA                  | 5           |
| <b>CITY OF LUCAS</b>   |             |
| 107450R                | <b>26.4</b> |
| PFBA                   | 11.2        |
| PFBS                   | 3.9         |
| PFHxA                  | 5.4         |
| PFPeA                  | 5.9         |
| 107451R                | <b>21.5</b> |
| PFBA                   | 6.6         |
| PFBS                   | 3.9         |
| PFHxA                  | 5.4         |
| PFPeA                  | 5.6         |
| 108162P                | <b>20.4</b> |
| PFBA                   | 6.2         |
| PFBS                   | 3.7         |
| PFHxA                  | 5           |
| PFPeA                  | 5.5         |

|                                 |             |
|---------------------------------|-------------|
| <b>CITY OF DENTON</b>           |             |
| Q2326538001                     | <b>20.7</b> |
| PFBA                            | 6.9         |
| PFBS                            | 3.1         |
| PFHxA                           | 5.8         |
| PFPeA                           | 4.9         |
| Q2303027001                     | <b>19.6</b> |
| PFBA                            | 6.6         |
| PFBS                            | 4           |
| PFHxA                           | 4.6         |
| PFPeA                           | 4.4         |
| Q2312683001                     | <b>14.7</b> |
| PFBA                            | 6.4         |
| PFHxA                           | 4.6         |
| PFPeA                           | 3.7         |
| Q2303027003                     | <b>5.3</b>  |
| PFBA                            | 5.3         |
| Q2312683003                     | <b>5.3</b>  |
| PFBA                            | 5.3         |
| <b>CITY OF FARMERS BRANCH</b>   |             |
| Q2316725001                     | <b>47.3</b> |
| PFBA                            | 9.7         |
| PFBS                            | 3.9         |
| PFHpA                           | 3.3         |
| PFHxA                           | 14.4        |
| PFOA                            | 4           |
| PFPeA                           | 12          |
| Q2336065001                     | <b>17.5</b> |
| PFBA                            | 6.8         |
| PFHxA                           | 5.5         |
| PFPeA                           | 5.2         |
| <b>FORT BEND COUNTY MUD 133</b> |             |
| 101274P                         | <b>38.6</b> |
| PFBA                            | 7.7         |
| PFBS                            | 3.9         |
| PFHxA                           | 8.9         |
| PFHxS                           | 3.6         |
| PFOS                            | 4.6         |
| PFPeA                           | 9.9         |

|                              |             |
|------------------------------|-------------|
| 104244P                      | <b>17.9</b> |
| PFBS                         | 3.3         |
| PFHxA                        | 5.5         |
| PFHxS                        | 3.2         |
| PFPeA                        | 5.9         |
| 109393R                      | <b>7.9</b>  |
| PFHxA                        | 3.9         |
| PFPeA                        | 4           |
| <b>BLACKLAND WSC</b>         |             |
| 106223P                      | <b>22</b>   |
| PFBA                         | 6.7         |
| PFBS                         | 3.8         |
| PFHxA                        | 5.3         |
| PFPeA                        | 6.2         |
| 103418P                      | <b>13.5</b> |
| PFBS                         | 3.2         |
| PFHxA                        | 5           |
| PFPeA                        | 5.3         |
| 103419P                      | <b>12.9</b> |
| PFBS                         | 3.2         |
| PFHxA                        | 4.7         |
| PFPeA                        | 5           |
| 100713P                      | <b>7.2</b>  |
| PFHxA                        | 3.2         |
| PFPeA                        | 4           |
| 100712P                      | <b>7.2</b>  |
| PFHxA                        | 3.5         |
| PFPeA                        | 3.7         |
| <b>TOWN OF HIGHLAND PARK</b> |             |
| 107129P                      | <b>33.9</b> |
| PFBA                         | 7.1         |
| PFBS                         | 4.1         |
| PFHxA                        | 10.5        |
| PFPeA                        | 12.2        |
| 104232P                      | <b>28.8</b> |
| PFBA                         | 6.6         |
| PFBS                         | 4           |
| PFHxA                        | 6.9         |
| PFHxS                        | 3.6         |

|                               |             |
|-------------------------------|-------------|
| PFPeA                         | 7.7         |
| <b>RINCON WSC</b>             |             |
| 105295P                       | <b>13</b>   |
| PFBA                          | 13          |
| 105293P                       | <b>12</b>   |
| PFBA                          | 12          |
| 105294P                       | <b>11</b>   |
| PFBA                          | 11          |
| 102614P                       | <b>9.4</b>  |
| PFBA                          | 9.4         |
| 102615P                       | <b>8.6</b>  |
| PFBA                          | 8.6         |
| 102616P                       | <b>8.5</b>  |
| PFBA                          | 8.5         |
| <b>CITY OF LIVINGSTON, TX</b> |             |
| Q2314102001                   | <b>43.8</b> |
| PFBA                          | 8           |
| PFBS                          | 5.1         |
| PFHpA                         | 3.2         |
| PFHxA                         | 9.7         |
| PFHxS                         | 4.8         |
| PFOS                          | 5.2         |
| PFPeA                         | 7.8         |
| Q2329436001                   | <b>18.5</b> |
| PFBA                          | 6.5         |
| PFHxA                         | 6.1         |
| PFPeA                         | 5.9         |
| <b>JONAH WATER SUD</b>        |             |
| Q2317766001                   | <b>31.7</b> |
| PFBA                          | 6.7         |
| PFBS                          | 6.6         |
| PFHxA                         | 6           |
| PFPeA                         | 12.4        |
| Q2317766007                   | <b>21.5</b> |
| PFBS                          | 8.6         |
| PFHxA                         | 4           |
| PFHxS                         | 3.5         |
| PFPeA                         | 5.4         |
| Q2317766011                   | <b>6.6</b>  |



|                            |             |
|----------------------------|-------------|
| PFBA                       | 6.6         |
| <b>CITY OF DUNCANVILLE</b> |             |
| Q2335368001                | <b>30.9</b> |
| PFBA                       | 11.2        |
| PFBS                       | 5.5         |
| PFHxA                      | 6.7         |
| PFPeA                      | 7.5         |
| Q2317563001                | <b>27.9</b> |
| PFBA                       | 8.1         |
| PFBS                       | 3.8         |
| PFHxA                      | 6.2         |
| PFOS                       | 4.4         |
| PFPeA                      | 5.4         |
| <b>EAST BELL WSC</b>       |             |
| 104212P                    | <b>20.7</b> |
| PFBS                       | 5.9         |
| PFHxA                      | 3.9         |
| PFHxS                      | 4.4         |
| PFPeA                      | 6.5         |
| 104213P                    | <b>20.1</b> |
| PFBS                       | 5.5         |
| PFHxA                      | 3.8         |
| PFHxS                      | 4.5         |
| PFPeA                      | 6.3         |
| 104214P                    | <b>17.3</b> |
| PFBS                       | 5.1         |
| PFHxA                      | 3.3         |
| PFHxS                      | 3.7         |
| PFPeA                      | 5.2         |
| <b>CITY OF TEMPLE</b>      |             |
| Q2319028001                | <b>35</b>   |
| PFBA                       | 7.8         |
| PFBS                       | 4.2         |
| PFHxA                      | 7.3         |
| PFHxS                      | 4.3         |
| PFOS                       | 4.9         |
| PFPeA                      | 6.5         |
| Q2314157001                | <b>18.5</b> |
| PFBA                       | 6.3         |

|                                 |             |
|---------------------------------|-------------|
| PFBS                            | 4           |
| PFHxA                           | 3.5         |
| PFHxS                           | 4.7         |
| Q2326488001                     | <b>3.3</b>  |
| PFHxS                           | 3.3         |
| <b>CITY OF BIG SPRING</b>       |             |
| Q2322869001                     | <b>33.8</b> |
| PFBA                            | 8.4         |
| PFBS                            | 5.8         |
| PFHxA                           | 4.1         |
| PFHxS                           | 11.1        |
| PFOS                            | 4.4         |
| Q2340815001                     | <b>21.1</b> |
| PFBA                            | 12.5        |
| PFBS                            | 3.2         |
| PFHxS                           | 5.4         |
| <b>FORT BEND COUNTY MUD 165</b> |             |
| 106176P                         | <b>29.6</b> |
| PFBA                            | 21.7        |
| PFHxA                           | 3.9         |
| PFPeA                           | 4           |
| 105460R                         | <b>23.4</b> |
| PFBA                            | 5.4         |
| PFHxA                           | 5.5         |
| PFHxS                           | 3           |
| PFOS                            | 4.2         |
| PFPeA                           | 5.3         |
| <b>SHEPPARD AIR FORCE BASE</b>  |             |
| 23090882-01                     | <b>19.2</b> |
| PFBA                            | 13.2        |
| PFPeA                           | 6           |
| 23082778-01                     | <b>17.9</b> |
| PFBA                            | 12.8        |
| PFPeA                           | 5.1         |
| 23031171-01                     | <b>15.6</b> |
| PFBA                            | 12          |
| PFPeA                           | 3.6         |
| <b>CITY OF TERRELL</b>          |             |
| Q2340818001                     | <b>28.2</b> |

|                               |             |
|-------------------------------|-------------|
| PFBA                          | 7           |
| PFHxA                         | 3.8         |
| PFHxS                         | 4           |
| PFOS                          | 10.4        |
| PFPeA                         | 3           |
| <b>Q2327310001</b>            | <b>24.1</b> |
| PFBA                          | 6.2         |
| PFHxA                         | 4.2         |
| PFHxS                         | 4.1         |
| PFOS                          | 9.6         |
| <b>CITY OF SEAGOVILLE</b>     |             |
| <b>Q2315350001</b>            | <b>29.2</b> |
| PFBA                          | 9.1         |
| PFBS                          | 3.9         |
| PFHxA                         | 6.1         |
| PFOS                          | 5.1         |
| PFPeA                         | 5           |
| <b>Q2328461001</b>            | <b>23.1</b> |
| PFBA                          | 8.4         |
| PFBS                          | 3.8         |
| PFHxA                         | 5           |
| PFPeA                         | 5.9         |
| <b>CITY OF CORPUS CHRISTI</b> |             |
| <b>810-58296-1</b>            | <b>19.8</b> |
| PFBA                          | 10.4        |
| PFHxA                         | 3.8         |
| PFPeA                         | 5.6         |
| <b>810-81957-1</b>            | <b>14.9</b> |
| PFBA                          | 11.5        |
| PFPeA                         | 3.4         |
| <b>810-70979-1</b>            | <b>9.2</b>  |
| PFBA                          | 9.2         |
| <b>EP001MC1</b>               | <b>7.3</b>  |
| PFBA                          | 7.3         |
| <b>CITY OF HUNTSVILLE</b>     |             |
| <b>Q2318500003</b>            | <b>43.4</b> |
| PFBA                          | 8.7         |
| PFBS                          | 3.9         |
| PFHpA                         | 3.4         |

|                                 |             |
|---------------------------------|-------------|
| PFHxA                           | 8.4         |
| PFHxS                           | 5.5         |
| PFOS                            | 6.7         |
| PFPeA                           | 6.8         |
| Q2318500001                     | <b>6.8</b>  |
| PFBA                            | 6.8         |
| <b>WEST BELL COUNTY WSC</b>     |             |
| 104718P                         | <b>48.7</b> |
| PFBA                            | 6.3         |
| PFBS                            | 8.8         |
| PFHpA                           | 3.1         |
| PFHxA                           | 6.9         |
| PFHxS                           | 7.4         |
| PFOS                            | 5.9         |
| PFPeA                           | 10.3        |
| <b>CITY OF HIGHLAND VILLAGE</b> |             |
| Q2336057007                     | <b>18.6</b> |
| PFBA                            | 6.3         |
| PFBS                            | 3.1         |
| PFHxA                           | 4.4         |
| PFPeA                           | 4.8         |
| Q2316729003                     | <b>14.9</b> |
| PFBA                            | 6.2         |
| PFHxA                           | 4.6         |
| PFPeA                           | 4.1         |
| Q2316729001                     | <b>13.9</b> |
| PFBA                            | 5.4         |
| PFHxA                           | 4.7         |
| PFPeA                           | 3.8         |
| <b>CITY OF GREENVILLE, TX</b>   |             |
| 810-66246-1                     | <b>24.6</b> |
| PFBA                            | 8           |
| PFHxA                           | 3.5         |
| PFHxS                           | 3.6         |
| PFOS                            | 6.1         |
| PFPeA                           | 3.4         |
| 810-77383-1                     | <b>22.3</b> |
| PFBA                            | 7.6         |
| PFHxA                           | 3.7         |

|                               |             |
|-------------------------------|-------------|
| PFHxS                         | 3.7         |
| PFOS                          | 7.3         |
| <b>HARRIS COUNTY WCID 161</b> |             |
| 105271P                       | <b>45.9</b> |
| PFBA                          | 36.6        |
| PFHxA                         | 4.6         |
| PFPeA                         | 4.7         |
| <b>CITY OF OVILLA</b>         |             |
| 103390P                       | <b>22.6</b> |
| PFBA                          | 8.5         |
| PFBS                          | 3.9         |
| PFHxA                         | 4.9         |
| PFPeA                         | 5.3         |
| 106169P                       | <b>22.3</b> |
| PFBA                          | 8           |
| PFBS                          | 4.5         |
| PFHxA                         | 4.8         |
| PFPeA                         | 5           |
| <b>CITY OF SAN ANGELO</b>     |             |
| Q2314669001                   | <b>23.3</b> |
| PFBA                          | 6.5         |
| PFBS                          | 7.1         |
| PFHxS                         | 9.7         |
| Q2327306001                   | <b>21.5</b> |
| PFBA                          | 6.4         |
| PFBS                          | 7.2         |
| PFHxS                         | 7.9         |
| <b>CITY OF KINGSVILLE</b>     |             |
| Q2311370001                   | <b>28.9</b> |
| PFBA                          | 14.4        |
| PFBS                          | 4           |
| PFHxA                         | 4.8         |
| PFPeA                         | 5.7         |
| Q2322711001                   | <b>9.1</b>  |
| PFBA                          | 9.1         |
| Q2339927001                   | <b>6.3</b>  |
| PFBA                          | 6.3         |
| <b>CITY OF CORSICANA</b>      |             |
| FF06016-03B                   | <b>16.1</b> |

|                                 |             |
|---------------------------------|-------------|
| PFBA                            | 5.8         |
| PFHxA                           | 4.8         |
| PFPeA                           | 5.5         |
| FL05014-03B                     | <b>9.6</b>  |
| PFBA                            | 6.6         |
| PFPeA                           | 3           |
| FJ20007-01A                     | <b>7.7</b>  |
| PFBA                            | 7.7         |
| FI20013-01C                     | <b>5.6</b>  |
| PFBA                            | 5.6         |
| FL05014-01B                     | <b>5.1</b>  |
| PFBA                            | 5.1         |
| <b>GASTONIA SCURRY SUD</b>      |             |
| 103502P                         | <b>14.6</b> |
| PFBS                            | 3.5         |
| PFHxA                           | 5.2         |
| PFPeA                           | 5.9         |
| 106215P                         | <b>14.2</b> |
| PFBA                            | 5.7         |
| PFHxA                           | 4.3         |
| PFPeA                           | 4.2         |
| 103503P                         | <b>7.6</b>  |
| PFHxA                           | 3.8         |
| PFPeA                           | 3.8         |
| 106216P                         | <b>7.4</b>  |
| PFHxS                           | 3.1         |
| PFOS                            | 4.3         |
| <b>FORT BEND COUNTY MUD 142</b> |             |
| 101273P                         | <b>36</b>   |
| PFBA                            | 7.6         |
| PFBS                            | 3.7         |
| PFHxA                           | 8.4         |
| PFHxS                           | 3.3         |
| PFOS                            | 4.2         |
| PFPeA                           | 8.8         |
| 104243P                         | <b>6.7</b>  |
| PFHxA                           | 3.2         |
| PFPeA                           | 3.5         |
| <b>NORTH ALAMO WSC</b>          |             |

|                            |             |
|----------------------------|-------------|
| Q2332391011                | <b>10.2</b> |
| PFBA                       | 7.2         |
| PFBS                       | 3           |
| Q2332391001                | <b>7.3</b>  |
| PFBA                       | 7.3         |
| Q2332391007                | <b>6.6</b>  |
| PFBA                       | 6.6         |
| Q2317363007                | <b>5.6</b>  |
| PFBA                       | 5.6         |
| Q2332391005                | <b>5.2</b>  |
| PFBA                       | 5.2         |
| Q2317363009                | <b>3.4</b>  |
| PFHxS                      | 3.4         |
| Q2306124011                | <b>3.2</b>  |
| PFHxA                      | 3.2         |
| <b>CITY OF HURST</b>       |             |
| 35798668003SE1             | <b>11.9</b> |
| PFBA                       | 5.5         |
| PFHxA                      | 3.2         |
| PFPeA                      | 3.2         |
| 35798668007SE1             | <b>11.3</b> |
| PFBA                       | 5           |
| PFHxA                      | 3.1         |
| PFPeA                      | 3.2         |
| 35798668005SE1             | <b>9.6</b>  |
| PFBA                       | 6.3         |
| PFPeA                      | 3.3         |
| 35798668001SE1             | <b>8.6</b>  |
| PFBA                       | 5.5         |
| PFPeA                      | 3.1         |
| <b>CITY OF FOREST HILL</b> |             |
| Q2341179001                | <b>17.2</b> |
| PFBA                       | 6.6         |
| PFBS                       | 3.8         |
| PFHxA                      | 3           |
| PFPeA                      | 3.8         |
| Q2322710001                | <b>15.3</b> |
| PFBA                       | 7           |
| PFHxA                      | 4.4         |

|                            |             |
|----------------------------|-------------|
| PFPeA                      | 3.9         |
| Q2310388001                | <b>8.6</b>  |
| PFBA                       | 5.5         |
| PFHxA                      | 3.1         |
| <b>CITY OF HUDSON OAKS</b> |             |
| 102608P                    | <b>15</b>   |
| PFHxS                      | 15          |
| 103626R                    | <b>10.6</b> |
| PFBS                       | 7           |
| PFHxS                      | 3.6         |
| 109418R                    | <b>9</b>    |
| PFHxS                      | 9           |
| 102612P                    | <b>6.1</b>  |
| PFBS                       | 6.1         |
| <b>HARRIS COUNTY MUD 8</b> |             |
| 105251P                    | <b>32.8</b> |
| PFBA                       | 17.7        |
| PFHxA                      | 3.6         |
| PFHxS                      | 3           |
| PFOS                       | 4.6         |
| PFPeA                      | 3.9         |
| 102562P                    | <b>7.7</b>  |
| PFHxA                      | 3.7         |
| PFPeA                      | 4           |
| <b>GOFORTH SUD</b>         |             |
| Q2315398003                | <b>22.8</b> |
| 6:2 FTS                    | 15.6        |
| PFBS                       | 7.2         |
| Q2315398005                | <b>12.1</b> |
| PFBS                       | 3.3         |
| PFHxA                      | 4.1         |
| PFPeA                      | 4.7         |
| Q2329665001                | <b>5.1</b>  |
| PFPeA                      | 5.1         |
| <b>B H P WSC</b>           |             |
| 106210P                    | <b>21.8</b> |
| PFBA                       | 6.4         |
| PFBS                       | 4           |
| PFHxA                      | 5.5         |



|                            |             |
|----------------------------|-------------|
| PFPeA                      | 5.9         |
| 103498P                    | <b>17.6</b> |
| PFBA                       | 5.2         |
| PFBS                       | 3           |
| PFHxA                      | 4.5         |
| PFPeA                      | 4.9         |
| <b>CITY OF PORT LAVACA</b> |             |
| Q2314296001                | <b>39.2</b> |
| PFBA                       | 5.7         |
| PFHxA                      | 7           |
| PFHxS                      | 7.2         |
| PFOA                       | 6           |
| PFOS                       | 4.7         |
| PFPeA                      | 8.6         |
| <b>CITY OF WEATHERFORD</b> |             |
| Q2341180001                | <b>21.1</b> |
| PFBA                       | 9.5         |
| PFBS                       | 3.2         |
| PFOS                       | 4.2         |
| PFPeA                      | 4.2         |
| Q2322712001                | <b>17.4</b> |
| PFBS                       | 4.7         |
| PFHxA                      | 3.9         |
| PFOS                       | 5.4         |
| PFPeA                      | 3.4         |
| <b>CITY OF ROCKPORT</b>    |             |
| Q2341089001                | <b>11.3</b> |
| PFBA                       | 11.3        |
| Q2310917003                | <b>10.9</b> |
| PFBA                       | 7.9         |
| PFPeA                      | 3           |
| Q2310917001                | <b>10.8</b> |
| PFBA                       | 7.6         |
| PFPeA                      | 3.2         |
| Q2323957001                | <b>5.4</b>  |
| PFBA                       | 5.4         |
| <b>CITY OF WATAUGA</b>     |             |
| Q2341342001                | <b>19.5</b> |
| PFBA                       | 7.4         |

|                                       |             |
|---------------------------------------|-------------|
| PFBS                                  | 4.1         |
| PFHxA                                 | 3.9         |
| PFPeA                                 | 4.1         |
| <b>Q2341342003</b>                    | <b>18.5</b> |
| PFBA                                  | 7.4         |
| PFBS                                  | 3.4         |
| PFHxA                                 | 3.5         |
| PFPeA                                 | 4.2         |
| <b>CONCHO RURAL WATER GRAPE CREEK</b> |             |
| 105804P                               | <b>16.9</b> |
| PFBA                                  | 5.5         |
| PFBS                                  | 6.1         |
| PFHxS                                 | 5.3         |
| 100740P                               | <b>13.9</b> |
| PFBS                                  | 13.9        |
| 103429P                               | <b>7</b>    |
| PFBS                                  | 3.1         |
| PFHxS                                 | 3.9         |
| <b>M E N WSC</b>                      |             |
| 106221P                               | <b>34.3</b> |
| PFBA                                  | 25.8        |
| PFHxA                                 | 4.1         |
| PFPeA                                 | 4.4         |
| 104575R                               | <b>3</b>    |
| PFPeA                                 | 3           |
| <b>CITY OF BALLINGER</b>              |             |
| 105453R                               | <b>21.1</b> |
| PFBA                                  | 15          |
| PFBS                                  | 3.1         |
| PFHxS                                 | 3           |
| 107225P                               | <b>16.1</b> |
| 6:2 FTS                               | 6           |
| PFBS                                  | 5.1         |
| PFHxS                                 | 5           |
| <b>CITY OF GONZALES</b>               |             |
| 110344R                               | <b>13.2</b> |
| PFHxA                                 | 4.3         |
| PFPeA                                 | 8.9         |
| 109394R                               | <b>11.8</b> |

|                                      |             |
|--------------------------------------|-------------|
| PFHxA                                | 3.9         |
| PFPeA                                | 7.9         |
| 104250P                              | <b>4.3</b>  |
| PFPeA                                | 4.3         |
| 104249P                              | <b>4.1</b>  |
| PFPeA                                | 4.1         |
| 101278P                              | <b>3.7</b>  |
| PFPeA                                | 3.7         |
| <b>NORTHWEST HARRIS COUNTY MUD 5</b> |             |
| 1010884BSE2                          | <b>37.1</b> |
| PFBA                                 | 19.2        |
| PFHxA                                | 6           |
| PFPeA                                | 11.9        |
| <b>439 WSC</b>                       |             |
| 105477R                              | <b>8.7</b>  |
| PFBA                                 | 5.1         |
| PFHxS                                | 3.6         |
| 105465R                              | <b>8.5</b>  |
| PFBA                                 | 5.1         |
| PFHxS                                | 3.4         |
| 103642R                              | <b>8.2</b>  |
| PFBA                                 | 5.1         |
| PFPeA                                | 3.1         |
| 105466R                              | <b>6.5</b>  |
| PFBS                                 | 3           |
| PFHxS                                | 3.5         |
| 102723R                              | <b>5.1</b>  |
| PFBA                                 | 5.1         |
| <b>CITY OF AGUA DULCE</b>            |             |
| 107220P                              | <b>22</b>   |
| 6:2 FTS                              | 5.9         |
| PFBA                                 | 16.1        |
| 107398R                              | <b>14.8</b> |
| PFBA                                 | 14.8        |
| <b>BRUSHY CREEK MUD</b>              |             |
| Q2326263001                          | <b>20.5</b> |
| PFBA                                 | 5.2         |
| PFBS                                 | 3.9         |
| PFHxA                                | 3.4         |

|                             |             |
|-----------------------------|-------------|
| PFHxS                       | 3.5         |
| PFPeA                       | 4.5         |
| <b>Q2311888001</b>          | <b>16.3</b> |
| PFBS                        | 4           |
| PFHxA                       | 3.8         |
| PFHxS                       | 3.7         |
| PFPeA                       | 4.8         |
| <b>BIG OAKS MUD</b>         |             |
| <b>101731R</b>              | <b>30</b>   |
| PFBA                        | 5.6         |
| PFBS                        | 3.3         |
| PFHxA                       | 6.9         |
| PFHxS                       | 3.2         |
| PFOS                        | 4.3         |
| PFPeA                       | 6.7         |
| <b>106175P</b>              | <b>6.3</b>  |
| PFHxA                       | 3.2         |
| PFPeA                       | 3.1         |
| <b>RICE UNIVERSITY</b>      |             |
| <b>105259P</b>              | <b>36.2</b> |
| PFBA                        | 28          |
| PFHxA                       | 4           |
| PFPeA                       | 4.2         |
| <b>CITY OF SHERMAN</b>      |             |
| <b>Q2318501002</b>          | <b>15.3</b> |
| PFBA                        | 8.3         |
| PFHxA                       | 3.8         |
| PFPeA                       | 3.2         |
| <b>Q2318501005</b>          | <b>7.6</b>  |
| PFBA                        | 7.6         |
| <b>Q2333660001</b>          | <b>7.4</b>  |
| PFHxA                       | 3.6         |
| PFPeA                       | 3.8         |
| <b>Q2304950001</b>          | <b>5</b>    |
| PFBA                        | 5           |
| <b>NUECES COUNTY WCID 4</b> |             |
| <b>GF04739-03</b>           | <b>12</b>   |
| PFBA                        | 12          |
| <b>GF04739-01</b>           | <b>8.6</b>  |

|                              |             |
|------------------------------|-------------|
| PFBA                         | 8.6         |
| GI04121-03                   | <b>7.9</b>  |
| PFBA                         | 7.9         |
| GI04121-01                   | <b>6.6</b>  |
| PFBA                         | 6.6         |
| <b>WEST WISE SUD</b>         |             |
| 100751P                      | <b>9.1</b>  |
| PFBA                         | 9.1         |
| 105464R                      | <b>7.8</b>  |
| PFBA                         | 7.8         |
| 105812P                      | <b>5.8</b>  |
| PFBA                         | 5.8         |
| 100750P                      | <b>5.7</b>  |
| PFBA                         | 5.7         |
| 105811P                      | <b>5.2</b>  |
| PFBA                         | 5.2         |
| <b>CITY OF EULESS</b>        |             |
| Q2337014001                  | <b>23.6</b> |
| PFBA                         | 8.5         |
| PFBS                         | 4.8         |
| PFHxA                        | 4.8         |
| PFPeA                        | 5.5         |
| Q2303240001                  | <b>9.9</b>  |
| PFBS                         | 3.8         |
| PFHxA                        | 3.1         |
| PFPeA                        | 3           |
| <b>BASTROP COUNTY WCID 2</b> |             |
| 104208P                      | <b>33.2</b> |
| PFPeA                        | 33.2        |
| <b>CITY OF HEATH</b>         |             |
| 107224P                      | <b>20.1</b> |
| 6:2 FTS                      | 5.9         |
| PFBS                         | 3.5         |
| PFHxA                        | 4.8         |
| PFPeA                        | 5.9         |
| 104310P                      | <b>12.6</b> |
| PFBS                         | 3.4         |
| PFHxA                        | 4.5         |
| PFPeA                        | 4.7         |

|   |             |
|---|-------------|
| <b>CITY OF HUGHES SPRINGS</b>                   |             |
| 107449R   | <b>31.8</b> |
| PFBA  | 31.8        |
| <b>CITY OF GLENN HEIGHTS</b>                    |             |
| Q2334827001                                     | <b>25.3</b> |
| PFBA  | 9.8         |
| PFBS  | 4.4         |
| PFHxA   | 5.3         |
| PFPeA   | 5.8         |
| Q2317562001                                     | <b>6</b>    |
| PFBA  | 6           |
| <b>CITY OF MIDLAND WATER PURIFICATION PLANT</b> |             |
| Q2332914001                                     | <b>30.6</b> |
| PFBA  | 9           |
| PFBS  | 7.8         |
| PFHxA   | 3.3         |
| PFHxS   | 10.5        |
| <b>CITY OF PORTLAND</b>                         |             |
| FD05017-01D                                     | <b>18.8</b> |
| PFBA  | 9.7         |
| PFHxA   | 4           |
| PFPeA   | 5.1         |
| FH11001-01B                                     | <b>6</b>    |
| PFBA  | 6           |
| FJ04001-01B                                     | <b>5.7</b>  |
| PFBA  | 5.7         |
| <b>HARRIS COUNTY MUD 148 KINGSLAKE</b>          |             |
| 107168P   | <b>21.9</b> |
| PFBA  | 7.1         |
| PFBS  | 3.1         |
| PFHxA   | 5           |
| PFPeA   | 6.7         |
| 104266P   | <b>8</b>    |
| PFBA  | 8           |
| <b>CITY OF CHILDRESS</b>                        |             |
| 104725P   | <b>29.3</b> |
| PFBA  | 16.7        |
| PFHxA   | 3.9         |
| PFOS  | 4.7         |

|   |             |
|---|-------------|
| PFPeA                                   | 4           |
| <b>CITY OF HARKER HEIGHTS</b>           |             |
| Q2323113001                             | <b>14.8</b> |
| PFBA                                    | 6.6         |
| PFBS                                    | 3.4         |
| PFHxS                                   | 4.8         |
| Q2340516001                             | <b>8.6</b>  |
| PFBA                                    | 5.4         |
| PFHxS                                   | 3.2         |
| Q2310744001                             | <b>5.4</b>  |
| PFBA                                    | 5.4         |
| <b>LAGUNA MADRE WATER DISTRICT</b>      |             |
| Q2318502001                             | <b>14.5</b> |
| PFBA                                    | 7.9         |
| PFHxA                                   | 3.5         |
| PFPeA                                   | 3.1         |
| Q2337836003                             | <b>14</b>   |
| PFBA                                    | 7.5         |
| PFHxA                                   | 3           |
| PFPeA                                   | 3.5         |
| <b>CITY OF FATE</b>                     |             |
| Q2340819001                             | <b>28.2</b> |
| PFBA                                    | 9.2         |
| PFBS                                    | 4.3         |
| PFHxA                                   | 6.8         |
| PFPeA                                   | 7.9         |
| <b>CITY OF SAGINAW</b>                  |             |
| Q2333625001                             | <b>14.4</b> |
| PFBA                                    | 7.4         |
| PFHxA                                   | 3.7         |
| PFPeA                                   | 3.3         |
| Q2307332001                             | <b>6.8</b>  |
| PFBA                                    | 6.8         |
| Q2316726001                             | <b>6.7</b>  |
| PFBA                                    | 6.7         |
| <b>EAST CEDAR CREEK FWSD BROOKSHIRE</b> |             |
| 1070167ASE2                             | <b>27.1</b> |
| PFBA                                    | 27.1        |
| <b>HARRIS COUNTY WCID 119</b>           |             |

|                                 |             |
|---------------------------------|-------------|
| 106191P                         | <b>16.3</b> |
| PFBA                            | 5.4         |
| PFHxA                           | 4.7         |
| PFPeA                           | 6.2         |
| 103477P                         | <b>10.1</b> |
| PFHxA                           | 4.3         |
| PFPeA                           | 5.8         |
| <b>CHATFIELD WSC</b>            |             |
| 107219P                         | <b>22.8</b> |
| 6:2 FTS                         | 6.7         |
| PFBA                            | 7.6         |
| PFHxA                           | 4.1         |
| PFPeA                           | 4.4         |
| 104634R                         | <b>3.3</b>  |
| PFPeA                           | 3.3         |
| <b>CITY OF RED OAK</b>          |             |
| Q2336062001                     | <b>26.1</b> |
| PFBA                            | 10.2        |
| PFBS                            | 4.5         |
| PFHxA                           | 5.3         |
| PFPeA                           | 6.1         |
| <b>SIENNA PLANTATION MUD 10</b> |             |
| 103402P                         | <b>25.8</b> |
| PFPeA                           | 25.8        |
| <b>CITY OF LANCASTER, TX</b>    |             |
| Q2314159001                     | <b>25.7</b> |
| PFBA                            | 9.9         |
| PFBS                            | 4.4         |
| PFHxA                           | 6           |
| PFPeA                           | 5.4         |
| <b>SAN ANTONIO WATER SYSTEM</b> |             |
| 35798273005SE1                  | <b>9.2</b>  |
| PFBA                            | 9.2         |
| 35798274001SE1                  | <b>7.3</b>  |
| PFBA                            | 7.3         |
| 35841957001SE2                  | <b>6</b>    |
| PFBA                            | 6           |
| 35798273001SE1                  | <b>3.2</b>  |
| PFPeA                           | 3.2         |



|                                       |             |
|---------------------------------------|-------------|
| <b>MOUNTAIN PEAK SUD</b>              |             |
| Q2340304001                           | <b>25.7</b> |
| PFBA                                  | 9           |
| PFBS                                  | 3.4         |
| PFHxA                                 | 6.1         |
| PFPeA                                 | 7.2         |
| <b>WALNUT CREEK SUD</b>               |             |
| FE02076-01B                           | <b>7.3</b>  |
| PFBA                                  | 7.3         |
| FK07003-01B                           | <b>6.7</b>  |
| PFBA                                  | 6.7         |
| FB07078-01B                           | <b>5.9</b>  |
| PFBA                                  | 5.9         |
| FH08012-01B                           | <b>5</b>    |
| PFBA                                  | 5           |
| <b>HEATHERLOCH MUD</b>                |             |
| 108408R                               | <b>24.9</b> |
| 6:2 FTS                               | 6.3         |
| PFBA                                  | 6.9         |
| PFHxA                                 | 4.5         |
| PFPeA                                 | 7.2         |
| <b>LAKES OF ROSEHILL WATER SYSTEM</b> |             |
| 103493P                               | <b>24.6</b> |
| PFBA                                  | 6.9         |
| PFBS                                  | 3.2         |
| PFHxA                                 | 5.1         |
| PFHxS                                 | 3.1         |
| PFPeA                                 | 6.3         |
| <b>CITY OF RICHLAND HILLS</b>         |             |
| 105296P                               | <b>17.8</b> |
| PFBA                                  | 7.8         |
| PFHxA                                 | 3.4         |
| PFHxS                                 | 3           |
| PFPeA                                 | 3.6         |
| 102621P                               | <b>6.8</b>  |
| PFBA                                  | 6.8         |
| <b>R C H WSC</b>                      |             |
| 104309P                               | <b>12.2</b> |
| PFBS                                  | 3.2         |

|                                |             |
|--------------------------------|-------------|
| PFHxA                          | 4.4         |
| PFPeA                          | 4.6         |
| 104635R                        | <b>12.1</b> |
| PFBS                           | 3.3         |
| PFHxA                          | 4.2         |
| PFPeA                          | 4.6         |
| <b>CITY OF COLLEGE STATION</b> |             |
| Q2319283001                    | <b>24.1</b> |
| PFBA                           | 8.9         |
| PFBS                           | 3.7         |
| PFHxA                          | 5.9         |
| PFPeA                          | 5.6         |
| <b>HARRIS COUNTY WCID 116</b>  |             |
| 107162P                        | <b>24</b>   |
| PFBA                           | 9.4         |
| PFBS                           | 3.1         |
| PFHxA                          | 5           |
| PFPeA                          | 6.5         |
| <b>CITY OF DESOTO</b>          |             |
| GH03009-01                     | <b>23.6</b> |
| PFBA                           | 9.6         |
| PFBS                           | 4           |
| PFHxA                          | 4.5         |
| PFPeA                          | 5.5         |
| <b>CITY OF WILLS POINT</b>     |             |
| 104592R                        | <b>20.1</b> |
| PFBA                           | 6.6         |
| PFHxA                          | 5.1         |
| PFHxS                          | 3.7         |
| PFPeA                          | 4.7         |
| 105810P                        | <b>3.2</b>  |
| PFHxS                          | 3.2         |
| <b>MULTI-COUNTY WSC</b>        |             |
| 107454R                        | <b>23</b>   |
| PFBA                           | 14.6        |
| PFHxA                          | 3.8         |
| PFPeA                          | 4.6         |
| <b>HARRIS COUNTY MUD 367</b>   |             |
| 108227P                        | <b>18.9</b> |

|  |             |
|--|-------------|
| PFBA   | 8           |
| PFHxA  | 4.7         |
| PFPeA  | 6.2         |
| 105270P                                      | <b>3.7</b>  |
| PFPeA  | 3.7         |
| <b>FORT BEND COUNTY MUD 134C</b>             |             |
| 108186P                                      | <b>13.4</b> |
| PFBA   | 5.5         |
| PFHxA  | 3.9         |
| PFPeA  | 4           |
| 102540P                                      | <b>9.1</b>  |
| PFHxA  | 4.5         |
| PFPeA  | 4.6         |
| <b>CITY OF AUSTIN WATER &amp; WASTEWATER</b> |             |
| Q2341935001                                  | <b>8.4</b>  |
| PFBA   | 8.4         |
| Q2341935003                                  | <b>7.4</b>  |
| PFBA   | 7.4         |
| Q2341935005                                  | <b>5.7</b>  |
| PFBA   | 5.7         |
| <b>CITY OF LAREDO</b>                        |             |
| Q2321390003                                  | <b>10.6</b> |
| PFBA   | 10.6        |
| Q2338844003                                  | <b>5.5</b>  |
| PFBA   | 5.5         |
| Q2338844001                                  | <b>5.3</b>  |
| PFBA   | 5.3         |
| <b>CITY OF TYLER</b>                         |             |
| Q2303010003                                  | <b>7.8</b>  |
| PFHxA  | 3.2         |
| PFPeA  | 4.6         |
| Q2327800003                                  | <b>7</b>    |
| PFHxA  | 3.4         |
| PFPeA  | 3.6         |
| Q2312332003                                  | <b>6.1</b>  |
| PFHxA  | 3           |
| PFPeA  | 3.1         |
| <b>CITY OF THREE RIVERS</b>                  |             |
| 107206P                                      | <b>13.4</b> |

|                                 |             |
|---------------------------------|-------------|
| PFBA                            | 13.4        |
| 107205P                         | <b>7.3</b>  |
| PFBA                            | 7.3         |
| <b>CITY OF ALEDO</b>            |             |
| 102607P                         | <b>13.8</b> |
| PFBA                            | 6.9         |
| PFHxA                           | 3.3         |
| PFPeA                           | 3.6         |
| 102605P                         | <b>6.8</b>  |
| PFHxA                           | 3.3         |
| PFPeA                           | 3.5         |
| <b>FORT BEND COUNTY MUD 57</b>  |             |
| 107452R                         | <b>20.5</b> |
| PFBA                            | 20.5        |
| <b>ADDICKS UTILITY DISTRICT</b> |             |
| 105261P                         | <b>12.5</b> |
| PFBA                            | 5           |
| PFHxA                           | 3.6         |
| PFPeA                           | 3.9         |
| 105260P                         | <b>7.6</b>  |
| PFHxA                           | 3.6         |
| PFPeA                           | 4           |
| <b>CITY OF CORINTH, TX</b>      |             |
| Q2323840001                     | <b>18.8</b> |
| PFBA                            | 6           |
| PFBS                            | 3           |
| PFHxA                           | 5           |
| PFPeA                           | 4.8         |
| <b>CITY OF DUBLIN</b>           |             |
| 108398R                         | <b>18.7</b> |
| PFBA                            | 18.7        |
| <b>CITY OF COPPERAS COVE</b>    |             |
| Q2335960001                     | <b>18.2</b> |
| PFBA                            | 6.3         |
| PFBS                            | 3.5         |
| PFHxS                           | 4.3         |
| PFOS                            | 4.1         |
| <b>CITY OF ELSA</b>             |             |
| 107184P                         | <b>15</b>   |

|   |             |
|---|-------------|
| PFBA  | 15          |
| 104276P   | <b>3</b>    |
| PFHxA   | 3           |
| <b>PARKWAY UTILITY DISTRICT</b>                 |             |
| 105255P   | <b>17.5</b> |
| PFBA  | 7.5         |
| PFHxA   | 4.7         |
| PFPeA   | 5.3         |
| <b>CITY OF LLANO</b>                            |             |
| 107207P   | <b>12.1</b> |
| 6:2 FTS   | 6.3         |
| PFBA  | 5.8         |
| 104291P   | <b>5.3</b>  |
| PFBA  | 5.3         |
| <b>MONTGOMERY COUNTY MUD 18</b>                 |             |
| 107215P   | <b>17.2</b> |
| 6:2 FTS   | 5.6         |
| PFBA  | 11.6        |
| <b>CITY OF GRANITE SHOALS</b>                   |             |
| 108155P   | <b>16.7</b> |
| PFBA  | 16.7        |
| <b>HARLINGEN WATER WORKS SYSTEM</b>             |             |
| Q2333596001                                     | <b>8.8</b>  |
| PFBA  | 8.8         |
| Q2333596003                                     | <b>7.8</b>  |
| PFBA  | 7.8         |
| <b>WICKSON CREEK SUD</b>                        |             |
| Q2315832001                                     | <b>16.3</b> |
| 6:2 FTS   | 12.7        |
| PFBS  | 3.6         |
| <b>CROSS TIMBERS WSC</b>                        |             |
| 104609R   | <b>8.8</b>  |
| PFHxS   | 8.8         |
| 104735P   | <b>7.1</b>  |
| PFHxA   | 3.5         |
| PFPeA   | 3.6         |
| <b>EL PASO WATER UTILITIES PUBLIC SERVICE B</b> |             |
| Q2342776003                                     | <b>9.9</b>  |
| PFHxA   | 4           |

|                              |             |
|------------------------------|-------------|
| PFPeA                        | 5.9         |
| Q2342776001                  | <b>5.6</b>  |
| PFBA                         | 5.6         |
| <b>NUECES COUNTY WCID 3</b>  |             |
| Q2314142001                  | <b>7.7</b>  |
| PFBA                         | 7.7         |
| Q2304066001                  | <b>7.7</b>  |
| PFBA                         | 7.7         |
| <b>CHAMBERS COUNTY MUD 1</b> |             |
| 104226P                      | <b>15.4</b> |
| PFBS                         | 3.3         |
| PFHxA                        | 5.7         |
| PFPeA                        | 6.4         |
| <b>CITY OF LA FERIA</b>      |             |
| 107124P                      | <b>9.4</b>  |
| PFBA                         | 5.3         |
| PFOS                         | 4.1         |
| 104225P                      | <b>5.3</b>  |
| PFBA                         | 5.3         |
| <b>CITY OF CLEBURNE</b>      |             |
| Q2340300001                  | <b>7.6</b>  |
| PFBA                         | 7.6         |
| Q2322708001                  | <b>7</b>    |
| PFBA                         | 7           |
| <b>HARRIS COUNTY MUD 361</b> |             |
| 107177P                      | <b>14.6</b> |
| PFBA                         | 14.6        |
| <b>CITY OF COLEMAN</b>       |             |
| 105476R                      | <b>7.7</b>  |
| PFBA                         | 7.7         |
| 101768R                      | <b>6.6</b>  |
| PFBA                         | 6.6         |
| <b>CITY OF SNYDER</b>        |             |
| Q2329921001                  | <b>7.1</b>  |
| PFBA                         | 7.1         |
| Q2315367001                  | <b>7.1</b>  |
| PFBA                         | 7.1         |
| <b>CITY OF LUFKIN</b>        |             |
| N3D0980-02 (0030004B)        | <b>8.1</b>  |

|                                |      |
|--------------------------------|------|
| PFBA                           | 8.1  |
| N3D0979-02 (0030004A)          | 6.1  |
| PFBA                           | 6.1  |
| <b>GONZALES COUNTY WSC</b>     |      |
| 104251P                        | 10.2 |
| PFBA                           | 6.1  |
| PFPeA                          | 4.1  |
| 107154P                        | 3.7  |
| PFPeA                          | 3.7  |
| <b>CITY OF EDINBURG</b>        |      |
| Q2319905003                    | 7.9  |
| PFBS                           | 3.4  |
| PFOS                           | 4.5  |
| Q2319905001                    | 6    |
| PFBA                           | 6    |
| <b>HARRIS COUNTY MUD 370</b>   |      |
| 103494P                        | 13.6 |
| PFBS                           | 3.4  |
| PFHxA                          | 4.9  |
| PFPeA                          | 5.3  |
| <b>CITY OF BELTON</b>          |      |
| Q2318329001                    | 13.5 |
| PFBA                           | 9.8  |
| PFHxS                          | 3.7  |
| <b>CAROLYNN ESTATES</b>        |      |
| 103496P                        | 7    |
| PFBS                           | 3.1  |
| PFHxS                          | 3.9  |
| 106204P                        | 5.7  |
| PFBA                           | 5.7  |
| <b>FORT BEND COUNTY MUD 50</b> |      |
| 101749R                        | 12.5 |
| PFHxA                          | 6    |
| PFPeA                          | 6.5  |
| <b>CITY OF HEWITT</b>          |      |
| Q2329433003                    | 7.4  |
| PFBA                           | 7.4  |
| Q2329433001                    | 5.1  |
| PFBA                           | 5.1  |

|  |             |
|--|-------------|
| <b>GREEN VALLEY SUD</b>                    |             |
| Q2330350001                                | <b>4.9</b>  |
| PFPeA                                      | 4.9         |
| Q2315003001                                | <b>4.1</b>  |
| PFPeA                                      | 4.1         |
| Q2338261001                                | <b>3.3</b>  |
| PFPeA                                      | 3.3         |
| <b>KAUFMAN COUNTY MUD 14</b>               |             |
| 105276P                                    | <b>11.9</b> |
| PFBS                                       | 3.2         |
| PFHxA                                      | 4           |
| PFPeA                                      | 4.7         |
| <b>CITY OF GRAHAM</b>                      |             |
| 102631P                                    | <b>11</b>   |
| PFBA                                       | 11          |
| <b>HARRIS COUNTY MUD 230</b>               |             |
| 106466R                                    | <b>9.8</b>  |
| PFHxA                                      | 4.2         |
| PFPeA                                      | 5.6         |
| <b>CITY OF ELMENDORF</b>                   |             |
| 108449R                                    | <b>9.5</b>  |
| PFBA                                       | 9.5         |
| <b>CITY OF ROBINSON</b>                    |             |
| 810-82244-1                                | <b>9.1</b>  |
| PFBA                                       | 5.9         |
| PFHxS                                      | 3.2         |
| <b>CITY OF MANOR</b>                       |             |
| Q2317230001                                | <b>9.1</b>  |
| PFBA                                       | 5.2         |
| PFBS                                       | 3.9         |
| <b>CITY OF POST</b>                        |             |
| 106180P                                    | <b>8.7</b>  |
| PFBA                                       | 8.7         |
| <b>HIGH POINT WATER SUPPLY CORPORATION</b> |             |
| 102588P                                    | <b>8.7</b>  |
| PFBA                                       | 5.7         |
| PFHxS                                      | 3           |
| <b>CITY OF BROWNWOOD</b>                   |             |
| Q2340302001                                | <b>7.9</b>  |



|                                    |            |
|------------------------------------|------------|
| PFBA                               | 7.9        |
| <b>SPRINGS HILL WSC</b>            |            |
| Q2323958001                        | <b>7.9</b> |
| PFOS                               | 4.4        |
| PFPeA                              | 3.5        |
| <b>HARRIS COUNTY MUD 157</b>       |            |
| 1011430B                           | <b>7.3</b> |
| PFHxA                              | 3.5        |
| PFPeA                              | 3.8        |
| <b>CITY OF ROMA</b>                |            |
| Q2329664001                        | <b>7.2</b> |
| PFBA                               | 7.2        |
| <b>CITY OF TRINIDAD</b>            |            |
| 107182P                            | <b>7.2</b> |
| PFBA                               | 7.2        |
| <b>LUBBOCK PUBLIC WATER SYSTEM</b> |            |
| Q2340301005                        | <b>7.1</b> |
| PFBA                               | 7.1        |
| <b>CITY OF BISHOP</b>              |            |
| 106222P                            | <b>6.6</b> |
| PFBA                               | 6.6        |
| <b>TRI SUD</b>                     |            |
| Q2342906001                        | <b>6.6</b> |
| PFBA                               | 6.6        |
| <b>NORTH CHEROKEE WSC</b>          |            |
| 107126P                            | <b>6.5</b> |
| PFBA                               | 6.5        |
| <b>CITY OF MATHIS</b>              |            |
| 104312P                            | <b>6.5</b> |
| PFBA                               | 6.5        |
| <b>CITY OF NEW BOSTON</b>          |            |
| 106158P                            | <b>6.4</b> |
| PFBA                               | 6.4        |
| <b>RRA TELL CEE VEE WS</b>         |            |
| 104726P                            | <b>5.9</b> |
| PFBA                               | 5.9        |
| <b>CITY OF MELISSA</b>             |            |
| Q2312210001                        | <b>5.8</b> |
| PFBA                               | 5.8        |

|  |            |
|--|------------|
| <b>EAST CEDAR CREEK FWSD B A MCKAY</b> |            |
| 107183P                                | <b>5.7</b> |
| PFBA                                   | 5.7        |
| <b>HARRIS COUNTY MUD 102</b>           |            |
| 1010503B                               | <b>5.7</b> |
| PFPeA                                  | 5.7        |
| <b>CITY OF HENDERSON</b>               |            |
| Q2336032001                            | <b>5.6</b> |
| PFBA                                   | 5.6        |
| <b>CITY OF PHARR</b>                   |            |
| Q2321133001                            | <b>5.4</b> |
| PFBA                                   | 5.4        |
| <b>CITY OF FARMERSVILLE</b>            |            |
| 104727P                                | <b>5.3</b> |
| PFBA                                   | 5.3        |
| <b>RIO WSC</b>                         |            |
| 105795P                                | <b>5.2</b> |
| PFBA                                   | 5.2        |
| <b>BLOCK HOUSE MUD</b>                 |            |
| 102630P                                | <b>5</b>   |
| PFBA                                   | 5          |
| <b>CITY OF KYLE</b>                    |            |
| Q2336233007                            | <b>4.5</b> |
| PFPeA                                  | 4.5        |
| <b>SAWS CASTLE HILLS</b>               |            |
| 35841876003SE1                         | <b>4</b>   |
| PFOS                                   | 4          |
| <b>HARRIS COUNTY MUD 119</b>           |            |
| 103482P                                | <b>4</b>   |
| PFOA                                   | 4          |
| <b>MILLS ROAD MUD</b>                  |            |
| 107170P                                | <b>3.7</b> |
| PFPeA                                  | 3.7        |
| <b>SAN JACINTO SUD</b>                 |            |
| 106230P                                | <b>3.3</b> |
| PFHxA                                  | 3.3        |
| <b>CITY OF MERCEDES</b>                |            |
| Q2303670001                            | <b>3.3</b> |
| PFHxA                                  | 3.3        |

|  |             |
|--|-------------|
| <b>EAST MONTANA WATER SYSTEM</b>         |             |
| 106173P                                  | <b>3.2</b>  |
| PFPeA                                    | 3.2         |
| <b>CITY OF PAMPA</b>                     |             |
| Q2307834005                              | <b>3.2</b>  |
| PFPeA                                    | 3.2         |
| <b>TRAVIS COUNTY WCID 17</b>             |             |
| Q2303311001                              | <b>3.2</b>  |
| PFPeA                                    | 3.2         |
| <b>CITY OF KERRVILLE</b>                 |             |
| Q2303450013                              | <b>3.2</b>  |
| PFPeA                                    | 3.2         |
| <b>SUNBELT FWSD OAKWILDE SUBDIVISION</b> |             |
| 106188P                                  | <b>3.1</b>  |
| PFPeA                                    | 3.1         |
| <b>JACKRABBIT ROAD PUD</b>               |             |
| 102553P                                  | <b>3</b>    |
| PFHxA                                    | 3           |
| <b>CITY OF HUMBLE</b>                    |             |
| 1010014C                                 | <b>3</b>    |
| PFPeA                                    | 3           |
| <b>UT</b>                                |             |
| <b>MOUNTAIN REGIONAL WATER SSD</b>       |             |
| 102643P                                  | <b>76.1</b> |
| 6:2 FTS                                  | 55          |
| PFHxA                                    | 8.1         |
| PFPeA                                    | 13          |
| 108285P                                  | <b>44.3</b> |
| 6:2 FTS                                  | 23          |
| PFHxA                                    | 7.3         |
| PFPeA                                    | 14          |
| <b>HILDALE - COLORADO CITY</b>           |             |
| 102649P                                  | <b>94.3</b> |
| PFBS                                     | 17          |
| PFHxA                                    | 12          |
| PFHxS                                    | 22          |
| PFOS                                     | 26          |
| PFPeA                                    | 4.3         |
| PFPeS                                    | 13          |

|   |             |
|---|-------------|
| <b>SOUTH DAVIS WATER DISTRICT</b>               |             |
| 108276P   | <b>16.3</b> |
| PFHxA   | 3.8         |
| PFHxS   | 8.5         |
| PFPeA   | 4           |
| 102634P   | <b>15.3</b> |
| PFHxA   | 3.4         |
| PFHxS   | 7.3         |
| PFPeA   | 4.6         |
| 102632P   | <b>14</b>   |
| PFHxA   | 3.4         |
| PFHxS   | 6.4         |
| PFPeA   | 4.2         |
| 102633P   | <b>5.7</b>  |
| PFHxS   | 5.7         |
| 102635P   | <b>3.7</b>  |
| PFHxS   | 3.7         |
| <b>SALT LAKE CITY WATER SYSTEM</b>              |             |
| 380-65536-9                                     | <b>37.2</b> |
| PFHxA   | 5.7         |
| PFHxS   | 18.2        |
| PFOS  | 7.1         |
| PFPeA   | 6.2         |
| <b>FARMINGTON CITY WATER SYSTEM</b>             |             |
| 2309J61-003B                                    | <b>30</b>   |
| 6:2 FTS   | 30          |
| <b>SOUTH SALT LAKE CITY WATER SYSTEM</b>        |             |
| C3C2249-03                                      | <b>13</b>   |
| PFBA  | 13          |
| C3C2249-01                                      | <b>5.3</b>  |
| PFBA  | 5.3         |
| <b>HERRIMAN CITY MUNICIPAL WATER DEPARTMENT</b> |             |
| CB02801-03                                      | <b>12</b>   |
| PFHxA   | 8.5         |
| PFPeA   | 3.5         |
| CB10906-03                                      | <b>5.6</b>  |
| PFHxA   | 5.6         |
| <b>BOUNTIFUL CITY WATER SYSTEM</b>              |             |
| MDG0663-04                                      | <b>6</b>    |

|                                      |             |
|--------------------------------------|-------------|
| PFBS                                 | 3           |
| PFPeA                                | 3           |
| MDA0706-07                           | <b>3.7</b>  |
| PFBS                                 | 3.7         |
| MDG0663-07                           | <b>3.4</b>  |
| PFBS                                 | 3.4         |
| MDA0706-05                           | <b>3</b>    |
| PFBS                                 | 3           |
| <b>SYRACUSE CITY WATER SYSTEM</b>    |             |
| C3C3832-01                           | <b>11</b>   |
| PFBA                                 | 7.4         |
| PFBS                                 | 3.6         |
| <b>WEST JORDAN CITY WATER SYSTEM</b> |             |
| GH06059-01                           | <b>8.3</b>  |
| PFHxA                                | 4.2         |
| PFPeA                                | 4.1         |
| <b>VA</b>                            |             |
| <b>FORT BELVOIR NORTH AREA</b>       |             |
| 810-72085-1                          | <b>81.2</b> |
| PFBA                                 | 17.1        |
| PFBS                                 | 8.3         |
| PFHpA                                | 6.4         |
| PFHxA                                | 17.1        |
| PFOA                                 | 7.3         |
| PFOS                                 | 5.5         |
| PFPeA                                | 19.5        |
| 810-82845-1                          | <b>80.9</b> |
| PFBA                                 | 17.2        |
| PFBS                                 | 8           |
| PFHpA                                | 5.7         |
| PFHxA                                | 16.6        |
| PFOA                                 | 7.1         |
| PFOS                                 | 5           |
| PFPeA                                | 21.3        |
| 810-60270-1                          | <b>55.9</b> |
| PFBA                                 | 21.3        |
| PFBS                                 | 5.1         |
| PFHpA                                | 3.9         |
| PFHxA                                | 9.7         |

|                               |             |
|-------------------------------|-------------|
| PFOA                          | 4.3         |
| PFPeA                         | 11.6        |
| 810-51916-1                   | <b>30</b>   |
| PFBA                          | 8.8         |
| PFBS                          | 3.8         |
| PFHpA                         | 3.1         |
| PFHxA                         | 6.3         |
| PFPeA                         | 8           |
| <b>NEW BALTIMORE REGIONAL</b> |             |
| 105335P                       | <b>20.1</b> |
| PFBS                          | 4.2         |
| PFHxA                         | 6.1         |
| PFOA                          | 4.9         |
| PFPeA                         | 4.9         |
| 105331P                       | <b>18.8</b> |
| PFBS                          | 5.2         |
| PFHxA                         | 6.2         |
| PFHxS                         | 3           |
| PFPeA                         | 4.4         |
| 105336P                       | <b>18.3</b> |
| PFHxA                         | 3.4         |
| PFOS                          | 11.5        |
| PFPeA                         | 3.4         |
| 105337P                       | <b>14.2</b> |
| PFHxA                         | 5.5         |
| PFPeA                         | 8.7         |
| 105333P                       | <b>13.4</b> |
| PFHxA                         | 4.8         |
| PFOA                          | 4.3         |
| PFPeA                         | 4.3         |
| 105334P                       | <b>9.7</b>  |
| PFHxS                         | 5           |
| PFOS                          | 4.7         |
| 107463R                       | <b>3.3</b>  |
| PFHxA                         | 3.3         |
| <b>DALE CITY</b>              |             |
| 67887601                      | <b>86.1</b> |
| PFBA                          | 18.8        |
| PFBS                          | 8.5         |

|                              |             |
|------------------------------|-------------|
| PFHpA                        | 6.1         |
| PFHxA                        | 18          |
| PFOA                         | 7.1         |
| PFOS                         | 5.7         |
| PFPeA                        | 21.9        |
| <b>NEWPORT NEWS, CITY OF</b> |             |
| 810-60248-1                  | <b>25.5</b> |
| PFBA                         | 6.2         |
| PFHxA                        | 4.9         |
| PFHxS                        | 5           |
| PFOS                         | 4.7         |
| PFPeA                        | 4.7         |
| 810-67577-1                  | <b>19.3</b> |
| PFHxA                        | 4.3         |
| PFHxS                        | 3.9         |
| PFOS                         | 6.1         |
| PFPeA                        | 5           |
| 810-69231-1                  | <b>18.3</b> |
| PFHxA                        | 4.9         |
| PFHxS                        | 4.7         |
| PFOS                         | 4.4         |
| PFPeA                        | 4.3         |
| 810-80046-1                  | <b>12</b>   |
| PFHxA                        | 4           |
| PFHxS                        | 4.6         |
| PFPeA                        | 3.4         |
| 810-74537-1                  | <b>3.3</b>  |
| PFPeA                        | 3.3         |
| <b>NATIONAL AIRPORT</b>      |             |
| L2358827-01                  | <b>14</b>   |
| PFBS                         | 4           |
| PFHxA                        | 4           |
| PFPeA                        | 6           |
| L2333558-01                  | <b>14</b>   |
| PFBA                         | 7           |
| PFHxA                        | 3           |
| PFPeA                        | 4           |
| L2367914-02                  | <b>12</b>   |
| PFBS                         | 3           |

|                                  |             |
|----------------------------------|-------------|
| PFHxA                            | 4           |
| PFPeA                            | 5           |
| L2309972-01                      | <b>9</b>    |
| PFBS                             | 3           |
| PFHxA                            | 3           |
| PFPeA                            | 3           |
| <b>LAKE LAND`OR</b>              |             |
| 103457P                          | <b>7.6</b>  |
| PFHxA                            | 4.1         |
| PFPeA                            | 3.5         |
| 109235P                          | <b>7.3</b>  |
| PFHxA                            | 3.9         |
| PFPeA                            | 3.4         |
| 109236P                          | <b>5.4</b>  |
| PFBS                             | 5.4         |
| 103458P                          | <b>5.3</b>  |
| PFBS                             | 5.3         |
| 109238P                          | <b>5.1</b>  |
| PFBS                             | 5.1         |
| 103460P                          | <b>4.9</b>  |
| PFBS                             | 4.9         |
| 109239P                          | <b>3.8</b>  |
| PFBS                             | 3.8         |
| <b>QUANTICO MCB-CAMP BARRETT</b> |             |
| 103464P                          | <b>17.5</b> |
| PFBA                             | 9.3         |
| PFHxS                            | 3           |
| PFOS                             | 5.2         |
| 106255P                          | <b>9.3</b>  |
| PFHxS                            | 3.1         |
| PFOS                             | 6.2         |
| 109242P                          | <b>6.5</b>  |
| PFOS                             | 6.5         |
| 100785P                          | <b>4.8</b>  |
| PFOS                             | 4.8         |
| <b>HAMILTON, TOWN OF</b>         |             |
| 107386R                          | <b>24.3</b> |
| PFBS                             | 6           |
| PFHxA                            | 3.8         |



|   |             |
|---|-------------|
| PFOA                                    | 6.1         |
| PFOS                                    | 4.6         |
| PFPeA                                   | 3.8         |
| 107387R                                 | <b>11.8</b> |
| PFBS                                    | 5.4         |
| PFHxA                                   | 3           |
| PFPeA                                   | 3.4         |
| <b>WESTERN VIRGINIA WATER AUTHORITY</b> |             |
| M3H1688-03                              | <b>14.9</b> |
| HFPO-DA                                 | 6           |
| PFOA                                    | 8.9         |
| M3H1709-03                              | <b>10.5</b> |
| PFHxA                                   | 4.3         |
| PFPeA                                   | 6.2         |
| M3H1709-13                              | <b>4.6</b>  |
| PFOS                                    | 4.6         |
| <b>CASTLEWOOD - RCPSA</b>               |             |
| 102655P                                 | <b>29.9</b> |
| PFBA                                    | 5.6         |
| PFHxA                                   | 10          |
| PFPeA                                   | 14.3        |
| <b>MOUNT HERMON</b>                     |             |
| 103454P                                 | <b>27.1</b> |
| PFBA                                    | 27.1        |
| <b>COLONIAL HEIGHTS, CITY OF</b>        |             |
| 810-70975-1                             | <b>9.3</b>  |
| PFBA                                    | 5.9         |
| PFPeA                                   | 3.4         |
| 810-60721-1                             | <b>7</b>    |
| PFBA                                    | 7           |
| 810-81671-1                             | <b>6.7</b>  |
| PFBA                                    | 6.7         |
| <b>LANGLEY AIR FORCE BASE</b>           |             |
| 23060393-01                             | <b>19</b>   |
| PFHxA                                   | 4.8         |
| PFHxS                                   | 4.1         |
| PFOS                                    | 5.6         |
| PFPeA                                   | 4.5         |
| 23031800-01                             | 3.6         |

|                                      |             |
|--------------------------------------|-------------|
| PFHxS                                | 3.6         |
| <b>HERNDON, TOWN OF</b>              |             |
| 810-73395-1                          | <b>13.8</b> |
| PFBA                                 | 6.8         |
| PFHxA                                | 3.1         |
| PFPeA                                | 3.9         |
| 810-63428-1                          | <b>5.6</b>  |
| PFBA                                 | 5.6         |
| <b>ALEXANDRIA, CITY OF</b>           |             |
| 67887301                             | <b>14.8</b> |
| PFBS                                 | 3.5         |
| PFHxA                                | 4.9         |
| PFPeA                                | 6.4         |
| <b>NORFOLK VA, CITY OF</b>           |             |
| 380-37947-1                          | <b>14.6</b> |
| PFHxA                                | 3.7         |
| PFOS                                 | 5.8         |
| PFPeA                                | 5.1         |
| <b>ALTAVISTA, TOWN OF</b>            |             |
| 103453P                              | <b>13.8</b> |
| HFPO-DA                              | 6.2         |
| PFBA                                 | 7.6         |
| <b>CLAYPOOL HILL TAZEWELL CO PSA</b> |             |
| 103443P                              | <b>13</b>   |
| PFBA                                 | 13          |
| <b>VIENNA, TOWN OF</b>               |             |
| 810-76016-1                          | <b>9.2</b>  |
| PFHxA                                | 3.8         |
| PFPeA                                | 5.4         |
| <b>MANASSAS PARK, CITY OF</b>        |             |
| 810-76189-1                          | <b>8</b>    |
| PFHxA                                | 3.5         |
| PFPeA                                | 4.5         |
| <b>MANASSAS, CITY OF</b>             |             |
| 231500-07-181-04-01                  | <b>7.8</b>  |
| PFHxA                                | 3.7         |
| PFPeA                                | 4.1         |
| <b>FORT LEE</b>                      |             |
| 68166401                             | <b>7.1</b>  |

|   |              |
|---|--------------|
| PFHxA                                     | 3.3          |
| PFPeA                                     | 3.8          |
| <b>VIRGINIA-AMERICAN WATER CO.</b>        |              |
| 67889101                                  | <b>7.1</b>   |
| PFHxA                                     | 3.5          |
| PFPeA                                     | 3.6          |
| <b>STRASBURG, TOWN OF</b>                 |              |
| 104332P                                   | <b>5.9</b>   |
| PFBA                                      | 5.9          |
| <b>MARION, TOWN OF</b>                    |              |
| 103442P                                   | <b>5.2</b>   |
| PFBA                                      | 5.2          |
| <b>NORTHERN DEVELOPMENT SERVICE DIST.</b> |              |
| 102664P                                   | <b>5</b>     |
| PFBA                                      | 5            |
| <b>LOUDOUN WATER - CENTRAL SYSTEM</b>     |              |
| 2308N49-001A                              | <b>3.4</b>   |
| PFPeA                                     | 3.4          |
| <b>DULLES AIRPORT</b>                     |              |
| GH00021-01                                | <b>3.2</b>   |
| PFPeA                                     | 3.2          |
| <b>VT</b>                                 |              |
| <b>COLCHESTER FIRE DISTRICT 2</b>         |              |
| 103465P                                   | <b>5.2</b>   |
| PFBA                                      | 5.2          |
| <b>BERLIN HEALTH REHABILITATION CTR</b>   |              |
| 103468P                                   | <b>4.6</b>   |
| PFOS                                      | 4.6          |
| <b>WA</b>                                 |              |
| <b>ARTONDALE WATER SYSTEM</b>             |              |
| 103516P                                   | <b>300.4</b> |
| PFBS                                      | 28.9         |
| PFHpA                                     | 5.6          |
| PFHxA                                     | 16.9         |
| PFHxS                                     | 55.8         |
| PFOA                                      | 6.3          |
| PFOS                                      | 153.6        |
| PFPeA                                     | 13.9         |
| PFPeS                                     | 19.4         |

|                          |             |
|--------------------------|-------------|
| 107302R                  | <b>99.1</b> |
| PFBS                     | 14.7        |
| PFHxA                    | 5.3         |
| PFHxS                    | 20.5        |
| PFOS                     | 47.3        |
| PFPeA                    | 3.9         |
| PFPeS                    | 7.4         |
| 109251P                  | <b>3.6</b>  |
| PFBS                     | 3.6         |
| 109473R                  | <b>3.1</b>  |
| PFBS                     | 3.1         |
| <b>VANCOUVER CITY OF</b> |             |
| K2305972-011             | <b>49.1</b> |
| PFBS                     | 7           |
| PFHxA                    | 4.8         |
| PFHxS                    | 5           |
| PFOA                     | 10.2        |
| PFOS                     | 18.1        |
| PFPeA                    | 4           |
| K2305972-007             | <b>46.1</b> |
| PFBS                     | 6.2         |
| PFHpA                    | 3           |
| PFHxA                    | 7.3         |
| PFHxS                    | 3           |
| PFOA                     | 6.1         |
| PFOS                     | 13.1        |
| PFPeA                    | 7.4         |
| K2305972-005             | <b>38</b>   |
| PFBS                     | 4.4         |
| PFHxA                    | 3.3         |
| PFHxS                    | 6           |
| PFOA                     | 5.6         |
| PFOS                     | 15.1        |
| PFPeA                    | 3.6         |
| K2305972-009             | <b>34</b>   |
| PFBS                     | 4.9         |
| PFHxA                    | 5.1         |
| PFHxS                    | 3.2         |
| PFOA                     | 4.9         |

|                     |             |
|---------------------|-------------|
| PFOS                | 11.2        |
| PFPeA               | 4.7         |
| <b>K2305972-013</b> | <b>31.7</b> |
| PFBS                | 6.1         |
| PFHxS               | 4.8         |
| PFOA                | 5.7         |
| PFOS                | 15.1        |
| <b>K2305972-003</b> | <b>17.5</b> |
| PFBS                | 4.3         |
| PFHxS               | 6.6         |
| PFOS                | 6.6         |
| <b>K2305972-001</b> | <b>12.2</b> |
| PFBS                | 3.2         |
| PFHxS               | 4.9         |
| PFOS                | 4.1         |
| <b>K2309700-001</b> | <b>9.5</b>  |
| PFHxS               | 4.2         |
| PFOS                | 5.3         |
| <b>JBLM Lewis</b>   |             |
| <b>68175901</b>     | <b>33.7</b> |
| PFBS                | 5.4         |
| PFHxS               | 8.7         |
| PFOA                | 5.6         |
| PFOS                | 10.9        |
| PFPeA               | 3.1         |
| <b>68175301</b>     | <b>30.3</b> |
| PFBS                | 4.6         |
| PFHxS               | 8.8         |
| PFOA                | 5.8         |
| PFOS                | 11.1        |
| <b>68175801</b>     | <b>29.8</b> |
| PFBS                | 3.8         |
| PFHxS               | 8.4         |
| PFOA                | 6.8         |
| PFOS                | 10.8        |
| <b>62844501</b>     | <b>26.8</b> |
| PFBS                | 4.4         |
| PFHxS               | 8.6         |
| PFOA                | 4.3         |

|                           |              |
|---------------------------|--------------|
| PFOS                      | 9.5          |
| 62434901                  | <b>18.1</b>  |
| PFBS                      | 5.3          |
| PFHxS                     | 5.2          |
| PFOS                      | 7.6          |
| 62434801                  | <b>18</b>    |
| PFBS                      | 5.3          |
| PFHxS                     | 5.2          |
| PFOS                      | 7.5          |
| <b>MOSES LAKE CITY OF</b> |              |
| MDH0858-10                | <b>123.3</b> |
| PFBS                      | 4.4          |
| PFHxA                     | 7.3          |
| PFHxS                     | 54.1         |
| PFOS                      | 52.2         |
| PFPeS                     | 5.3          |
| MDH0858-07                | <b>3.5</b>   |
| PFHxS                     | 3.5          |
| <b>KENNEWICK CITY OF</b>  |              |
| 380-58186-2               | <b>43.2</b>  |
| PFBS                      | 5            |
| PFHxA                     | 6.5          |
| PFHxS                     | 9.1          |
| PFOA                      | 4.6          |
| PFOS                      | 10.5         |
| PFPeA                     | 7.5          |
| 380-70416-3               | <b>36.9</b>  |
| PFBS                      | 5.4          |
| PFHxA                     | 5.9          |
| PFHxS                     | 10.5         |
| PFOS                      | 8.3          |
| PFPeA                     | 6.8          |
| 380-36845-2               | <b>36.6</b>  |
| PFBS                      | 4.6          |
| PFHxA                     | 5.8          |
| PFHxS                     | 10.3         |
| PFOS                      | 9.6          |
| PFPeA                     | 6.3          |
| <b>RICHLAND CITY OF</b>   |              |

|  |             |
|--|-------------|
| K2303626-001                               | <b>79.4</b> |
| PFBA                                       | 6.6         |
| PFBS                                       | 8.9         |
| PFHpA                                      | 5.8         |
| PFHxA                                      | 11.6        |
| PFHxS                                      | 4.9         |
| PFOA                                       | 10.1        |
| PFOS                                       | 17          |
| PFPeA                                      | 14.5        |
| K2302981-003                               | <b>35.3</b> |
| PFBS                                       | 6.1         |
| PFHxA                                      | 6.6         |
| PFHxS                                      | 5.4         |
| PFOA                                       | 4.8         |
| PFOS                                       | 5           |
| PFPeA                                      | 7.4         |
| <b>SAMMAMISH PLATEAU WATER &amp; SEWER</b> |             |
| 380-52589-4                                | <b>48.7</b> |
| PFBS                                       | 8.8         |
| PFHxA                                      | 4.3         |
| PFHxS                                      | 16.5        |
| PFOS                                       | 11.1        |
| PFPeA                                      | 3.9         |
| PFPeS                                      | 4.1         |
| 380-47677-1                                | <b>15.4</b> |
| PFBS                                       | 4           |
| PFHxS                                      | 7.1         |
| PFOS                                       | 4.3         |
| 380-52589-2                                | <b>11.3</b> |
| PFBS                                       | 5.3         |
| PFHxS                                      | 6           |
| 380-70122-1                                | <b>7.8</b>  |
| PFBS                                       | 3.5         |
| PFHxS                                      | 4.3         |
| 380-70113-1                                | <b>7.3</b>  |
| PFHxS                                      | 3.1         |
| PFOS                                       | 4.2         |
| 380-58185-1                                | <b>3.7</b>  |
| PFHxS                                      | 3.7         |

|   |             |
|---|-------------|
| <b>FRUITLAND MUTUAL WATER COMPANY</b>     |             |
| 380-68391-4                               | <b>15.9</b> |
| PFBS                                      | 5.1         |
| PFHxA                                     | 3.4         |
| PFOA                                      | 4           |
| PFPeA                                     | 3.4         |
| 380-68551-1                               | <b>14.8</b> |
| PFBS                                      | 4.8         |
| PFHxA                                     | 3           |
| PFOA                                      | 4           |
| PFPeA                                     | 3           |
| 380-56682-4                               | <b>7.9</b>  |
| PFBS                                      | 4.9         |
| PFPeA                                     | 3           |
| 380-68391-2                               | <b>3.2</b>  |
| PFBS                                      | 3.2         |
| <b>FIRGROVE MUTUAL INC</b>                |             |
| 380-35252-5                               | <b>18.4</b> |
| PFBS                                      | 5.4         |
| PFOA                                      | 4.4         |
| PFOS                                      | 8.6         |
| 380-54613-1                               | <b>4.3</b>  |
| PFBS                                      | 4.3         |
| 380-35246-3                               | <b>4.3</b>  |
| PFBS                                      | 4.3         |
| 380-63945-1                               | <b>3.7</b>  |
| PFBS                                      | 3.7         |
| 380-35455-2                               | <b>3.5</b>  |
| PFBS                                      | 3.5         |
| <b>CAMAS MUNICIPAL WATER SEWER SYSTEM</b> |             |
| VGJ0676-01                                | <b>20.2</b> |
| PFBS                                      | 3.8         |
| PFOA                                      | 4.4         |
| PFOS                                      | 12          |
| VGD0042-01                                | <b>9.3</b>  |
| PFBS                                      | 3.1         |
| PFOS                                      | 6.2         |
| VGD0042-09                                | <b>4.2</b>  |
| PFOS                                      | 4.2         |



|                                   |             |
|-----------------------------------|-------------|
| <b>CLARK PUBLIC UTILITIES</b>     |             |
| VGC0680-05                        | <b>29.1</b> |
| PFBS                              | 4.1         |
| PFHxA                             | 3.3         |
| PFHxS                             | 5.3         |
| PFOA                              | 8           |
| PFOS                              | 8.4         |
| <b>JBLM McChord Field</b>         |             |
| 67013401                          | <b>13.3</b> |
| PFHxS                             | 8           |
| PFOS                              | 5.3         |
| 63856901                          | <b>11.3</b> |
| PFHxS                             | 7.2         |
| PFOS                              | 4.1         |
| <b>WOODLAND CITY OF</b>           |             |
| K2302693-001                      | <b>23.4</b> |
| PFBA                              | 23.4        |
| <b>TUMWATER CITY OF</b>           |             |
| K2311994-001                      | <b>6.8</b>  |
| PFBS                              | 6.8         |
| K2305674-001                      | <b>6.5</b>  |
| PFBS                              | 6.5         |
| <b>WHITWORTH WATER DISTRICT 2</b> |             |
| MDJ0694-01                        | <b>9.3</b>  |
| PFBS                              | 3.3         |
| PFHxA                             | 3           |
| PFPeA                             | 3           |
| MDJ0694-02                        | <b>3.2</b>  |
| PFPeA                             | 3.2         |
| <b>HORIZONS WEST</b>              |             |
| 106272P                           | <b>9.5</b>  |
| 6:2 FTS                           | 9.5         |
| <b>ARLINGTON WATER DEPT</b>       |             |
| MDB0684-01                        | <b>4.9</b>  |
| PFHxS                             | 4.9         |
| MDH0822-01                        | <b>4.3</b>  |
| PFHxS                             | 4.3         |
| <b>SEQUIM CITY OF</b>             |             |
| MDD0458-02                        | <b>5.8</b>  |

|                                     |             |
|-------------------------------------|-------------|
| PFBS                                | 5.8         |
| MDJ0859-02                          | <b>3.2</b>  |
| PFBS                                | 3.2         |
| <b>STEVENS CO PUD - SUNCREST</b>    |             |
| 106286P                             | <b>7.8</b>  |
| PFHxA                               | 4.4         |
| PFPeA                               | 3.4         |
| <b>LAKE CUSHMAN SYSTEM 5</b>        |             |
| 105373P                             | <b>7.3</b>  |
| PFHxA                               | 3           |
| PFPeA                               | 4.3         |
| <b>OLYMPIA CITY OF</b>              |             |
| MDJ0700-03                          | <b>4.8</b>  |
| PFBS                                | 4.8         |
| <b>SUMMIT WATER &amp; SUPPLY CO</b> |             |
| 380-49499-6                         | <b>3.1</b>  |
| PFPeA                               | 3.1         |
| <b>RENTON CITY OF</b>               |             |
| K2303470-001                        | <b>3</b>    |
| PFBS                                | 3           |
| <b>WI</b>                           |             |
| <b>MARSHFIELD UTILITIES</b>         |             |
| EP200                               | <b>65.7</b> |
| PFBA                                | 6.1         |
| PFBS                                | 3.2         |
| PFHpA                               | 3.4         |
| PFHxA                               | 12          |
| PFHxS                               | 14          |
| PFOS                                | 14          |
| PFPeA                               | 13          |
| CB07801-01                          | <b>57.1</b> |
| PFBA                                | 6.7         |
| PFHpA                               | 3.4         |
| PFHxA                               | 11          |
| PFHxS                               | 10          |
| PFOS                                | 12          |
| PFPeA                               | 14          |
| <b>LA CROSSE WATERWORKS</b>         |             |
| CB05549-05                          | <b>29</b>   |

|                            |             |
|----------------------------|-------------|
| PFBA                       | 12          |
| PFBS                       | 5.2         |
| PFOA                       | 4.4         |
| PFOS                       | 4.3         |
| PFPeA                      | 3.1         |
| CB05474-03                 | <b>27.8</b> |
| PFBA                       | 21          |
| PFBS                       | 3.5         |
| PFHxS                      | 3.3         |
| CB05474-09                 | <b>22.4</b> |
| PFBA                       | 11          |
| PFBS                       | 3.5         |
| PFHxS                      | 3.1         |
| PFOA                       | 4.8         |
| CB05549-01                 | <b>17.4</b> |
| PFBA                       | 5.4         |
| PFBS                       | 12          |
| CB05549-03                 | <b>7</b>    |
| PFHxS                      | 7           |
| <b>HUDSON WATERWORKS</b>   |             |
| CB05437-01                 | <b>32</b>   |
| PFBA                       | 32          |
| CB13570-05                 | <b>29</b>   |
| PFBA                       | 29          |
| CB05116-01                 | <b>12</b>   |
| PFBA                       | 12          |
| CB04776-03                 | <b>6.4</b>  |
| PFBA                       | 6.4         |
| CB04776-01                 | <b>5.1</b>  |
| PFBA                       | 5.1         |
| <b>HARTLAND WATERWORKS</b> |             |
| 104360P                    | <b>24.1</b> |
| PFBS                       | 3.5         |
| PFHxA                      | 4.2         |
| PFHxS                      | 3.3         |
| PFOA                       | 4.4         |
| PFOS                       | 4.2         |
| PFPeA                      | 4.5         |
| 104357P                    | <b>22</b>   |

|                              |             |
|------------------------------|-------------|
| PFBA                         | 5.1         |
| PFBS                         | 9           |
| PFHxA                        | 3.6         |
| PFPeA                        | 4.3         |
| <b>104356P</b>               | <b>17.8</b> |
| PFBS                         | 11          |
| PFHxA                        | 3.5         |
| PFPeA                        | 3.3         |
| <b>104358P</b>               | <b>14.5</b> |
| PFBS                         | 4.6         |
| PFHxA                        | 3.1         |
| PFHxS                        | 3.4         |
| PFPeA                        | 3.4         |
| <b>104359P</b>               | <b>3.2</b>  |
| PFBS                         | 3.2         |
| <b>MADISON WATER UTILITY</b> |             |
| 810-81034-1                  | <b>46</b>   |
| PFBA                         | 46          |
| 810-79851-1                  | <b>6.6</b>  |
| PFHxS                        | 6.6         |
| 810-79855-1                  | <b>4.6</b>  |
| PFHxS                        | 4.6         |
| <b>SCHOFIELD WATERWORKS</b>  |             |
| <b>104381P</b>               | <b>44.5</b> |
| PFBA                         | 5.3         |
| PFBS                         | 11          |
| PFHxA                        | 7.8         |
| PFHxS                        | 5.9         |
| PFOA                         | 4.7         |
| PFPeA                        | 9.8         |
| <b>104382P</b>               | <b>6.9</b>  |
| PFBS                         | 3.8         |
| PFHxS                        | 3.1         |
| <b>KEWASKUM WATERWORKS</b>   |             |
| <b>107273P</b>               | <b>15</b>   |
| PFOA                         | 15          |
| <b>101372P</b>               | <b>12</b>   |
| PFOA                         | 12          |
| <b>107274P</b>               | <b>6.6</b>  |

|                                 |             |
|---------------------------------|-------------|
| PFBS                            | 6.6         |
| 101373P                         | <b>6.4</b>  |
| PFBS                            | 6.4         |
| 107275P                         | <b>4.2</b>  |
| PFOA                            | 4.2         |
| 101374P                         | <b>4</b>    |
| PFOA                            | 4           |
| <b>STURGEON BAY WATERWORKS</b>  |             |
| 104364P                         | <b>15.2</b> |
| PFHxS                           | 11          |
| PFOS                            | 4.2         |
| 104366P                         | <b>12</b>   |
| PFHxS                           | 12          |
| 104365P                         | <b>12</b>   |
| PFHxS                           | 12          |
| <b>BROOKFIELD WATER UTILITY</b> |             |
| CB08253-01                      | <b>11.3</b> |
| PFBS                            | 4.6         |
| PFHxS                           | 3.2         |
| PFPeA                           | 3.5         |
| CB08261-23                      | <b>10.3</b> |
| PFBS                            | 4           |
| PFHxS                           | 3           |
| PFPeA                           | 3.3         |
| CB00629-25                      | <b>7</b>    |
| PFBS                            | 3.7         |
| PFPeA                           | 3.3         |
| CB00629-03                      | <b>3.4</b>  |
| PFPeA                           | 3.4         |
| CB08261-03                      | <b>3</b>    |
| PFPeA                           | 3           |
| <b>TOMAH WATERWORKS</b>         |             |
| 108340P                         | <b>14.1</b> |
| PFHxA                           | 3.7         |
| PFHxS                           | 5.7         |
| PFPeA                           | 4.7         |
| 102699P                         | <b>13.3</b> |
| PFHxA                           | 3.9         |
| PFHxS                           | 4.3         |

|                                      |             |
|--------------------------------------|-------------|
| PFPeA                                | 5.1         |
| 108339P                              | <b>3.2</b>  |
| PFHxS                                | 3.2         |
| <b>EAU CLAIRE WATERWORKS</b>         |             |
| CB07986-01                           | <b>12.1</b> |
| PFBS                                 | 3           |
| PFHxS                                | 9.1         |
| CB00621-01                           | <b>11</b>   |
| PFHxS                                | 11          |
| <b>SHEBOYGAN TN WATERWORKS</b>       |             |
| 100829P                              | <b>21.8</b> |
| PFBS                                 | 3.9         |
| PFHxA                                | 3           |
| PFHxS                                | 11          |
| PFPeA                                | 3.9         |
| <b>OCONOMOWOC WATERWORKS</b>         |             |
| CB11927-03                           | <b>9.9</b>  |
| PFBA                                 | 5.4         |
| PFBS                                 | 4.5         |
| CB11323-03                           | <b>9.8</b>  |
| PFBA                                 | 5.2         |
| PFBS                                 | 4.6         |
| <b>CONCOR TOOL &amp; MACHINE INC</b> |             |
| 103554P                              | <b>16.8</b> |
| PFBS                                 | 5           |
| PFOA                                 | 6.1         |
| PFOS                                 | 5.7         |
| <b>BLACK RIVER FALLS WATERWORKS</b>  |             |
| 106300P                              | <b>6.8</b>  |
| PFBA                                 | 6.8         |
| 100831P                              | <b>6.5</b>  |
| PFBA                                 | 6.5         |
| <b>ONALASKA WATERWORKS</b>           |             |
| 9                                    | <b>4.2</b>  |
| PFBS                                 | 4.2         |
| CB07634-07                           | <b>3.3</b>  |
| PFBS                                 | 3.3         |
| <b>PLOVER WATERWORKS</b>             |             |
| CB10887-05                           | <b>5.9</b>  |

|                                  |              |
|----------------------------------|--------------|
| PFBA                             | 5.9          |
| <b>NEW RICHMOND WATERWORKS</b>   |              |
| 104379P                          | <b>5.5</b>   |
| PFBA                             | 5.5          |
| <b>CHIPPEWA FALLS WATERWORKS</b> |              |
| CB03164-03                       | <b>4.8</b>   |
| PFBS                             | 4.8          |
| <b>REEDSBURG WATERWORKS</b>      |              |
| 105396P                          | <b>3.9</b>   |
| PFHxS                            | 3.9          |
| <b>NEW LONDON WATERWORKS</b>     |              |
| 103548P                          | <b>3.6</b>   |
| PFPeA                            | 3.6          |
| <b>HOLMEN WATERWORKS</b>         |              |
| CB12611-01                       | <b>3.3</b>   |
| PFPeA                            | 3.3          |
| <b>MCFARLAND WATERWORKS</b>      |              |
| 105393P                          | <b>3</b>     |
| PFHxS                            | 3            |
| <b>WV</b>                        |              |
| <b>NEW MARTINSVILLE</b>          |              |
| 104394P                          | <b>245.3</b> |
| PFBS                             | 11.1         |
| PFHxA                            | 11.7         |
| PFHxS                            | 84.1         |
| PFOA                             | 6            |
| PFOS                             | 121.8        |
| PFPeA                            | 3.9          |
| PFPeS                            | 6.7          |
| 104393P                          | <b>31.1</b>  |
| PFBS                             | 11.8         |
| PFHxA                            | 3.2          |
| PFHxS                            | 7.3          |
| PFOA                             | 8.8          |
| 104391P                          | <b>15.2</b>  |
| PFBS                             | 3.6          |
| PFHxS                            | 6.6          |
| PFOA                             | 5            |
| 104390P                          | <b>14.7</b>  |

|  |             |
|--|-------------|
| PFBS                                   | 8.8         |
| PFHxS                                  | 5.9         |
| 104392P                                | <b>7.7</b>  |
| PFBS                                   | 4.2         |
| PFHxS                                  | 3.5         |
| <b>WILLIAMSTOWN WATER DEPT</b>         |             |
| 104396P                                | <b>82.5</b> |
| PFBA                                   | 6           |
| PFBS                                   | 9.4         |
| PFHpA                                  | 3           |
| PFHxA                                  | 9.1         |
| PFHxS                                  | 31.3        |
| PFOA                                   | 20.2        |
| PFPeA                                  | 3.5         |
| <b>BERKELEY CO P S W D-BUNKER HILL</b> |             |
| 810-77401-1                            | <b>21.8</b> |
| PFBA                                   | 8.6         |
| PFPeA                                  | 13.2        |
| 810-66069-1                            | <b>14.4</b> |
| PFBA                                   | 5.9         |
| PFPeA                                  | 8.5         |
| 810-57033-2                            | <b>9.3</b>  |
| PFBA                                   | 5           |
| PFPeA                                  | 4.3         |
| 810-66063-1                            | <b>4.4</b>  |
| PFBS                                   | 4.4         |
| 810-57033-1                            | <b>4.2</b>  |
| PFBS                                   | 4.2         |
| 810-77397-1                            | <b>4</b>    |
| PFBS                                   | 4           |
| <b>PARKERSBURG UTILITY BOARD</b>       |             |
| M3E1372-01                             | <b>46.5</b> |
| PFOA                                   | 46.5        |
| <b>PLEASANTS CO PSD</b>                |             |
| 107287P                                | <b>15.8</b> |
| PFBS                                   | 4.8         |
| PFOA                                   | 11          |
| 101390P                                | <b>12.9</b> |
| PFBS                                   | 4.8         |



|                           |              |
|---------------------------|--------------|
| PFOA                      | 8.1          |
| <b>WELLSBURG, CITY OF</b> |              |
| 104384P                   | <b>21.7</b>  |
| PFBS                      | 4.8          |
| PFHxA                     | 3.8          |
| PFHxS                     | 5.2          |
| PFOA                      | 4.6          |
| PFPeA                     | 3.3          |
| <b>CLAYWOOD PARK PSD</b>  |              |
| 107291P                   | <b>11.1</b>  |
| PFOA                      | 11.1         |
| 104395P                   | <b>10.3</b>  |
| PFBA                      | 5.5          |
| PFOA                      | 4.8          |
| <b>SHORTLINE PSD</b>      |              |
| 106306P                   | <b>4.5</b>   |
| PFOA                      | 4.5          |
| <b>HURRICANE CITY OF</b>  |              |
| 106310P                   | <b>4</b>     |
| PFBS                      | 4            |
| <b>WY</b>                 |              |
| <b>RIVERTON, CITY OF</b>  |              |
| CB13591-25                | <b>125.6</b> |
| PFBA                      | 5            |
| PFBS                      | 13           |
| PFHpA                     | 3.6          |
| PFHxA                     | 28           |
| PFHxS                     | 37           |
| PFOS                      | 7            |
| PFPeA                     | 19           |
| PFPeS                     | 13           |